



2026-01-30-0239

2 x AMD EPYC 9845 160-Core testing with a FUJITSU D4129-A1 (V5.0.0.35 R2.10.0 for D4129-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

12 x 16 GB DDR5-4800MT

Processor: 2 x AMD EPYC 9845 160-Core @ 2.10GHz (320 Cores / 640 Threads), Motherboard: FUJITSU D4129-A1 (V5.0.0.35 R2.10.0 for D4129-A1x BIOS), Chipset: AMD Turin Root Complex, Memory: 12 x 16 GB DDR5-4800MT/s Samsung M321R2GA3BB6-CQKEG, Disk: 7682GB SAMSUNG MZ7LH7T6 + 0GB ASM1153, Graphics: ASPEED, Network: 4 x Broadcom NetXtreme BCM5719 PCIe + Intel I210

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto

--enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man
 --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic
 --without-cuda-driver --without-isl
 Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xb10104e
 Security Notes: SELinux + gather_data_sampling: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected +
 mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of
 SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB:
 conditional; STIBP: always-on; RSB filling; PBRSE-IBRS: Not affected; BHI: Not affected + srbds: Not affected + tsx_async_abort: Not affected

12 x 16 GB DDR5-4800MT

RAMspeed SMP - Add - Integer (MB/s) 61641
 RAMspeed SMP - Copy - Integer (MB/s) 70186
 RAMspeed SMP - Scale - Integer (MB/s) 70335
 RAMspeed SMP - Triad - Integer (MB/s) 62491
 RAMspeed SMP - Average - Integer (MB/s) 66799
 RAMspeed SMP - Add - Floating Point (MB/s) 63176
 RAMspeed SMP - Copy - Floating Point (MB/s) 69926
 RAMspeed SMP - Scale - Floating Point (MB/s) 70373
 RAMspeed SMP - Triad - Floating Point (MB/s) 60621
 RAMspeed SMP - Average - Floating Point (MB/s) 66014
 Stream - Copy (MB/s) 126554
 Stream - Scale (MB/s) 111442
 Stream - Triad (MB/s) 114871
 Stream - Add (MB/s) 113090
 Tinymembench - Standard Memcpy (MB/s) 29847
 Tinymembench - Standard Memset (MB/s) 78107
 t-test1 - 1 (sec) 22.915
 t-test1 - 2 (sec) 7.892
 WireGuard + Linux Networking Stack Stress Test (sec) 424.875
 OSBench - Create Files (us/Event) 33.600022
 OSBench - Create Threads (us/Event) 38.819313
 OSBench - Launch Programs (us/Event) 263.91983
 OSBench - Create Processes (us/Event) 200.819969
 OSBench - Memory Allocations (Ns/Event) 54.538012
 CacheBench - Read (MB/s) 10405
 CacheBench - Write (MB/s) 45338
 CacheBench - R.M.W (MB/s) 82768
 Timed CPython Compilation - Default (sec) 21.253
 Timed CPython Compilation - R.B.P.L.O (sec) 320.562
 Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 3796
 Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 166656
 Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 8944
 Schbench - 1 - 128 kb - No (RPS) 164202
 Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 11344
 Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 56000
 Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 25568
 Schbench - 1 - 256 kb - No (RPS) 55017


Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 3812
 Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 166144
 Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 5208
 Schbench - 4 - 128 kb - No (RPS) 165007
 Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 11376
 Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 56256
 Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 15184
 Schbench - 4 - 256 kb - No (RPS) 56050
 Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 3812
 Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 165120
 Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 5208
 Schbench - 8 - 128 kb - No (RPS) 164463
 Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 11376
 Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 56896
 Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 15120
 Schbench - 8 - 256 kb - No (RPS) 56687
 Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3804
 Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 166656
 Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 6392
 Schbench - 1 - 128 kb - Yes (RPS) 164855
 Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11312
 Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56000
 Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 16928
 Schbench - 1 - 256 kb - Yes (RPS) 55399
 Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 3812
 Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 167168
 Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 5160
 Schbench - 16 - 128 kb - No (RPS) 166220
 Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 11376
 Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 56512
 Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 15088
 Schbench - 16 - 256 kb - No (RPS) 56269
 Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 3820
 Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 166656
 Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 5144
 Schbench - 32 - 128 kb - No (RPS) 165950
 Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 11408
 Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 56512
 Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 15088
 Schbench - 32 - 256 kb - No (RPS) 56348
 Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3812
 Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 165632
 Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5208
 Schbench - 4 - 128 kb - Yes (RPS) 164950
 Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11376
 Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56256
 Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 20512
 Schbench - 4 - 256 kb - Yes (RPS) 56000

Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 3828
Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 166144
Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 5128
Schbench - 64 - 128 kb - No (RPS) 165842
Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 11408
Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 56128
Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 15024
Schbench - 64 - 256 kb - No (RPS) 56047
Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3812
Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 165120
Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5192
Schbench - 8 - 128 kb - Yes (RPS) 164377
Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11376
Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56512
Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 21088
Schbench - 8 - 256 kb - Yes (RPS) 56207
Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 3828
Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 166144
Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 5096
Schbench - 128 - 128 kb - No (RPS) 166043
Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 11408
Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 56128
Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 14992
Schbench - 128 - 256 kb - No (RPS) 56100
Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3820
Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 166656
Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 6296
Schbench - 16 - 128 kb - Yes (RPS) 165707
Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11376
Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56512
Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 21920
Schbench - 16 - 256 kb - Yes (RPS) 56351
Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 4184
Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 167680
Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 7912
Schbench - 256 - 128 kb - No (RPS) 167713
Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 12432
Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 56512
Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 23264
Schbench - 256 - 256 kb - No (RPS) 56570
Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3820
Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 166656
Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 6504
Schbench - 32 - 128 kb - Yes (RPS) 165745
Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11376
Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56128
Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 21536
Schbench - 32 - 256 kb - Yes (RPS) 55955

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3828
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 166144
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 6488
Schbench - 64 - 128 kb - Yes (RPS) 165676
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11408
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56128
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 20448
Schbench - 64 - 256 kb - Yes (RPS) 56010
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3828
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 166144
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 6408
Schbench - 128 - 128 kb - Yes (RPS) 165898
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11408
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56128
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 19744
Schbench - 128 - 256 kb - Yes (RPS) 56054
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 4168
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 167680
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 8464
Schbench - 256 - 128 kb - Yes (RPS) 167548
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 12432
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 56384
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 25760
Schbench - 256 - 256 kb - Yes (RPS) 56454

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test




OSBench

Test: Create Files




OSBench

Test: Create Threads




OSBench

Test: Launch Programs




OSBench

Test: Create Processes




OSBench

Test: Memory Allocations



CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 30 January 2026 03:36.