



**2026-01-16-0527**

2 x INTEL XEON PLATINUM 8592+ testing with a FUJITSU D3982-A1 (V1.0.0.0 R2.10.0 for D3982-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

## Test Systems:

### 2 x 256 GB DDR5-4800MT

Processor: 2 x INTEL XEON PLATINUM 8592+ @ 3.90GHz (128 Cores / 256 Threads), Motherboard: FUJITSU D3982-A1 (V1.0.0.0 R2.10.0 for D3982-A1x BIOS), Chipset: Intel Device 1bce, Memory: 2 x 256 GB DDR5-4800MT/s Samsung M321RBGA0B40-CWKZH, Disk: 3 x 7682GB Micron\_5300\_MTFD + 7682GB Micron\_5400\_MTFD, Graphics: ASPEED, Network: Intel I210 + 4 x Intel X710 for 10GBASE-T

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9\_6.x86\_64 (x86\_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86\_64-redhat-linux --disable-libunwind-exceptions --enable-\_\_cxa\_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto

--enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man  
--with-arch\_32=x86-64 --with-arch\_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic  
--without-cuda-driver --without-isl  
Processor Notes: Scaling Governor: intel\_pstate powersave (EPP: balance\_performance) - CPU Microcode: 0x210002a9  
Security Notes: SELinux + gather\_data\_sampling: Not affected + itlb\_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected +  
mmio\_stale\_data: Not affected + reg\_file\_data\_sampling: Not affected + retbleed: Not affected + spec\_rstack\_overflow: Not affected + spec\_store\_bypass: Mitigation of  
SSB disabled via prctl + spectre\_v1: Mitigation of usercopy/swapgs barriers and \_\_user pointer sanitization + spectre\_v2: Mitigation of Enhanced / Automatic IBRS; IBPB:  
conditional; RSB filling; PBRSE-IBRS: SW sequence; BHI: BHI\_DIS\_S + srbds: Not affected + tsx\_async\_abort: Not affected

2 x 256 GB DDR5-4800MT

RAMspeed SMP - Add - Integer (MB/s) 61247  
RAMspeed SMP - Copy - Integer (MB/s) 62340  
RAMspeed SMP - Scale - Integer (MB/s) 62704  
RAMspeed SMP - Triad - Integer (MB/s) 65084  
RAMspeed SMP - Average - Integer (MB/s) 64664  
RAMspeed SMP - Add - Floating Point (MB/s) 65091  
RAMspeed SMP - Copy - Floating Point (MB/s) 65547  
RAMspeed SMP - Scale - Floating Point (MB/s) 66195  
RAMspeed SMP - Triad - Floating Point (MB/s) 64944  
RAMspeed SMP - Average - Floating Point (MB/s) 65473  
Stream - Copy (MB/s) 59529  
Stream - Scale (MB/s) 59596  
Stream - Triad (MB/s) 60324  
Stream - Add (MB/s) 59863  
Tinymembench - Standard Malloc (MB/s) 16751  
Tinymembench - Standard Memset (MB/s) 33357  
t-test1 - 1 (sec) 41.507  
t-test1 - 2 (sec) 13.619  
WireGuard + Linux Networking Stack Stress Test (sec) 420.789  
OSBench - Create Files (us/Event) 33.885463  
OSBench - Create Threads (us/Event) 43.978691  
OSBench - Launch Programs (us/Event) 111.980438  
OSBench - Create Processes (us/Event) 80.320835  
OSBench - Memory Allocations (Ns/Event) 48.012018  
CacheBench - Read (MB/s) 14698  
CacheBench - Write (MB/s) 54863  
CacheBench - R.M.W (MB/s) 108055  
Timed CPython Compilation - Default (sec) 17.847  
Timed CPython Compilation - R.B.P.L.O (sec) 239.698  
Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 2132  
Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 123264  
Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 3996  
Schbench - 1 - 128 kb - No (RPS) 110965  
Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 6280  
Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 43328  
Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 11760  
Schbench - 1 - 256 kb - No (RPS) 37124


Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 2212  
 Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 121472  
 Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 4264  
     Schbench - 4 - 128 kb - No (RPS) 105275  
 Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 6376  
 Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 43328  
 Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 12304  
     Schbench - 4 - 256 kb - No (RPS) 36837  
 Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 2220  
 Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 121728  
 Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 4264  
     Schbench - 8 - 128 kb - No (RPS) 104874  
 Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 6360  
 Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 43200  
 Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 12784  
     Schbench - 8 - 256 kb - No (RPS) 36884  
 Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2212  
 Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 121216  
 Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4216  
     Schbench - 1 - 128 kb - Yes (RPS) 105270  
 Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6312  
 Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43328  
 Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 12080  
     Schbench - 1 - 256 kb - Yes (RPS) 36761  
 Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 2220  
 Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 124800  
 Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 4248  
     Schbench - 16 - 128 kb - No (RPS) 105826  
 Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 6376  
 Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 44352  
 Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 12432  
     Schbench - 16 - 256 kb - No (RPS) 36962  
 Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 2220  
 Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 121984  
 Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 4392  
     Schbench - 32 - 128 kb - No (RPS) 105228  
 Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 6376  
 Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 43200  
 Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 12656  
     Schbench - 32 - 256 kb - No (RPS) 36980  
 Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2220  
 Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 121472  
 Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4216  
     Schbench - 4 - 128 kb - Yes (RPS) 105305  
 Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6360  
 Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43200  
 Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 13296  
     Schbench - 4 - 256 kb - Yes (RPS) 37167

Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 2220  
 Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 121984  
 Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 4344  
     Schbench - 64 - 128 kb - No (RPS) 106065  
 Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 6376  
 Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 43200  
 Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 12304  
     Schbench - 64 - 256 kb - No (RPS) 37109  
 Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2220  
 Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 121728  
 Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4136  
     Schbench - 8 - 128 kb - Yes (RPS) 105565  
 Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6360  
 Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43200  
 Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 13264  
     Schbench - 8 - 256 kb - Yes (RPS) 37107  
 Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 2220  
 Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 121984  
 Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 4296  
     Schbench - 128 - 128 kb - No (RPS) 105653  
 Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 6360  
 Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 44224  
 Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 12976  
     Schbench - 128 - 256 kb - No (RPS) 37222  
 Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2252  
 Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 118400  
 Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4888  
     Schbench - 16 - 128 kb - Yes (RPS) 101442  
 Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6408  
 Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 42816  
 Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 15120  
     Schbench - 16 - 256 kb - Yes (RPS) 35877  
 Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 2260  
 Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 119168  
 Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 4504  
     Schbench - 256 - 128 kb - No (RPS) 101703  
 Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 6408  
 Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 43456  
 Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 12752  
     Schbench - 256 - 256 kb - No (RPS) 36087  
 Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2292  
 Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 114304  
 Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4808  
     Schbench - 32 - 128 kb - Yes (RPS) 99677  
 Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6376  
 Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43200  
 Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 13648  
     Schbench - 32 - 256 kb - Yes (RPS) 36755

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2220  
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 122496  
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4440  
Schbench - 64 - 128 kb - Yes (RPS) 105480  
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6360  
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43328  
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 13616  
Schbench - 64 - 256 kb - Yes (RPS) 37095  
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2220  
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 122752  
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4264  
Schbench - 128 - 128 kb - Yes (RPS) 106037  
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6376  
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43200  
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 12816  
Schbench - 128 - 256 kb - Yes (RPS) 37231  
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2220  
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 123008  
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4152  
Schbench - 256 - 128 kb - Yes (RPS) 106221  
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6360  
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43456  
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 12080  
Schbench - 256 - 256 kb - Yes (RPS) 37364

## RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

## RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

## Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

## Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

## Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

## Stream 2013-01-17


Type: Add



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

## Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

## Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

## t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


## t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

## WireGuard + Linux Networking Stack Stress Test




## OSBench

Test: Create Files




## OSBench

Test: Create Threads




## OSBench

Test: Launch Programs



## OSBench

Test: Create Processes




## OSBench

Test: Memory Allocations



## CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

## CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

## CacheBench

Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


## Timed CPython Compilation 3.10.6

Build Configuration: Default




## Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

## Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

*This file was automatically generated via the Phoronix Test Suite benchmarking software on Friday, 16 January 2026 06:23.*