



2026-01-19-0240

2 x INTEL XEON PLATINUM 8592+ testing with a FUJITSU D3983-A1 (V1.0.0.0 R2.10.0 for D3983-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

32 x 256 GB DDR5-4400MT

Processor: 2 x INTEL XEON PLATINUM 8592+ @ 3.90GHz (128 Cores / 256 Threads), Motherboard: FUJITSU D3983-A1 (V1.0.0.0 R2.10.0 for D3983-A1x BIOS), Chipset: Intel Device 1bce, Memory: 32 x 256 GB DDR5-4400MT/s Samsung M321RBGA0B40-CWKBH, Disk: 30724GB PRAID EP520i, Graphics: ASPEED, Network: Intel I210 + 4 x Intel I350

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto

```
--enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man
--with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic
--without-cuda-driver --without-isl
Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0x210002a9
Security Notes: SELinux + gather_data_sampling: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected +
mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of
SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB:
conditional; RSB filling; PBRSE-IBRS: SW sequence; BHI: BHI_DIS_S + srbds: Not affected + tsx_async_abort: Not affected
```

32 x 256 GB DDR5-4400MT

```
RAMspeed SMP - Add - Integer (MB/s) 64450
RAMspeed SMP - Copy - Integer (MB/s) 66749
RAMspeed SMP - Scale - Integer (MB/s) 63634
RAMspeed SMP - Triad - Integer (MB/s) 66067
RAMspeed SMP - Average - Integer (MB/s) 65601
RAMspeed SMP - Add - Floating Point (MB/s) 66011
RAMspeed SMP - Copy - Floating Point (MB/s) 66342
RAMspeed SMP - Scale - Floating Point (MB/s) 67220
RAMspeed SMP - Triad - Floating Point (MB/s) 66011
RAMspeed SMP - Average - Floating Point (MB/s) 66407
Stream - Copy (MB/s) 377526
Stream - Scale (MB/s) 382966
Stream - Triad (MB/s) 398325
Stream - Add (MB/s) 397692
Tinymembench - Standard Malloc (MB/s) 16998
Tinymembench - Standard Memset (MB/s) 34198
t-test1 - 1 (sec) 39.06
t-test1 - 2 (sec) 13.746
WireGuard + Linux Networking Stack Stress Test (sec) 386.597
OSBench - Create Files (us/Event) 29.792761
OSBench - Create Threads (us/Event) 44.720173
OSBench - Launch Programs (us/Event) 218.951702
OSBench - Create Processes (us/Event) 84.209442
OSBench - Memory Allocations (Ns/Event) 47.163963
CacheBench - Read (MB/s) 14701
CacheBench - Write (MB/s) 54871
CacheBench - R.M.W (MB/s) 108352
Timed CPython Compilation - Default (sec) 17.199
Timed CPython Compilation - R.B.P.L.O (sec) 241.38
Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 2010
Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 125312
Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 2916
Schbench - 1 - 128 kb - No (RPS) 124299
Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 5800
Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 43840
Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 7240
Schbench - 1 - 256 kb - No (RPS) 43898
```


Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 2022
Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 124032
Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 2700
Schbench - 4 - 128 kb - No (RPS) 123977
Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 43968
Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 6824
Schbench - 4 - 256 kb - No (RPS) 43989
Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 2022
Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 123776
Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 2740
Schbench - 8 - 128 kb - No (RPS) 123548
Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 43840
Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 6808
Schbench - 8 - 256 kb - No (RPS) 43953
Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2010
Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 125568
Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2692
Schbench - 1 - 128 kb - Yes (RPS) 124481
Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5800
Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43840
Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 7272
Schbench - 1 - 256 kb - Yes (RPS) 43800
Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 2030
Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 123520
Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 2740
Schbench - 16 - 128 kb - No (RPS) 123300
Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 43968
Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 6856
Schbench - 16 - 256 kb - No (RPS) 43975
Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 2030
Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 126336
Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 2764
Schbench - 32 - 128 kb - No (RPS) 123880
Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 44992
Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 6856
Schbench - 32 - 256 kb - No (RPS) 43959
Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2022
Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 124032
Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2708
Schbench - 4 - 128 kb - Yes (RPS) 123889
Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43968
Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9200
Schbench - 4 - 256 kb - Yes (RPS) 43947

Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 2034
Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 123520
Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 2788
 Schbench - 64 - 128 kb - No (RPS) 123741
Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 44992
Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 6936
 Schbench - 64 - 256 kb - No (RPS) 43979
Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2026
Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 123520
Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2732
 Schbench - 8 - 128 kb - Yes (RPS) 123437
Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43968
Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 10160
 Schbench - 8 - 256 kb - Yes (RPS) 43981
Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 2038
Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 123520
Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 2748
 Schbench - 128 - 128 kb - No (RPS) 123855
Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 43840
Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 6904
 Schbench - 128 - 256 kb - No (RPS) 44020
Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2030
Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 123520
Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2748
 Schbench - 16 - 128 kb - Yes (RPS) 123270
Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43840
Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 10096
 Schbench - 16 - 256 kb - Yes (RPS) 43961
Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 2034
Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 124032
Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 2724
 Schbench - 256 - 128 kb - No (RPS) 124325
Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 5816
Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 43968
Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 6952
 Schbench - 256 - 256 kb - No (RPS) 44076
Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2030
Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 123776
Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2932
 Schbench - 32 - 128 kb - Yes (RPS) 123932
Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43840
Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9712
 Schbench - 32 - 256 kb - Yes (RPS) 43940

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2034
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 126336
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2996
Schbench - 64 - 128 kb - Yes (RPS) 123798
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43840
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9648
Schbench - 64 - 256 kb - Yes (RPS) 43974
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2038
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 124032
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2908
Schbench - 128 - 128 kb - Yes (RPS) 123975
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 44992
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9232
Schbench - 128 - 256 kb - Yes (RPS) 44011
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2034
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 124032
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2860
Schbench - 256 - 128 kb - Yes (RPS) 124341
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 43968
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9136
Schbench - 256 - 256 kb - Yes (RPS) 44098

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test



OSBench


Test: Create Files



1. (CC) gcc options: -lm

OSBench


Test: Create Threads



1. (CC) gcc options: -lm

OSBench


Test: Launch Programs



1. (CC) gcc options: -lm

OSBench


Test: Create Processes



1. (CC) gcc options: -lm

OSBench


Test: Memory Allocations



1. (CC) gcc options: -lm

CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Monday, 19 January 2026 03:33.