



2026-01-27-0602

2 x INTEL XEON GOLD 6554S testing with a FUJITSU D3985-A1 (V1.0.0.0 R2.7.0 for D3985-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

16 x 256 GB DDR5-4800MT

Processor: 2 x INTEL XEON GOLD 6554S @ 4.00GHz (72 Cores / 144 Threads), Motherboard: FUJITSU D3985-A1 (V1.0.0.0 R2.7.0 for D3985-A1x BIOS), Chipset: Intel Device 1bce, Memory: 16 x 256 GB DDR5-4800MT/s Samsung M321RBGA0B40-CWKZH, Disk: 1000GB Seagate ST1000NM000A-2J3 + 8002GB TOSHIBA MG08ADA8, Graphics: ASPEED, Network: 2 x Intel I350

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto

--enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man
 --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic
 --without-cuda-driver --without-isl
 Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0x210002b3
 Security Notes: SELinux + gather_data_sampling: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected +
 mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of
 SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB:
 conditional; RSB filling; PBRSE-IBRS: SW sequence; BHI: BHI_DIS_S + srbds: Not affected + tsx_async_abort: Not affected

16 x 256 GB DDR5-4800MT

RAMspeed SMP - Add - Integer (MB/s) 54758
 RAMspeed SMP - Copy - Integer (MB/s) 65893
 RAMspeed SMP - Scale - Integer (MB/s) 60651
 RAMspeed SMP - Triad - Integer (MB/s) 55997
 RAMspeed SMP - Average - Integer (MB/s) 58389
 RAMspeed SMP - Add - Floating Point (MB/s) 56298
 RAMspeed SMP - Copy - Floating Point (MB/s) 66171
 RAMspeed SMP - Scale - Floating Point (MB/s) 68048
 RAMspeed SMP - Triad - Floating Point (MB/s) 55432
 RAMspeed SMP - Average - Floating Point (MB/s) 60536
 Stream - Copy (MB/s) 404841
 Stream - Scale (MB/s) 401756
 Stream - Triad (MB/s) 429502
 Stream - Add (MB/s) 432029
 Tinymembench - Standard Malloc (MB/s) 17238
 Tinymembench - Standard Memset (MB/s) 34854
 t-test1 - 1 (sec) 36.531
 t-test1 - 2 (sec) 12.405
 WireGuard + Linux Networking Stack Stress Test (sec) 323.172
 OSBench - Create Files (us/Event) 17.115037
 OSBench - Create Threads (us/Event) 31.080246
 OSBench - Launch Programs (us/Event) 90.420246
 OSBench - Create Processes (us/Event) 72.381496
 OSBench - Memory Allocations (Ns/Event) 46.657085
 CacheBench - Read (MB/s) 15225
 CacheBench - Write (MB/s) 56833
 CacheBench - R.M.W (MB/s) 112010
 Timed CPython Compilation - Default (sec) 14.177
 Timed CPython Compilation - R.B.P.L.O (sec) 234.566
 Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 1778
 Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 79744
 Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 2532
 Schbench - 1 - 128 kb - No (RPS) 77979
 Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 5032
 Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 28064
 Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 6536
 Schbench - 1 - 256 kb - No (RPS) 27949


Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 1766
 Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 79232
 Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 2452
 Schbench - 4 - 128 kb - No (RPS) 78360
 Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 5064
 Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 28320
 Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 6152
 Schbench - 4 - 256 kb - No (RPS) 28258
 Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 1766
 Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 79488
 Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 2468
 Schbench - 8 - 128 kb - No (RPS) 79073
 Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 5064
 Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 28320
 Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 5976
 Schbench - 8 - 256 kb - No (RPS) 28277
 Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1770
 Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 80000
 Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2444
 Schbench - 1 - 128 kb - Yes (RPS) 78416
 Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5032
 Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28192
 Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 6360
 Schbench - 1 - 256 kb - Yes (RPS) 28102
 Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 1782
 Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 79744
 Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 2468
 Schbench - 16 - 128 kb - No (RPS) 79116
 Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 5064
 Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 28320
 Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 6008
 Schbench - 16 - 256 kb - No (RPS) 28272
 Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 1850
 Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 79744
 Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 3564
 Schbench - 32 - 128 kb - No (RPS) 79767
 Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 5192
 Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 28192
 Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 10256
 Schbench - 32 - 256 kb - No (RPS) 28138
 Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1774
 Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 78720
 Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2468
 Schbench - 4 - 128 kb - Yes (RPS) 78091
 Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5080
 Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28256
 Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 8056
 Schbench - 4 - 256 kb - Yes (RPS) 28165

Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 1986
 Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 79744
 Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 3732
 Schbench - 64 - 128 kb - No (RPS) 79940
 Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 5960
 Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 28128
 Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 10864
 Schbench - 64 - 256 kb - No (RPS) 28082
 Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1766
 Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 79488
 Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2476
 Schbench - 8 - 128 kb - Yes (RPS) 78913
 Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5064
 Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28320
 Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 8208
 Schbench - 8 - 256 kb - Yes (RPS) 28224
 Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 2828
 Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 80512
 Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 5464
 Schbench - 128 - 128 kb - No (RPS) 80031
 Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 8056
 Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 28256
 Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 18464
 Schbench - 128 - 256 kb - No (RPS) 28198
 Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1770
 Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 79744
 Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2780
 Schbench - 16 - 128 kb - Yes (RPS) 79453
 Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5080
 Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28256
 Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 8656
 Schbench - 16 - 256 kb - Yes (RPS) 28166
 Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 2844
 Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 80256
 Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 5624
 Schbench - 256 - 128 kb - No (RPS) 80569
 Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 8072
 Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 28192
 Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 20448
 Schbench - 256 - 256 kb - No (RPS) 28266
 Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1866
 Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 79232
 Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3604
 Schbench - 32 - 128 kb - Yes (RPS) 79074
 Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5208
 Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28128
 Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 10768
 Schbench - 32 - 256 kb - Yes (RPS) 28154

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1990
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 80000
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3740
Schbench - 64 - 128 kb - Yes (RPS) 80147
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5800
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28128
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 11568
Schbench - 64 - 256 kb - Yes (RPS) 28092
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2820
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 79488
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 8688
Schbench - 128 - 128 kb - Yes (RPS) 79563
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 8120
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 27680
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 32352
Schbench - 128 - 256 kb - Yes (RPS) 27643
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2844
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 80512
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 7064
Schbench - 256 - 128 kb - Yes (RPS) 80094
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 8136
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 27808
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 32096
Schbench - 256 - 256 kb - Yes (RPS) 27861

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test




OSBench

Test: Create Files




OSBench

Test: Create Threads




OSBench

Test: Launch Programs




OSBench

Test: Create Processes




OSBench

Test: Memory Allocations



CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Tuesday, 27 January 2026 06:54.