



2026-01-28-0136

2 x Intel Xeon Platinum 8450H testing with a FUJITSU D3985-A1 (V1.0.0.0 R2.7.0 for D3985-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6

Processor: 2 x Intel Xeon Platinum 8450H @ 3.50GHz (56 Cores / 112 Threads), Motherboard: FUJITSU D3985-A1 (V1.0.0.0 R2.7.0 for D3985-A1x BIOS), Chipset: Intel Device 1bce, Memory: 16 x GB DDR5-4800MT/s Samsung M321R2GA3BB6-CQKVG, Disk: 1920GB Micron_5300_MTFD, Graphics: ASPEED, Network: 2 x Intel I350

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto --enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic

--without-cuda-driver --without-isl

Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0x2b000643

Security Notes: SELinux + gather_data_sampling: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB: conditional; RSB filling; PBRBS-elBRS: SW sequence; BHI: BHI_DIS_S + srbds: Not affected + tsx_async_abort: Not affected

**16 x GB DDR5-4800MT - 2 x Intel
I350 - AlmaLinux 9.6**

RAMspeed SMP - Add - Integer (MB/s) 31449
 RAMspeed SMP - Copy - Integer (MB/s) 33734
 RAMspeed SMP - Scale - Integer (MB/s) 30063
 RAMspeed SMP - Triad - Integer (MB/s) 28938
 RAMspeed SMP - Average - Integer (MB/s) 31750
 RAMspeed SMP - Add - Floating Point (MB/s) 29761
 RAMspeed SMP - Copy - Floating Point (MB/s) 35437
 RAMspeed SMP - Scale - Floating Point (MB/s) 34252
 RAMspeed SMP - Triad - Floating Point (MB/s) 31537
 RAMspeed SMP - Average - Floating Point (MB/s) 32850
 Stream - Copy (MB/s) 297996
 Stream - Scale (MB/s) 276473
 Stream - Triad (MB/s) 333452
 Stream - Add (MB/s) 333899
 Tinymembench - Standard Memcpy (MB/s) 14930
 Tinymembench - Standard Memset (MB/s) 29734
 t-test1 - 1 (sec) 40.993
 t-test1 - 2 (sec) 13.583
 WireGuard + Linux Networking Stack Stress Test (sec) 301.348
 OSBench - Create Files (us/Event) 19.057282
 OSBench - Create Threads (us/Event) 27.079582
 OSBench - Launch Programs (us/Event) 103.621483
 OSBench - Create Processes (us/Event) 85.999966
 OSBench - Memory Allocations (Ns/Event) 67.405939
 CacheBench - Read (MB/s) 13312
 CacheBench - Write (MB/s) 49815
 CacheBench - R.M.W (MB/s) 97661
 Timed CPython Compilation - Default (sec) 15.966
 Timed CPython Compilation - R.B.P.L.O (sec) 268.359
 Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 2140
 Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 51648
 Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 2932
 Schbench - 1 - 128 kb - No (RPS) 50565
 Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 5976
 Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 18720
 Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 7032
 Schbench - 1 - 256 kb - No (RPS) 18683

Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 2076
Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 53184
Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 2708
Schbench - 4 - 128 kb - No (RPS) 53024
Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 5976
Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 18720
Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 6824
Schbench - 4 - 256 kb - No (RPS) 18694
Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 2084
Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 53056
Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 2684
Schbench - 8 - 128 kb - No (RPS) 52965
Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 5976
Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 18720
Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 6904
Schbench - 8 - 256 kb - No (RPS) 18687
Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2132
Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 51904
Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2844
Schbench - 1 - 128 kb - Yes (RPS) 50811
Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5976
Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18720
Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9392
Schbench - 1 - 256 kb - Yes (RPS) 18683
Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 2084
Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 53056
Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 2700
Schbench - 16 - 128 kb - No (RPS) 52968
Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 5976
Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 18720
Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 6936
Schbench - 16 - 256 kb - No (RPS) 18688
Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 2196
Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 53056
Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 4200
Schbench - 32 - 128 kb - No (RPS) 53012
Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 6168
Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 18592
Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 12112
Schbench - 32 - 256 kb - No (RPS) 18607
Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2076
Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53184
Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3700
Schbench - 4 - 128 kb - Yes (RPS) 53018
Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5976
Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18720
Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9424
Schbench - 4 - 256 kb - Yes (RPS) 18685


Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 2212
 Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 53056
 Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 4200
 Schbench - 64 - 128 kb - No (RPS) 53025
 Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 6200
 Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 18656
 Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 12144
 Schbench - 64 - 256 kb - No (RPS) 18621
 Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2084
 Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53056
 Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3116
 Schbench - 8 - 128 kb - Yes (RPS) 52942
 Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5976
 Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18720
 Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9360
 Schbench - 8 - 256 kb - Yes (RPS) 18675
 Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 2204
 Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 53056
 Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 4200
 Schbench - 128 - 128 kb - No (RPS) 53091
 Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 6280
 Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 18656
 Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 12080
 Schbench - 128 - 256 kb - No (RPS) 18650
 Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2084
 Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53056
 Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3148
 Schbench - 16 - 128 kb - Yes (RPS) 52914
 Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5976
 Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18720
 Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9136
 Schbench - 16 - 256 kb - Yes (RPS) 18686
 Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 4104
 Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 53696
 Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 8432
 Schbench - 256 - 128 kb - No (RPS) 53883
 Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 11600
 Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 18848
 Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 31328
 Schbench - 256 - 256 kb - No (RPS) 18916
 Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2204
 Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53056
 Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4200
 Schbench - 32 - 128 kb - Yes (RPS) 53022
 Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6168
 Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18656
 Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 12976
 Schbench - 32 - 256 kb - Yes (RPS) 18622

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2212
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53056
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4216
Schbench - 64 - 128 kb - Yes (RPS) 53052
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6168
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18592
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 13072
Schbench - 64 - 256 kb - Yes (RPS) 18615
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2204
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53056
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 4232
Schbench - 128 - 128 kb - Yes (RPS) 53065
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6216
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18592
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 13200
Schbench - 128 - 256 kb - Yes (RPS) 18606
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 4136
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 53056
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 17120
Schbench - 256 - 128 kb - Yes (RPS) 53093
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11504
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 18208
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 46656
Schbench - 256 - 256 kb - Yes (RPS) 18155

RAMspeed SMP 3.5.0

Type: Add - Benchmark: Integer

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Copy - Benchmark: Integer

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Scale - Benchmark: Integer

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Triad - Benchmark: Integer

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Average - Benchmark: Integer

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Add - Benchmark: Floating Point

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Copy - Benchmark: Floating Point

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Scale - Benchmark: Floating Point

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Triad - Benchmark: Floating Point

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0

Type: Average - Benchmark: Floating Point

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17

Type: Copy



1. (CC) gcc options: -mmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17

Type: Scale



1. (CC) gcc options: -mmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17

Type: Triad



1. (CC) gcc options: -mmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17

Type: Add



1. (CC) gcc options: -mmodel=medium -O3 -march=native -fopenmp

Tinymembench 2018-05-28

Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28

Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13

Threads: 1



1. (CC) gcc options: -pthread

t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test



OSBench

Test: Create Files



OSBench

Test: Create Threads



OSBench

Test: Launch Programs



OSBench

Test: Create Processes



OSBench

Test: Memory Allocations



CacheBench

Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench

Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench

Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt

Timed CPython Compilation 3.10.6

Build Configuration: Default



Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6




1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes

16 x GB DDR5-4800MT - 2 x Intel I350 - AlmaLinux 9.6



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Wednesday, 28 January 2026 02:35.