



2026-04-30-0543

Intel Xeon 6369P testing with a FUJITSU D4133-A1 (V5.0.0.32 R2.5.0 for D4133-A1x BIOS) and ASPEED on AlmaLinux Kitten 10 via the Phoronix Test Suite.

Test Systems:

4 x 32 GiB DDR5-3600MT

Processor: Intel Xeon 6369P @ 7.00GHz (8 Cores / 16 Threads), Motherboard: FUJITSU D4133-A1 (V5.0.0.32 R2.5.0 for D4133-A1x BIOS), Chipset: Intel Raptor Lake PCH, Memory: 4 x 32 GiB DDR5-3600MT/s MTC20C2085S1EC48BA1, Disk: 1920GB SAMSUNG MZ7L31T9 + 124GB DataTraveler 3.0, Graphics: ASPEED, Network: 4 x Intel I350 + 2 x Intel I210

OS: AlmaLinux Kitten 10, Kernel: 6.12.0-212.el10.x86_64_v2 (x86_64), Desktop: GNOME Shell 49.4, Compiler: GCC 14.3.1 20251022, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto

--enable-libstdcxx-backtrace --enable-link-serialization=1 --enable-multilib --enable-offload-defaulted --enable-offload-targets=nvptx-none,amdgc-n-amdhsa --enable-plugin
--enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto
--with-gcc-major-version-only --with-libstdcxx-zoneinfo=/usr/share/zoneinfo --with-linker-hash-style=gnu --with-tune=generic --without-cuda-driver --without-isl
Processor Notes: Scaling Governor: intel_pstate performance (EPP: performance) - CPU Microcode: 0x133
Security Notes: SELinux + gather_data_sampling: Not affected + indirect_target_selection: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected +
meltdown: Not affected + mmio_stale_data: Not affected + old_microcode: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected +
spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer
sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB: conditional; PBRSE-IBRS: SW sequence; BHI: BHI_DIS_S + srbds: Not affected + tsa: Not
affected + tsx_async_abort: Not affected + vmscape: Mitigation of IBPB before exit userspace

4 x 32 GiB DDR5-3600MT

RAMspeed SMP - Add - Integer (MB/s) 36812
RAMspeed SMP - Copy - Integer (MB/s) 35281
RAMspeed SMP - Scale - Integer (MB/s) 34342
RAMspeed SMP - Triad - Integer (MB/s) 36791
RAMspeed SMP - Average - Integer (MB/s) 35803
RAMspeed SMP - Add - Floating Point (MB/s) 36958
RAMspeed SMP - Copy - Floating Point (MB/s) 34183
RAMspeed SMP - Scale - Floating Point (MB/s) 35012
RAMspeed SMP - Triad - Floating Point (MB/s) 36902
RAMspeed SMP - Average - Floating Point (MB/s) 36046
Stream - Copy (MB/s) 50932
Stream - Scale (MB/s) 51323
Stream - Triad (MB/s) 51184
Stream - Add (MB/s) 51112
Tinymembench - Standard Memcpy (MB/s) 24876
Tinymembench - Standard Memset (MB/s) 48197
t-test1 - 1 (sec) 11.655
t-test1 - 2 (sec) 4.103
WireGuard + Linux Networking Stack Stress Test (sec) 137.776
OSBench - Create Files (us/Event) 11.551532
OSBench - Create Threads (us/Event) 9.179115
OSBench - Launch Programs (us/Event) 30.920506
OSBench - Create Processes (us/Event) 21.159649
OSBench - Memory Allocations (Ns/Event) 55.20606
CacheBench - Read (MB/s) 17878
CacheBench - Write (MB/s) 153254
CacheBench - R.M.W (MB/s) 166707
Timed CPython Compilation - Default (sec) 17.95
Timed CPython Compilation - R.B.P.L.O (sec) 197.454
Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 1470
Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 10640
Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 2716
Schbench - 1 - 128 kb - No (RPS) 10543
Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 3716
Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 4104
Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 7432
Schbench - 1 - 256 kb - No (RPS) 4080


Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 1398
 Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 10960
 Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 2756
 Schbench - 4 - 128 kb - No (RPS) 10934
 Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 3668
 Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 4152
 Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 7352
 Schbench - 4 - 256 kb - No (RPS) 4134
 Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 1406
 Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 10960
 Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 2772
 Schbench - 8 - 128 kb - No (RPS) 10936
 Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 3764
 Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 4216
 Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 6872
 Schbench - 8 - 256 kb - No (RPS) 4187
 Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1490
 Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 10416
 Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3004
 Schbench - 1 - 128 kb - Yes (RPS) 10127
 Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3708
 Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 3996
 Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 10672
 Schbench - 1 - 256 kb - Yes (RPS) 3976
 Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 1398
 Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 11280
 Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 2684
 Schbench - 16 - 128 kb - No (RPS) 11197
 Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 3772
 Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 4280
 Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 5176
 Schbench - 16 - 256 kb - No (RPS) 4246
 Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 2484
 Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 11184
 Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 6360
 Schbench - 32 - 128 kb - No (RPS) 11127
 Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 7320
 Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 4232
 Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 17440
 Schbench - 32 - 256 kb - No (RPS) 4228
 Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1402
 Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 10832
 Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3052
 Schbench - 4 - 128 kb - Yes (RPS) 10717
 Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3660
 Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4104
 Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 10096
 Schbench - 4 - 256 kb - Yes (RPS) 4086

Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 4004
Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 11504
Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 12240
Schbench - 64 - 128 kb - No (RPS) 11364
Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 14544
Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 4200
Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 25632
Schbench - 64 - 256 kb - No (RPS) 4187
Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1458
Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 10576
Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3036
Schbench - 8 - 128 kb - Yes (RPS) 10558
Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3748
Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4216
Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 7416
Schbench - 8 - 256 kb - Yes (RPS) 4191
Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 5640
Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 11472
Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 14992
Schbench - 128 - 128 kb - No (RPS) 11298
Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 28256
Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 4152
Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 43712
Schbench - 128 - 256 kb - No (RPS) 4132
Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1398
Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11280
Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2708
Schbench - 16 - 128 kb - Yes (RPS) 11175
Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3772
Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4232
Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 6856
Schbench - 16 - 256 kb - Yes (RPS) 4220
Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 11952
Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 11184
Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 22496
Schbench - 256 - 128 kb - No (RPS) 11241
Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 55360
Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 4232
Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 84096
Schbench - 256 - 256 kb - No (RPS) 4303
Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2492
Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 9488
Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 12880
Schbench - 32 - 128 kb - Yes (RPS) 9083
Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 8592
Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 3036
Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 39744
Schbench - 32 - 256 kb - Yes (RPS) 2892

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2916
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 9360
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 41920
Schbench - 64 - 128 kb - Yes (RPS) 9183
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11760
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 2964
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 131328
Schbench - 64 - 256 kb - Yes (RPS) 2939
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 5560
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11248
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 52672
Schbench - 128 - 128 kb - Yes (RPS) 11223
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 14896
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 2908
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 283136
Schbench - 128 - 256 kb - Yes (RPS) 2894
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 11216
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11376
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 75648
Schbench - 256 - 128 kb - Yes (RPS) 11498
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 26720
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 2780
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 685056
Schbench - 256 - 256 kb - Yes (RPS) 2803

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test




OSBench

Test: Create Files




OSBench

Test: Create Threads




OSBench

Test: Launch Programs




OSBench

Test: Create Processes




OSBench

Test: Memory Allocations



CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 30 April 2026 06:35.