



2026-01-15-2033

Intel Xeon E-2356G testing with a FUJITSU D3931-C1 (V5.0.0.22 R1.53.0 for D3931-C1x BIOS) and Intel RocketLake-S [UHD] on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

2 x 16 GB DDR4-3200MT

Processor: Intel Xeon E-2356G @ 5.00GHz (6 Cores / 12 Threads), Motherboard: FUJITSU D3931-C1 (V5.0.0.22 R1.53.0 for D3931-C1x BIOS), Chipset: Intel Tiger Lake-H, Memory: 2 x 16 GB DDR4-3200MT/s Samsung M391A2K43DB1-CWE, Disk: 960GB Micron_5400_MTFD, Graphics: Intel RocketLake-S [UHD], Network: 2 x Intel I210

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto --enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic

--without-cuda-driver --without-isl

Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0x64

Security Notes: SELinux + gather_data_sampling: Mitigation of Microcode + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio_stale_data: Mitigation of Clear buffers; SMT vulnerable + reg_file_data_sampling: Not affected + retbleed: Mitigation of Enhanced IBRS + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swapgs barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB: conditional; RSB filling; PBRSE-IBRS: SW sequence; BHI: SW loop KVM: SW loop + srbds: Not affected + tsx_async_abort: Not affected

2 x 16 GB DDR4-3200MT

RAMspeed SMP - Add - Integer (MB/s)	30854
RAMspeed SMP - Copy - Integer (MB/s)	28713
RAMspeed SMP - Scale - Integer (MB/s)	29250
RAMspeed SMP - Triad - Integer (MB/s)	30606
RAMspeed SMP - Average - Integer (MB/s)	29746
RAMspeed SMP - Add - Floating Point (MB/s)	30977
RAMspeed SMP - Copy - Floating Point (MB/s)	28865
RAMspeed SMP - Scale - Floating Point (MB/s)	28869
RAMspeed SMP - Triad - Floating Point (MB/s)	29759
RAMspeed SMP - Average - Floating Point (MB/s)	29566
Stream - Copy (MB/s)	42961
Stream - Scale (MB/s)	28801
Stream - Triad (MB/s)	31752
Stream - Add (MB/s)	31796
Tinymembench - Standard Malloc (MB/s)	21085
Tinymembench - Standard Memset (MB/s)	41287
t-test1 - 1 (sec)	18.866
t-test1 - 2 (sec)	5.151
WireGuard + Linux Networking Stack Stress Test (sec)	156.42
OSBench - Create Files (us/Event)	16.298319
OSBench - Create Threads (us/Event)	10.60009
OSBench - Launch Programs (us/Event)	36.08942
OSBench - Create Processes (us/Event)	21.090508
OSBench - Memory Allocations (Ns/Event)	65.95993
CacheBench - Read (MB/s)	8952
CacheBench - Write (MB/s)	58863
CacheBench - R.M.W (MB/s)	105209
Timed CPython Compilation - Default (sec)	23.814
Timed CPython Compilation - R.B.P.L.O (sec)	272.873
Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile)	2116
Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile)	5640
Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile)	2956
Schbench - 1 - 128 kb - No (RPS)	5591
Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile)	5976
Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile)	2014
Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile)	8368
Schbench - 1 - 256 kb - No (RPS)	1993
Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile)	2108


Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 5672
Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 2988
Schbench - 4 - 128 kb - No (RPS) 5613
Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 5976
Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 2010
Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 7784
Schbench - 4 - 256 kb - No (RPS) 1993
Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 2580
Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 5784
Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 5096
Schbench - 8 - 128 kb - No (RPS) 5728
Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 7128
Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 2018
Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 13616
Schbench - 8 - 256 kb - No (RPS) 2002
Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2116
Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5624
Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3932
Schbench - 1 - 128 kb - Yes (RPS) 5564
Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5976
Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 2006
Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 11920
Schbench - 1 - 256 kb - Yes (RPS) 1984
Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 2612
Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 5800
Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 4952
Schbench - 16 - 128 kb - No (RPS) 5740
Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 7400
Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 2022
Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 13616
Schbench - 16 - 256 kb - No (RPS) 2004
Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 4120
Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 5848
Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 10896
Schbench - 32 - 128 kb - No (RPS) 5790
Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 11888
Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 2026
Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 41792
Schbench - 32 - 256 kb - No (RPS) 2008
Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2108
Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5656
Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 3548
Schbench - 4 - 128 kb - Yes (RPS) 5608
Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 5960
Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 2018
Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 8624
Schbench - 4 - 256 kb - Yes (RPS) 2000
Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 8120

Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 5848
 Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 30432
 Schbench - 64 - 128 kb - No (RPS) 5795
 Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 24736
 Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 2026
 Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 49600
 Schbench - 64 - 256 kb - No (RPS) 2009
 Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2588
 Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5672
 Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 6040
 Schbench - 8 - 128 kb - Yes (RPS) 5603
 Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 7288
 Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 1926
 Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 18592
 Schbench - 8 - 256 kb - Yes (RPS) 1903
 Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 22560
 Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 5848
 Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 41280
 Schbench - 128 - 128 kb - No (RPS) 5808
 Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 64064
 Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 2026
 Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 109696
 Schbench - 128 - 256 kb - No (RPS) 2009
 Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2604
 Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5736
 Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5304
 Schbench - 16 - 128 kb - Yes (RPS) 5681
 Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 7368
 Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 1982
 Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 16608
 Schbench - 16 - 256 kb - Yes (RPS) 1963
 Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 44864
 Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 5848
 Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 84096
 Schbench - 256 - 128 kb - No (RPS) 5820
 Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 127616
 Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 2026
 Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 218880
 Schbench - 256 - 256 kb - No (RPS) 2016
 Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 4104
 Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5368
 Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 31584
 Schbench - 32 - 128 kb - Yes (RPS) 5276
 Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11984
 Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 1610
 Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 91520
 Schbench - 32 - 256 kb - Yes (RPS) 1550
 Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 8040

Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 4440
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 90752
Schbench - 64 - 128 kb - Yes (RPS) 4317
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 49344
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 881
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 529408
Schbench - 64 - 256 kb - Yes (RPS) 859.2
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 22432
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5512
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 105600
Schbench - 128 - 128 kb - Yes (RPS) 5429
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 180480
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 322
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 4841472
Schbench - 128 - 256 kb - Yes (RPS) 319.2
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 44224
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 5272
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 342528
Schbench - 256 - 128 kb - Yes (RPS) 5084
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 756736
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 182
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 16400384
Schbench - 256 - 256 kb - Yes (RPS) 188

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test




OSBench

Test: Create Files




OSBench

Test: Create Threads




OSBench

Test: Launch Programs




OSBench

Test: Create Processes




OSBench

Test: Memory Allocations



CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 15 January 2026 21:29.