



2026-01-13-0135

Intel Xeon 6369P testing with a FUJITSU D4132-A1 (V5.0.0.32 R2.4.0 for D4132-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

4 x 32 GB DDR5-3600MT

Processor: Intel Xeon 6369P @ 5.50GHz (8 Cores / 16 Threads), Motherboard: FUJITSU D4132-A1 (V5.0.0.32 R2.4.0 for D4132-A1x BIOS), Chipset: Intel Raptor Lake-S PCH, Memory: 4 x 32 GB DDR5-3600MT/s MTC20C2085S1EC48BA1, Disk: 1920GB SAMSUNG MZ7L31T9, Graphics: ASPEED, Network: 2 x Intel I210

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto --enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic

--without-cuda-driver --without-isl

Processor Notes: Scaling Governor: intel_pstate powersave (EPP: balance_performance) - CPU Microcode: 0x12f

Security Notes: SELinux + gather_data_sampling: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected + mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB: conditional; RSB filling; PBRBS-elBRS: SW sequence; BHI: BHI_DIS_S + srbds: Not affected + tsx_async_abort: Not affected

4 x 32 GB DDR5-3600MT

RAMspeed SMP - Add - Integer (MB/s) 37112
RAMspeed SMP - Copy - Integer (MB/s) 34698
RAMspeed SMP - Scale - Integer (MB/s) 34463
RAMspeed SMP - Triad - Integer (MB/s) 36871
RAMspeed SMP - Average - Integer (MB/s) 35767
RAMspeed SMP - Add - Floating Point (MB/s) 37152
RAMspeed SMP - Copy - Floating Point (MB/s) 34597
RAMspeed SMP - Scale - Floating Point (MB/s) 35238
RAMspeed SMP - Triad - Floating Point (MB/s) 37070
RAMspeed SMP - Average - Floating Point (MB/s) 36013
Stream - Copy (MB/s) 51184
Stream - Scale (MB/s) 51497
Stream - Triad (MB/s) 51447
Stream - Add (MB/s) 51380
Tinymembench - Standard Memcpy (MB/s) 25108
Tinymembench - Standard Memset (MB/s) 27469
t-test1 - 1 (sec) 25.175
t-test1 - 2 (sec) 5.063
WireGuard + Linux Networking Stack Stress Test (sec) 113.734
OSBench - Create Files (us/Event) 11.406248
OSBench - Create Threads (us/Event) 9.570122
OSBench - Launch Programs (us/Event) 29.530525
OSBench - Create Processes (us/Event) 20.160675
OSBench - Memory Allocations (Ns/Event) 57.145119
CacheBench - Read (MB/s) 21698
CacheBench - Write (MB/s) 108321
CacheBench - R.M.W (MB/s) 166378
Timed CPython Compilation - Default (sec) 17.396
Timed CPython Compilation - R.B.P.L.O (sec) 202.548
Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 1374
Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 11568
Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 2252
Schbench - 1 - 128 kb - No (RPS) 11558
Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 3668
Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 4328
Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 4648
Schbench - 1 - 256 kb - No (RPS) 4338
Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 1378


Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 11536
 Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 1794
 Schbench - 4 - 128 kb - No (RPS) 11539
 Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 3716
 Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 4296
 Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 4520
 Schbench - 4 - 256 kb - No (RPS) 4299
 Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 1386
 Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 11536
 Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 1910
 Schbench - 8 - 128 kb - No (RPS) 11324
 Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 3716
 Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 4280
 Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 4840
 Schbench - 8 - 256 kb - No (RPS) 4294
 Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1378
 Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11440
 Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2708
 Schbench - 1 - 128 kb - Yes (RPS) 11424
 Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3676
 Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4248
 Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 9392
 Schbench - 1 - 256 kb - Yes (RPS) 4246
 Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 1378
 Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 11568
 Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 1682
 Schbench - 16 - 128 kb - No (RPS) 11597
 Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 3716
 Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 4312
 Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 4728
 Schbench - 16 - 256 kb - No (RPS) 4308
 Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 2404
 Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 11568
 Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 5864
 Schbench - 32 - 128 kb - No (RPS) 11029
 Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 6136
 Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 4312
 Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 15088
 Schbench - 32 - 256 kb - No (RPS) 4313
 Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1378
 Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11440
 Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2628
 Schbench - 4 - 128 kb - Yes (RPS) 11459
 Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3708
 Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4296
 Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 7064
 Schbench - 4 - 256 kb - Yes (RPS) 4302
 Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 3884

Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 11344
Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 12240
Schbench - 64 - 128 kb - No (RPS) 11349
Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 10320
Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 4328
Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 37824
Schbench - 64 - 256 kb - No (RPS) 4336
Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1370
Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11568
Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2556
Schbench - 8 - 128 kb - Yes (RPS) 11591
Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3708
Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4296
Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 7112
Schbench - 8 - 256 kb - Yes (RPS) 4305
Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 11504
Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 11120
Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 20320
Schbench - 128 - 128 kb - No (RPS) 11126
Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 29152
Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 4248
Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 67712
Schbench - 128 - 256 kb - No (RPS) 4256
Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 1370
Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11632
Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 2492
Schbench - 16 - 128 kb - Yes (RPS) 11625
Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 3724
Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4296
Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 6136
Schbench - 16 - 256 kb - Yes (RPS) 4288
Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 22624
Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 11440
Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 41536
Schbench - 256 - 128 kb - No (RPS) 11371
Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 59072
Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 4296
Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 131328
Schbench - 256 - 256 kb - No (RPS) 4334
Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 2252
Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11536
Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 7176
Schbench - 32 - 128 kb - Yes (RPS) 11501
Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 6456
Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 4216
Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 25696
Schbench - 32 - 256 kb - Yes (RPS) 4188
Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3548

Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 10064
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 55488
Schbench - 64 - 128 kb - Yes (RPS) 9887
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 9616
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 3612
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 94336
Schbench - 64 - 256 kb - Yes (RPS) 3564
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 10672
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11184
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 52928
Schbench - 128 - 128 kb - Yes (RPS) 11156
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 21280
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 3268
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 271872
Schbench - 128 - 256 kb - Yes (RPS) 3204
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 21408
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 11344
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 149760
Schbench - 256 - 128 kb - Yes (RPS) 11213
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 43072
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 3068
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 625664
Schbench - 256 - 256 kb - Yes (RPS) 2972

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test




OSBench

Test: Create Files




OSBench

Test: Create Threads




OSBench

Test: Launch Programs




OSBench

Test: Create Processes




OSBench

Test: Memory Allocations



CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Tuesday, 13 January 2026 02:26.