


3-tier architecture for Zomato application



this login is responsible for authenticating users before allowing access to the system.

Frontend - collects user credentials

Middleware - Validates the input and applies authentication logic

Backend - stores user details & verifies the credentials match or no.


② Customer side: this side allows the users to browse, select and order items

Frontend - displays restaurant menus and cart options

Middleware - processes user actions such as searching, filtering and placing orders

Backend - stores restaurant details, menu items and order information

When a customer places an order, the request is processed by the server and stored in the database, and the response is sent back to the user.



3) Restaurant side:

This enables the restaurant owners to manage their services and orders.

frontend - provides dashboard to add remove restaurants, update menu and view orders

middleware - accepting or rejecting orders.

backend - stores restaurant profiles, menus and order records.

This ensures that restaurants can efficiently manage and operate in real time.

chrome HTTP request

server

front end

middleware

trigger

backend

search restaurants

[Pizza, burger, etc.]

Location:

get user location
 & search the nearby
 restaurants & filter
 by rating

restaurant list

Id	name	location	rating
1	mumbaitaj	Banglor	4.5
2	thabashri	ulupi	4.2

HTTP response (list of restaurants)

4) payment side:

- this allows to handle secure transaction processing
- front end - allows users to enter payment details
 - middleware - validates the request and communicates with external payment services
 - backend - records transaction details and payment status.
- if successful - payment confirmation is shown
- if failed - error message is displayed.

