

— DELIVERABLE 2 · ODS METADATA INVENTORY

ODS Metadata Inventory

A complete catalog of the Skyworks ODS estate: every database, table, view, column, and programmable object, profiled to depth. Completed in Phase 1, this inventory becomes the foundation for the Phase 2 lineage map and Bronze / Silver / Gold classification.

ENGAGEMENT

Skyworks ODS Assessment

ENVIRONMENT

Sandbox · db-ivnEntODSsbx01

PHASE

Phase 1 · weeks 1-3

SCOPE

18 databases, full metadata

PREPARED FOR



SKYWORKS®

DELIVERED BY




**FINDABILITY
SCIENCES**

— INVENTORY AT A GLANCE

One catalog, profiled to the column

Profiled against the Sandbox environment (db-ivnEntODSsbx01). Across all 18 in-scope databases, the inventory captures structural metadata at every level: for each column, its data type and nullability, plus key details where the column carries a key role.





DATA VOLUME LANDSCAPE


28.2 billion rows, concentrated in four estates

Row-count profiling shows volume is heavily concentrated: four databases each hold 6 to 9 billion rows, together over 99% of all rows in the estate. This concentration is where classification and cost-simulation effort will focus.

ROW COUNT BY DATABASE (OF 28.2B)



LARGEST INDIVIDUAL TABLES



LONG TAIL

443 tables are empty (0 rows), candidate deprecations to weigh in the transition backlog.

FACT-HEAVY WAREHOUSE

The largest tables are demand-planning and SAP document fact tables · the high-value analytical core.

— OBJECT & COLUMN COMPOSITION

What the catalog is made of

Data-type and activity profiling surface both the shape of the data and how much of the estate is actively maintained versus dormant.

● COLUMN DATA TYPES (273,012 TOTAL)

nvarchar		157,424
decimal		38,342
int		22,113
date		12,515
bigint		8,440
float		6,247

66%

NULLABLE

LOOSELY CONSTRAINED

178,969 of 273,012 columns are nullable · a data-quality signal to weigh during classification.

1,707

ACTIVE OBJECTS

MODIFIED 2024 OR LATER

Of 4,145 programmable objects, **1,707** were touched recently; **2,438** are older · a dormant tail for lineage context.

5,179

KEYED COLUMNS

JOIN BACKBONE

Columns carrying key roles define the relationships that drive downstream lineage and join-complexity scoring.



WHAT THIS ENABLES

The foundation for Phase 2

With the full metadata catalog in place, the engagement moves into lineage mapping and classification. Each downstream deliverable draws directly on this inventory.

D3

ODS Lineage Map

Column-level metadata and the **4,145** inventoried programmable objects feed end-to-end lineage from upstream sources through transformations to consumption.

D4

Dataset Classification

Row counts, key structure, and nullability inform usage scoring to classify every dataset into **Bronze / Silver / Gold** layers.

D5

Architecture Baseline

The volume profile of **28.2 billion** rows anchors the current-state alignment percentage and gap analysis against the target medallion architecture.

DELIVERED

Full inventory delivered as an Excel workbook, 22 sheets spanning summary aggregates, object lists, and per-database column detail.

NEXT

Query-log analysis and SSIS package parsing proceed in parallel to complete the lineage inputs.

DELIVERABLE 2 · COMPLETE

The ODS is fully cataloged

Prepared by Findability Sciences as part of the Skyworks Solutions ODS Assessment engagement. Every database, table, view, column, and programmable object across the 18 in-scope databases is now inventoried to depth. The engagement now proceeds to lineage mapping and dataset classification.

DELIVERABLE	COLUMNS PROFILED	ROWS CATALOGED	NEXT
D2 · Complete	273,012	28.2 billion	D3 · ODS Lineage Map

PREPARED FOR



SKYWORKS®

DELIVERED BY



FINDABILITY
SCIENCES