

2015 – 2016 Legal and Illegal Parts List for *FIRST*® RES-QSM Robot Inspectors



Revision History			
1	9/24/2015	Initial release	
1.1	11/23/15	Branding Updated	

Part Number	Description	Picture / Diagram
	TETRIX™ FTC Competition Kit (Some components may not be shown in this illustration)	

Part Number	Description	Picture / Diagram
	MATRIX Base Set	
	MATRIX Resource Set	
W40384	TETRIX Prime Starter Set EXCEPT the items listed under the ILLEGAL Parts List	
NEW	Android ZTE Speed Phone	

2

Part Number	Description	Picture / Diagram
NEW AUA3030	Modern Robotics Core Device Interface Module	
AUL3025	Modern Robotics Core Legacy Module	
NEW AUM3020	Modern Robotics Core Motor Controller	Com The Com
NEW AUP3010	Modern Robotics Core Power Distribution Module	
NEW AUS3015	Modern Robotics Core Servo Controller	

Part Number	Description	Picture / Diagram
NEW	Mini USB to OTG (On-The-Go) Cable	
NEW	OTG Adapter	
	Logitech F310 Gaming Controller (Not to be used for robot construction)	
www.andym ark.com/ftc	AndyMark parts EXCEPT those listed in the ILLEGAL section	FTC NeveRest Series FTC Robot Parts
AM-2964, AM-3102, AM-3103, AM-3104	AndyMark NeveRest Motors + encoder cables	

Part Number	Description	Picture / Diagram
NEW 276-2177	VED EDR 393 Motor Please see rule <re04> for allowed configuration</re04>	
W39103 W39102	TETRIX™ Stand- Off Posts (2") TETRIX™ Stand- Off Posts (1")	
W31903 W31903	TETRIX™ Motor Power Cable TETRIX™ DC Motor Power Cable	
W39025 W39055	TETRIX™ 3" Wheel TETRIX™ 4" Wheel	
W31132 W36466	TETRIX™ 3" Omni Wheels TETRIX™ 4" Omni Wheels	
W36468	TETRIX™ Tank and Conveyor Treads	

Part Number	Description	Picture / Diagram
W39101 W39100	TETRIX™ Axle Spacers (3/8")	
W39092	TETRIX™ Axle Spacers (1/8")	
W39088	TETRIX™ Axle Set Collars	
	TETRIX™ Axles	
W739094	Kep Nuts	
W39093	TETRIX™ Pivot Bearing	
W39111	Button Head Cap Screws	
W39098 W39097	Socket Head Cap	
***************************************	Screws (5/16") Socket Head Cap Screws (1/2")	
W39129 W39176	TETRIX™ On/Off Switch TETRIX™ Switch Mount	

Part Number	Description	Picture / Diagram
W39270 W39275 W39276 W39281 W39280 W39277 W39271, 72, 73, 74	TETRIX Inside C Connector TETRIX Axle Shaft Coupler TETRIX Motor/Axle Shaft Coupler TETRIX Inside Corner Bracket TETRIX Adjustable Servo Bracket TETRIX Plastic Quick Rivets TETRIX Flats: 288mm, 160mm, 96mm, 64mm	
W991445 (*) W991444 W39197 (*) W39177 (*)	HiTechnic Servo Controller HiTechnic DC Motor Controller TETRIX™ Servo TETRIX™ Continuous Turn Servo Any hobby servo (standard size or smaller) rated at 800mA or less are allowed. (Total combined limit of 12 per robot)	Introduction of the state of th

Part Number	Description	Picture / Diagram
W39375 W39900	TETRIX® Worm Gear Box	
W39901	TETRIX® 10:1 Worm Gear Pack	
	TETRIX® 20:1 Worm Gear Pack	
W39300 W39282	TETRIX® Rack and Pinion Linear Slide Pack	
W39381	TETRIX® All- Terrain Tire	
	TETRIX® Standard-Scale Servo Front Mount Bracket	
(*) For MATR	IX Motor/Servo Contro	llers, currently only MATRIX servos are compatible/allowed.
W39904 W39380	TETRIX HS-755HB Quarter-Scale Servo Motor with Horn	
W39383	TETRIX® Quarter- Scale Servo Front Mount Bracket	
W39594	TETRIX® Quarter- Scale Servo Frame Mounting Bracket	
	TETRIX® Quarter- Scale Pivot Arm with Bearing Pack	
W39830	NiMh Battery Pack Charger (not to be	# 3 voils 5000/months HAMASA *** For voils 50 defencings HAMASA *** For voils 50 des 10 des
W39057	used for robot construction)	Stress Substy Cottons, Roges of Active.
	12V Rechargeable NiMh	
	Battery Pack	
	(Exactly 1 allowed)	

Part Number	Description	Picture / Diagram
W38000	TETRIX™ Motor Shaft Encoder Pack	
W39120	LEGO [®] Hard Point Connectors	
W58335	Non-Metallic Cable Ties	
W39070	TETRIX™ Flat Bars	
W39069	TETRIX™ Channel (416 mm)	
W39068 W39067	TETRIX™ Channel (288 mm)	
W39066 W39065	TETRIX™ Channel (160 mm) TETRIX™ Channel (96 mm) TETRIX™ Channel (32 mm)	

Part Number	Description	Picture / Diagram
W39071 W39072	TETRIX™ Angles (288 mm) TETRIX™ Angles (144 mm)	
W39074 W39075 W39076 W39077 W39379 W39378 W39377	TETRIX™ Tubes (80 mm) TETRIX™ Tubes (145 mm) TETRIX™ Tubes (220 mm) TETRIX™ Tube Clamps TETRIX® Tubing Coupler TETRIX® Tubing Corner Block TETRIX® Tubing Anchor Block	
W39193	TETRIX™ Tube Plugs	

Part Number	Description	Picture / Diagram
W39073	TETRIX™ Flat Building Plates	
W39062	TETRIX™ L Brackets	
W39061	TETRIX™ Flat	
W39060	Brackets	
W39063 W39064	TETRIX™ Single- Servo Motor Brackets	
	TETRIX™ Servo Joint Pivot Brackets	
	TETRIX™ Dual- Servo Motor Bracket	
W38009	TETRIX™ Battery Clip	
W39028	TETRIX™ Gear (40-Tooth)	
W39086 W39085	TETRIX™ Gear (80-Tooth)	
	TETRIX™ Gear (120-Tooth)	

Part Number	Description	Picture / Diagram
W38007 W38008	TETRIX™ Bevel Gears & Delrin Bearings	
W39091	TETRIX™ Bronze Bushings	
W39090	TETRIX™ Gear Hub Spacers TETRIX™ Flat Spacer	
W39089 W39376	TETRIX™ Motor Mount TETRIX® DC Motor Mount - 37 mm	
W39530	TETRIX™ DC Drive Motor (No more than 8 per robot)	
W39079 W39172	TETRIX™ Motor Hub TETRIX™ Axel Hub	

Part Number	Description	Picture / Diagram
W39173	TETRIX™ Chain with Links	
W39171 W39169	TETRIX™ 32 tooth Sprocket Pack	
W39165	TETRIX™ 24 tooth Sprocket Pack	
	TETRIX™ 16 tooth Sprocket Pack	
W35871	TETRIX™ 250mm Axel	
	#25 Chain Half- Lengths	
	#35 Chain Half- Lengths	
W39082	TETRIX™ Servo Y Connector	
W39081	TETRIX™ Servo Extension	
W39020	TETRIX™ Servo Horn	
W36465	TETRIX ™ Thermal Fuse for DC Motor Protection	

Part Number	Description	Picture / Diagram
W20821	Permatex Super Lube Note: Any type of COTS lubricant is allowed. (Only to reduce friction with the Robot. Lubricants are not allowed to contaminate the playing field or other robots).	Synthetic Grease Wing Back, awa back, awa back, awa back, awa wing back of the synthetic Grease Wing Hunting Hunting Fishing Hobby Household Hobby House Auton on The Number States Wilne states with the stat
Plastic Sheet	Any non-reinforced p ABS, Teflon, PETG,	olymer-based plastic sheet material (e.g. polycarbonate, PVC, acrylic, etc.) See <r02> b1.</r02>
Any metal or plastic flat sheet	Both materials may be used on the robot. No limit to size or quantity. See <rm01>.</rm01>	Aluminum Galvanized
Any metal or plastic extruded shapes		
Rope	Rope, any size/length	

Part Number	Description	Picture / Diagram
Non-Slip Pad	No size constraint	Non-Slip Pad
	Universal Security Clips	
NEW 45-2018	Modern Robotics Color Sensor	
NSK1042	HiTechnic NXT IRSeeker V2	
NMS1035	HiTechnic NXT Magnet Sensor	
NEO1048	HiTechnic NXT EOPD	Total Parket
9844	NXT Light Sensor	

Part Number	Description	Picture / Diagram
NCO1038	HiTechnic Color Sensor	
NGY1044	HiTechnic NXT Gyro Sensor	01000
NIL1046	HiTechnic IRLink Sensor	0000
NIR1032	HiTechnic IR Receiver Sensor	0000
NAC1040	HiTechnic Acceleration Sensor	0000
NMC1034	HiTechnic Compass Sensor	0000

Part Number	Description	Picture / Diagram
9845	NXT Sound Sensor	
9843	NXT Touch Sensor	0000
9846	NXT Ultrasonic Sensor	
NAA1030	HiTechnic Angle Sensor	0000
NBR1036	HiTechnic NXT Barometric Sensor	
NCO1038	HiTechnic NXT Color Sensor V2	

Part Number	Description	Picture / Diagram
NFS1074	HiTechnic NXT Force Sensor	
SB608SH SB609SH	ServoCity.Com Standard Servo Blocks	Example:
Non- Motorized Turntables and Lazy Susans		Examples:
PVC Refer to Game Manual Rules See <r05> m.</r05>	PVC, CPVC, or ABS flexible or rigid piping (of any schedule), Commercial PVC couplings (i.e. Tee's, elbows, couplings, caps, etc.) are allowed.	
PVC cement and cleaner	Use only for gluing PVC. Use of PVC cements and cleaners may or may not be allowed in the pits at tournaments based on site-specific rules or requirements.	SEAR - CLEAR - ADDINGS PUL CHANGE SEAR - CLEAR - ADDINGS SEAR - CLEAR - ADD

Part Number	Description	Picture / Diagram
Mechanical Fasteners	Compatible nuts, bolts, screws, etc.	and the same of th
Loctite©	Or similar thread- locking product	ACCTITE EXAMPLE STATE OF THE PROPERTY OF THE P
	Plastic/Epoxy Glue or Cement	Roket. Plastic Glue Foot Foot Foot Foot Foot Foot Foot Foo
Rubber Bands	Any size and quantity	
Surgical Tubing	No size or length limit	Sample, color may vary

Part Number	Description	Picture / Diagram
PWM Extension cable	Either purchased or fabricated by the team	
Threaded Rod	All-thread & lead- screw	
Power Distribution Panel/Splitter	This is an example. Similar parts are allowed.	Rolling Control of the Control of th
Anderson Powerpole connectors		
Linear Slides		Telescopic Slides
		End View

Part Number	Description	Picture / Diagram
		Roller Bearing Slide Sets A I+B+I+ End View Ball-Bearing Carriages and Guide Through-Hole Carriage and Guide Rail (Sold Separately)
Telescoping Rods		
Wago Connector	Series 222 Lever- Nuts	
	Timing Belts any size and pitch Gears of any size and pitch	

Part Number	Description	Picture / Diagram
	Sprockets of any size and pitch	
	Pulleys Springs of any type used in a safe manner (Rules <rg02>, <rg10>, <rg11>)</rg11></rg10></rg02>	
	Wheels of any type, and the manufacturer provided wheel hub used to mount the wheel to an axle EXCEPT AndyMark AM-2256.	
	Individual components of a legal wheel assembly can be used on the robot. (Rule <rm01>d)</rm01>	

Part	Description	Picture / Diagram
Number		
T-Slot Aluminum	Extruded aluminum pieces from various manufacturers such as 80-20, McMaster-Carr, Macron, etc. All fasteners and compatible hardware are allowed	Plates Single, 2-Hole Double, 4-Hole
	anowed	Extended Plates
		Lg.
		Single, 4-Hole Double, 8-Hole
		90° Plates
		Single, 5-Hole Double, 12-Hole
MISC (No Images Available)	 Hook and loop (V Electrical Tape at Plastic Coated W Electrical wire Aluminum or Nylon Magnets Washers per rule 	on/Plastic Pop Rivets
COTS Parts (No Images		tional materials and COTS (Commercial Off The Shelf) components to subject to the following restrictions:

Part Number	Descrip	otion	Pictu	ire / Diagram	
Available)				eadily available to the majority of team lome Depot, Grainger, AndyMark, etc	
NIVIO 12	majority	 All post-processed materials are allowed provided they are readily available to the majority of teams from standard distributers (e.g. McMaster-Carr, Home Depot, AndyMark, etc.). 			
	is the int challeng allowed	tent of FIRST that tea ge. Assemblies of CC while a pre-fabricate lonomic wheels (omn	ams design and build DTS components, sud d gripper assembly d	ximum of a single degree of freedom. If their devices to achieve the game ch as linear slides, and gearboxes are designed to grab the game elements is exempt from the one degree of freedom.	e S
		terials, and COTS m les are violated.	ay be modified (e.g. o	drilled, cut, painted, etc.) provided no	

Part Number	Description	Picture / Diagram
NEW	Microprocessors such as Raspberry Pi or Arduino	
W34243 or W36117	TETRIX [™] R/C Controller	COLOR OF THE PROPERTY OF THE P
W35496	TETRIX [™] R/C Receiver	Futaba RSI / RS Grow Andrew
W34244	TETRIX [™] DC Motor Speed Controller	
W991458	Infrared Electronic Ball	EK JAPAN vy. sirit. 50. 10
W739136	TETRIX™ Battery Holder	The second secon

Part Number	Description	Picture / Diagram
W37291	TETRIX Wireless Camera Kit	Mireless Color Camera with Receiver (study ware and year only and if you found, the or myle of the color of t
W37799	TETRIX Autonomous Mounting Deck	
W37663	TETRIX R/C Mounting Deck	
W40234 <r 02="" l=""></r>	TETRIX Prime Gripper Arm Kit	

Part Number	Description	Picture / Diagram
W40235 <re03>b.i.</re03>	TETRIX Prime 6 V NiMH Battery Pack	
LEGO # W778881 & W778878	LEGO [®] Power Function Battery Packs	
AndyMark AM-2256	4 inch HiGrip Wheel	
	Rough top Tread	
	LEGO EV3 or LEGO NXT	

27

Part Number	Description	Picture / Diagram
W991446	HiTechnic Sensor Multiplexer	
W991446	HiTechnic Touch Sensor Multiplexer	Hately He Mills He Hately Hately He Hately Hately He Hately He Hately He Hately He Hately He Hat
W778882	XL Power Function Motor	
W979670	E Power Function	
W978883	Motor	
	M Power Function Motor	
NPT1050	HiTechnic Prototype Board - Solderable	
NPT1055	HiTechnic Prototype Board - Solderless	
SPR2010	HiTechnic Super Prototype Board	