

SQA · BENGKEL AMALI 2 HARI

KRISA 2.0 (JDN) ALIGNED · PHASE 04 OF 05, ASSURE

MODULE 07

Audit, Compliance & Quality Documentation

Prove the process. Document the evidence. Decide the release.



13:30 - 15:00

SESSION TIME



1h 30m

DURATION



ASSURE

PIPELINE PHASE

Sample module reference · ShopFast checkout continuity project

Jadual slot: Modul 7: Audit, Pematuhan dan Dokumentasi Kualiti

Run sheet / session timing

Hari 2, 13:30 hingga 15:00 · 90 minit · kira-kira 80% amali



Masa	Segmen	Tempoh
13:30 hingga 13:55	Konsep	25 minit
13:55 hingga 14:35	Makmal	40 minit
14:35 hingga 14:55	Bengkel AI W07	20 minit
14:55 hingga 15:00	Rumusan	5 minit

KRISAv2: 6 fasa, 18 templat serahan, satu aliran DevOps

KRISAv2: 6 phases, 18 deliverable templates, one DevOps flow

Setiap fasa melalui Gate Review dengan senarai semak serahan dan Definition of Done (Bab 8, 8.3.1)


1Permulaan <i>Initiation</i> PPP / PPrISA02 D02 BRS RTM awal (T2.8) KRISAv2 Bab 2M1, M2	2Analisis <i>Analysis</i> D03 SRS D05 Pelan Migrasi D07 Pelan Integrasi KRISAv2 Bab 3M2	3Reka Bentuk <i>Design</i> D04 SDS D06 Spes. Migrasi D08 Spes. Integrasi KRISAv2 Bab 4M3	4Pembangunan <i>Development</i> D09 Pangkalan Data D10 Kod Sumber D11 Laporan Ujian Sistem KRISAv2 Bab 5M4, M5, M6	5Pengujian Penerimaan <i>Acceptance Testing</i> D12 Pelan Induk Pengujian D13 Pelan UAT/PAT D14 Laporan UAT/PAT KRISAv2 Bab 6M4, M6, M7	6Pelaksanaan <i>Implementation</i> D15 Laporan Migrasi D16 Laporan Penamatan Ujian D17 Manual, D18 Serahan KRISAv2 Bab 7M7, M8
--	--	---	---	--	---

Bab 8 Pengelaran DevOps	Perancangan	Pra-Release dan Release: Analisis + Reka Bentuk + Pembangunan + Pengujian dalam sprint, CI/CD, Laporan Release	Pengoperasian: APM, log pemantauan
-------------------------	-------------	--	------------------------------------

PPrISA 2.0	Tadbir urus projek: DPP PPrISA01, PPP PPrISA02, Kualiti PPrISA05, Risiko PPrISA07, Pindaan PPrISA10/11, Status PPrISA16/17, Penamatan PPrISA18
------------	--

Where Module 7 fits in the quality pipeline

Nine SQA activities move through five phases on one continuous project. Module 7 is where the team proves, with evidence, that everything built so far actually meets a standard.



Coming in from Module 6: a moving defect-triage board and basic quality metrics (Defect Density, pass rate).
Module 7 asks: does everything we built stand up against a recognized standard, and can we prove it to a release board?
Handing off to Module 8: the signed-off documentation becomes the baseline for change control and production monitoring.



LEARNING OBJECTIVE

Ensure the quality process complies with a recognized standard, and produce documentation strong enough to justify a release decision.

13:30-15:00 · Audit & Compliance +
Documentation

What you leave the room with

Three connected artifacts, each one feeding the next, built from yesterday's real QA Plan, RTM and test evidence.




Mini Audit Report

Findings recorded as conformity / non-conformity against an ISO / CMMI-lite checklist.



CAPA Log

Corrective and preventive actions assigned to every non-conformity found.



Test Summary Report

Scope, results and a go / no-go / conditional release recommendation.

Key topics covered



ISO 9001

Quality management system, process discipline



ISO/IEC 25010

Product quality characteristics model



ISO/IEC 29119

International software testing standard



CMMI

Process maturity benchmarking



OWASP ASVS

Application security verification levels



Release Readiness Review

Structured go/no-go evaluation gate



Test Summary Report

Evidence package for the release decision



Release Notes & Lessons Learned

What shipped, and what improves next cycle

Which standard does what?

Five reference points, five different jobs, the audit checklist in Step 1 borrows from all of them.

	ISO 9001 QUALITY MANAGEMENT SYSTEM	Is the process itself under control, documented, followed, improved?
	ISO/IEC 25010 PRODUCT QUALITY MODEL	Does the product meet 8 quality characteristics: reliability, usability, security...?
	ISO/IEC 29119 SOFTWARE TESTING STANDARD	Was testing itself planned, designed and documented to a recognized method?
	CMMI PROCESS MATURITY MODEL	How repeatable and measured is the team's engineering process, level 1-5?
	<u>OWASP ASVS</u> APPLICATION SECURITY VERIFICATION	Were the right security controls verified at the right rigor level?

Audit, Compliance and Documentation

How organisations prove that quality work was done, and how maturity models judge the process behind it

01 Reviews, tests and audits compared

02 SQE audits, independent audits and findings

03 Quality records and the documentation hierarchy

04 Formal design reviews and baselines

05 CMM maturity levels and key process areas

06 From CMM to CMMI V1.3, V2.0 and V3.0

07 A critical view: James Bach on CMM

08 ISO 9001 audit targets and final acceptance

Three methods of software quality control

SQC oversees development to confirm that procedures and standards are actually being followed

Aspect	Quality reviews	Tests	Quality audits
What is checked	Processes and products, while work is in progress	The finished product: end-result verification	Processes: compliance with process standards
When	During and at the end of each phase	After the software has been developed	Periodically (twice a month in the source organisation)
Who	SQE, moderator, recorder, authors and critical reviewers	Engineering, SQE and, for run-for-record, the customer	Project SQE, or independent auditors
Main record	Action items and SQE quality engineering records (QER)	Test logs, test reports, software trouble reports (STR)	QER findings and audit reports
ShopFast example	Peer review of the promo code module	FAT of checkout against the approved test procedure	Were all checkout changes approved by the CCB?
Covered in depth	Module 3	Modules 4 and 5	This module

SQE process audits vs independent audits

Two layers of assurance: inside the project chain and outside it

SQE audits (project level)

- Run by the project's software quality engineer
- Check process standards such as IPDS compliance, configuration control, engineering management
- Findings recorded on quality engineering records (QER)
- Results go to the management level above the project
- Findings not fixed are elevated to upper management

Independent audits

- Run by ISO generalists or other independent parties
- Usually at division or facility level, not one project
- Check the same process standards from outside the project chain
- Results go directly to upper management
- Today includes ISO 9001:2015 internal audits (clause 9.2) and certification audits

Project audits catch process drift early; independent audits confirm the whole quality system works. Escalation is what makes findings matter.

From audit finding to closure



Example finding: 3 of 10 sampled ShopFast changes were merged without CCB approval, contrary to the configuration management plan.

Quality records: evidence, not paperwork

Quality record

Objective evidence that a required quality activity was performed and what its result was: review reports, test logs, STRs, audit reports, CCB decisions and sign-offs. ISO 9001:2015 calls this retained documented information.

ISO 9001:1994 element 4.16, control of quality records, now sits in clause 7.5 of ISO 9001:2015.

Records must be identifiable, protected, retrievable, kept for a set period and then disposed of properly.

Record keeping and reporting is one of the seven SQA activities: collecting and sharing SQA information.

Auditor's rule of thumb: if it is not recorded, it cannot be shown to have happened.

Documentation hierarchy: why documents still matter

Working software is the most tangible product, but documents are the best way to make it understandable

Organisation level

Quality manual and organisational process and product standards. Stable, owned centrally, tailored by projects.

Project plans

Development plan, quality plan and configuration management plan: how this project applies the standards.

Engineering documents

Requirements, design and interface documents: what is built and why, for maintainers who arrive later.

Verification documents

Test plans, procedures and reports: what was checked, how, and with what result.


Records

QERs, STRs, review and audit reports, CCB minutes: evidence for audits and for learning.

Release and user documents

Version description, user and operations manuals: what users and operators actually received.

Formal design reviews create baselines



After a formal review, the product is released to configuration control and becomes a baseline. Module 8 covers how baselines are then changed safely.

CMM maturity levels and key process areas

SW-CMM v1.1 (1993), later replaced by CMMI; levels cannot be skipped



CMM V1.1 key process areas by level

Level 1 (Initial) has no key process areas: it is simply any organisation not yet at Level 2

Level 2 Repeatable	Level 3 Defined	Level 4 Managed	Level 5 Optimizing
Requirements management	Organization process focus	Quantitative process management	Defect prevention
Software project planning	Organization process definition	Software quality management	Technology change management
Software project tracking and oversight	Training program		Process change management
Software subcontract management	Integrated software management		
Software quality assurance	Software product engineering		
Software configuration management	Intergroup coordination		
	Peer reviews		

Mapping CMM key process areas to CMMI process areas

Several CMM KPAs were split across more than one CMMI process area, and two areas were new

Level	CMM V1.1 key process area	CMMI process area (V1.x)
2	Requirements management; software subcontract management	Requirements Management; Supplier Agreement Management
2	Software project planning; software project tracking and oversight	Project Planning; Project Monitoring and Control
2	Software quality assurance; software configuration management	Process and Product Quality Assurance; Configuration Management
3	Organization process focus; organization process definition; training program	Organizational Process Focus; Organizational Process Definition; Organizational Training
3	Integrated software management; intergroup coordination	Integrated Project Management; Risk Management
3	Software product engineering	Requirements Development; Technical Solution; Product Integration; Validation
3	Software product engineering; peer reviews	Verification
4	Quantitative process management; software quality management	Organizational Process Performance; Quantitative Project Management
5	Defect prevention; technology change management; process change management	Causal Analysis and Resolution; Organizational Innovation and Deployment
2 and 3	No CMM equivalent: new in CMMI	Measurement and Analysis (Level 2); Decision Analysis and Resolution (Level 3)

CMMI V1.x architecture

How the staged CMMI model is organised, and what replaced the CMM common features

Maturity levels

Five levels in the staged view: Initial, Managed, Defined, Quantitatively Managed, Optimizing.

Process areas

Clusters of related practices, such as Verification. Each maturity level contains a set of process areas.

Specific goals

What must be achieved that is unique to one process area, e.g. peer reviews are performed.

Specific practices

Expected activities that achieve a specific goal, e.g. conduct peer reviews and analyse the review data.

Generic goals

Institutionalisation goals that apply to every process area, e.g. the process is managed or defined.

Generic practices

Activities that institutionalise a process: plan it, provide resources, train people, monitor it.

CMMI today: V2.0 (2018) and V3.0 (2023)


The ideas remain, but the vocabulary changed: process areas became practice areas

- **Ownership:** CMMI is now owned by the CMMI Institute, part of ISACA. The SEI developed CMM and CMMI up to V1.3.
- **Practice areas:** V2.0 replaced process areas with practice areas, whose practices are grouped in levels of increasing capability.
- **Institutionalisation:** Generic goals and practices were replaced by two practice areas: Governance, and Implementation Infrastructure.
- **Performance focus:** The newer versions put more weight on whether practices actually improve business and quality performance.
- **V3.0:** Brings domains such as development, services, supplier management, safety, security and data into one model.
- **Practical meaning:** Read CMM and CMMI V1.x terms in older documents as history, and map them to current practice areas.


Level 4 controls variation, level 5 shifts capability

Statistical process control applied to a software process measure, for example defects found per review hour

Level 4: reduce variation inside control limits



Level 5: improve to a new capability



Level 4 asks: is our process predictable? Measurements stay inside known limits, so plans can be trusted.

Level 5 asks: can we make it fundamentally better? Defect prevention and new practices move the whole band.

Debate: does process maturity equal capability?

James Bach's 1994 critique from the commercial software world, read alongside the case for defined process

Bach's critique (1994)

- No formal theoretical basis: built on the experience of knowledgeable people
- Vague empirical support, drawn mainly from large government contractors
- Reveres process but ignores people; assumes process can make up for mediocrity
- Level envy: the goal shifts from improving to reaching a higher level
- Successful innovators of the time, such as Microsoft and Borland, would rate Level 1
- Institutionalisation guarantees nothing and can split official process from real practice

The case for defined process

- CMM was designed to judge whether a contractor can deliver a contracted project
- Defined processes keep work continuous when people change, a core SQA concern
- Measurement and peer reviews help any team, whatever its level
- Later CMMI versions put more weight on performance results, not only practices
- Skilled people without a shared process still struggle to scale and to be audited

Both matter: skilled people and a tailored, evidence-based process. Treat a maturity level as a means of improvement, never as the goal.

ISO 9001 audit targets for software projects

Requirements auditors test hardest, shown in the 1994 element numbering and the current 2015 clause structure

Topic	ISO 9001:1994	ISO 9001:2015	What an auditor looks for in ShopFast
Internal quality audits	4.17 Internal quality audits	9.2 Internal audit	An audit programme, auditors independent of the work, results reported and acted on
Nonconforming product	4.13 Control of nonconforming product	8.7 Control of nonconforming outputs	Failed builds identified and blocked from release; concessions approved and recorded
Corrective action	4.14 Corrective and preventive action	10.2 Nonconformity and corrective action	Root cause found, action taken and effectiveness checked, e.g. repeat promo defects
Quality records	4.16 Control of quality records	7.5 Documented information	Review, test and CCB records exist, are retrievable and match what was released
Document control	4.5 Document and data control	7.5 Documented information	Only approved, current versions of the SRS and test procedures are in use

Review checklist: final acceptance

Use before declaring a release accepted or a maintenance cycle closed

- ☐ Has a final acceptance review confirmed that all software was properly updated, tested and replaced?
- ☐ Have the baseline acceptance criteria agreed in advance been met, e.g. no open priority 1 STRs?
- ☐ Has every STR been dispositioned: verified, rejected, postponed with a target, or marked duplicate?
- ☐ Were formal tests such as FAT and SAT run for record on a frozen build, with signed results?
- ☐ Does the version description list exactly what is delivered, including known issues?
- ☐ Is every change in the release traceable to an approved change request?
- ☐ Have the appropriate formal technical reviews been held and their action items closed?
- ☐ Are review, test, audit and CCB records complete and retrievable?
- ☐ Are open audit findings closed, or formally accepted by management with a plan?

In KRISAv2 terms, these answers form the evidence behind the acceptance sign-off.

Guided lab flow, three steps

Run on the ShopFast checkout artifacts you built in Modules 1-6.




TOOLS FOR THIS LAB

- Audit checklist
- ISO / CMMI reference
- Test Summary template
- Confluence / Markdown

From finding to fix, the audit loop

Every checklist item ends in one of two lanes. Non-conformities don't re-verify get closed.



The release recommendation

The Test Summary Report ends in one of three calls, never a silent shrug.

**GO**

All exit criteria met. No open critical or high-severity defects. Audit shows full conformity.

**CONDITIONAL**

Minor non-conformities remain, each with an owner and a CAPA due date before launch.

**NO-GO**

Critical defects or non-conformities open. Release blocked until re-verified.

INSIDE THE TEST SUMMARY REPORT

Scope tested

Results by module

Defect summary

Residual risks

Audit findings

Release recommendation

Reference: exit criteria are set once, in the Module 2 QA Plan, Module 7 simply checks the evidence against them.

Deliverables & KRISA 2.0 alignment

WHAT YOU PRODUCE



Mini Audit Report
Conformity / non-conformity findings



CAPA Log
Corrective actions with owners



Test Summary Report
Go / no-go / conditional recommendation



Reference note: KRISA 2.0 is currently at Beta 2026 status. Deliverable and template numbering (e.g. [D2.1](#), Tx.y) is still being refined by JDN, confirm the current version with your agency before formal submission.

KRISA 2.0 (JDN) MAPPING

Ch.6 · Acceptance Testing
Master Test Plan to UAT & PAT execution
Deliverable: Acceptance Test Report (UAT/PAT)

Ch.7 · Implementation
FAT, migration, handover documentation
Deliverable: Test Closure Report; Manual; Handover

This module's audit checklist also feeds KRISA's cross-cutting success factor: Software Quality Assurance (SQA).

Abbreviations used in this module (1 of 5)

Every short form on these slides, explained in plain words. Keep this page handy during the lab.

Abbreviation	Stands for	What it means in plain words
AI	Artificial Intelligence	Software that can answer questions and write text or code by learning patterns from large amounts of data.
API	Application Programming Interface	A doorway that lets one program ask another program for data or an action, without using a screen.
APM	Application Performance Monitoring	Tools that watch a live system and show how fast and healthy it is.
ASVS	Application Security Verification Standard	An OWASP checklist of security controls a web application should have, grouped by level.
BRS	Business Requirements Specification	The document that states what the business needs, written in business language. KRISA deliverable D02.
BVA	Boundary Value Analysis	Testing at the edges of the allowed values, such as 0, 1, 10 and 11, because mistakes often hide there.
CAPA	Corrective and Preventive Action	Fixing a problem that has happened, then changing the process so it does not happen again.
CCB	Change Control Board	The group that approves, rejects or defers requests to change an approved baseline.
CI	Continuous Integration, or Configuration Item	Two meanings. In DevOps, every code change is built and tested automatically. In configuration management, it is any controlled item such as a document or code file.

Abbreviations used in this module (2 of 5)

Every short form on these slides, explained in plain words. Keep this page handy during the lab.

Abbreviation	Stands for	What it means in plain words
CI/CD	Continuous Integration and Continuous Delivery	An automated pipeline that builds, tests and prepares every change for release.
CMM	Capability Maturity Model	An older five-level model that rates how mature and repeatable an organisation's software process is.
CMMI	Capability Maturity Model Integration	The newer model that replaced CMM. Used to improve and appraise how an organisation works.
DPP	Dokumen Permulaan Projek	The Project Initiation Document. PPrISA template PPrISA01.
EP	Equivalence Partitioning	Grouping inputs that behave the same way, then testing one value from each group.
FAT	Factory Acceptance Test	The formal test with the customer before the system is installed at the live site.
ID	Identifier	A unique label, such as REQ-CHK-01, so that each item can be traced.
IEC	International Electrotechnical Commission	An international standards body that publishes many software standards together with ISO.
IEEE	Institute of Electrical and Electronics Engineers	A professional body that publishes software engineering standards such as IEEE 730 and IEEE 829.

Abbreviations used in this module (3 of 5)

Every short form on these slides, explained in plain words. Keep this page handy during the lab.

Abbreviation	Stands for	What it means in plain words
IPDS	Integrated Product Development System	Raytheon's company-wide process for developing products. Used in the course as an audit example.
ISACA	ISACA, formerly the Information Systems Audit and Control Association	The professional body for IT audit and governance. It now owns CMMI.
ISO	International Organization for Standardization	Publishes international standards such as ISO 9001 and ISO/IEC 25010.
JDN	Jabatan Digital Negara	The Malaysian government department that publishes KRISA and PPrISA.
KPA	Key Process Area	A group of related practices that CMM expects at each maturity level.
KRISA	Kejuruteraan Sistem Aplikasi Sektor Awam	The Malaysian public sector guide for engineering application systems. KRISAv2 is the 2026 beta edition.
MIT	Massachusetts Institute of Technology	A university in the United States. Source of the Leveson course notes.
NC	Nonconformity	An audit finding where the work does not meet a requirement. Rated Major or Minor.
OWASP	Open Worldwide Application Security Project	A community that publishes free web security guides such as the OWASP Top 10.

Abbreviations used in this module (4 of 5)

Every short form on these slides, explained in plain words. Keep this page handy during the lab.

Abbreviation	Stands for	What it means in plain words
PAT	Provisional Acceptance Test	The KRISA acceptance test done before provisional acceptance of the system, including performance checks.
PDF	Portable Document Format	A document file that looks the same on every computer.
PPP	Pelan Pengurusan Projek	The Project Management Plan. PPrISA template PPrISA02.
PPrISA	Panduan Pengurusan Projek ICT Sektor Awam	The Malaysian public sector guide for managing ICT projects. Codes such as PPrISA05 are its templates.
PS	PowerShell prompt	When a slide shows PS>, type that command in Windows PowerShell.
QA	Quality Assurance	Preventing defects by setting up good processes and checking that people follow them.
QER	Quality Engineering Record	A record written by the SQE as evidence of a review, audit or test they witnessed.
RTM	Requirements Traceability Matrix	A table linking each requirement to its design, tests and defects, so nothing is missed.
SAT	Site Acceptance Test	The formal acceptance test carried out at the live site.

Abbreviations used in this module (5 of 5)

Every short form on these slides, explained in plain words. Keep this page handy during the lab.

Abbreviation	Stands for	What it means in plain words
SDS	Spesifikasi Reka Bentuk Sistem	The System Design Specification. KRISA deliverable D04.
SEI	Software Engineering Institute	The Carnegie Mellon University institute that created CMM and the early CMMI.
SQA	Software Quality Assurance	All the planned work that gives confidence the software meets its quality requirements.
SQC	Software Quality Control	Checks on the product itself: reviews, tests and audits.
SQE	Software Quality Engineer	The person who runs quality checks and audits and witnesses formal tests.
SRS	Spesifikasi Keperluan Sistem	The System (or Software) Requirements Specification: what the system must do. KRISA deliverable D03.
STR	Software Trouble Report	The form that records a bug from the moment it is found until it is closed.
UAT	User Acceptance Test	Users try the system to confirm it meets their needs before they accept it.

References and templates for this module

Every line opens the official JDN document at the exact page. Templates download as Word or PDF.

WHERE IT IS IN THE GUIDES

- Bab 6, 6.10 Laporan Ujian Penerimaan (UAT dan PAT)
page 26 · KRISAv2 Bab 6 Fasa Pengujian Penerimaan
- Bab 7, 7.6 Ujian Penerimaan Akhir (FAT)
page 7 · KRISAv2 Bab 7 Fasa Pelaksanaan
- Bab 7, Laporan Penamatan Ujian (Jadual 7.5, ISO/IEC/IEEE 29119)
page 9 · KRISAv2 Bab 7 Fasa Pelaksanaan
- Bab 7, 7.8 Serahan Sistem
page 14 · KRISAv2 Bab 7 Fasa Pelaksanaan
- PPrISA 2.0, 5.4.2 ii b) Penilaian Kualiti Serahan
page 94 · PPrISA 2.0 Versi Beta Feb 2025
- PPrISA 2.0, 6.1.2 Penilaian Akhir
page 98 · PPrISA 2.0 Versi Beta Feb 2025

TEMPLATES TO USE

- D14
Laporan Ujian Penerimaan (UAT/PAT)

WORD

PDF
- D16
Laporan Penamatan Ujian

WORD

PDF
- D18
Laporan Serahan Sistem

WORD

PDF
- PPrISA05
Pelan Pengurusan Kualiti

WORD

PDF
- PPrISA17
Laporan Status Projek (Keseluruhan)

WORD

PDF

Quality is only real once it's proven



Audit against a standard, not a feeling, ISO, CMMI and ASVS give the checklist teeth.



Every non-conformity gets a CAPA and an owner, nothing is logged and forgotten.



The Test Summary Report turns two days of work into one defensible release call.



This is the evidence trail an auditor, or KRISA reviewer, will actually ask for.

NEXT to

Module 08 · Change Management, Monitoring & Continuous Quality

15:15-16:30 · The signed-off Test Summary becomes the baseline for controlled change and live monitoring.

M07 · W07 · 20 MINUTES · Hari 2, 14:35 hingga 14:55

Hands-On SQA-AI Assistant Workshop

AI audit, CAPA and Test Summary Report

Audit your outputs folder against the ISO/CMMI-lite checklist, raise CAPA for non-conformities and draft the D14/D16 Test Summary with a release recommendation.

TOOL

opencode 1.18 in the lab folder · model: Big Pickle via OpenCode Zen (free, no API key) · synthetic ShopFast data only

[Step-by-step guide \(web\)](#)[Workshop slides \(W07\)](#)[Setup guide W00](#)[opencode docs](#)

AI audit, CAPA and Test Summary Report

STEPS

- 1 Run /audit on the RTM and test cases (Plan agent)
- 2 Switch to Build and save the audit to outputs/
- 3 Run /capa on the saved audit, then /test-summary
- 4 Decide GO, NO-GO or CONDITIONAL as a team

OUTPUT TO SAVE

outputs/m07-audit.md, outputs/m07-capa.md, outputs/m07-test-summary.md

TYPE THIS (opencode> in opencode, PS> in PowerShell)

```
opencode> /audit outputs/m02-rtm.csv dan outputs/m04-testcases.csv

opencode> Simpan hasil audit di atas ke outputs/m07-audit.md dengan pautan
../../../../references/.

opencode> /capa semua NC dalam outputs/m07-audit.md

opencode> /test-summary Ujian sistem 14 hingga 15 September 2026, binaan
1.0.0, penguji 4 orang
```

HUMAN CHECK BEFORE YOU ACCEPT IT

- Each non-conformity cites evidence (file and line)
- Exit criteria use KRISAv2 Bab 6 6.8 numbers (95% pass, severity 1 and 2 closed)
- The release decision is made and signed by a person

[Open step-by-step guide](#)

[Module hub](#)

Pembantu AI dalam SQA: AI mendraf, manusia bertanggungjawab

AI assistant in SQA: AI drafts, humans remain accountable

Aliran kerja setiap bengkel Hands-On SQA-AI Assistant Workshop menggunakan opencode

1

Konteks

@SRS, @templat,
AGENTS.md

2

Prompt

arahan /review-srs

3

Draf AI

opencode + model

4

Semak manusia

banding dengan templat
KRISA/PPriSA

5

Simpan bukti

outputs/ + git commit

Guna AI untuk

Draf pelan dan laporan, cadang kes ujian
EP/BVA, jana skrip ujian, ringkaskan log, cari
jurang RTM.

Jangan

Tampal data sebenar agensi, terima output
tanpa semak, biar AI reka ID keperluan, kongsi
sesi awam.

Bukti audit

Simpan prompt, output dan semakan dalam git
supaya jejak audit lengkap (Modul 7).