UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
17/310,034	07/13/2021	Jae Jun KO	043341.00049	2356

4372 7590 02/12/2024

ARENTFOX SCHIFF LLP
1717 K STREET, NW
Washington, DC 20006-5344

EXAMINER
HENSON, MISCHITA L

ART UNIT	PAPER NUMBER
2857	

NOTIFICATION DATE	DELIVERY MODE
02/12/2024	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@arentfox.com

Office Action Summary	Application No. 17/310,034	Applicant(s) KO et al.	
	Examiner MISCHITA HENSON	Art Unit 2857	AIA (FITF) Status Yes

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☑ Responsive to communication(s) filed on 13 July 2021.

☐ A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.

2a)☐ This action is **FINAL.** 2b) ☑ This action is non-final.

3)☐ An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.

4)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims*

5) ☑ Claim(s) 1-19 is/are pending in the application.

5a) Of the above claim(s) _____ is/are withdrawn from consideration.

6) ☐ Claim(s) _____ is/are allowed.

7) ☑ Claim(s) 1-3 and 19 is/are rejected.

8) ☑ Claim(s) 4-18 is/are objected to.

9) ☐ Claim(s) _____ are subject to restriction and/or election requirement

* If any claims have been determined allowable, you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to **PPHfeedback@uspto.gov.**

Application Papers

10)☐ The specification is objected to by the Examiner.

11)☑ The drawing(s) filed on 13 July 2021 is/are: a)☑ accepted or b)☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

Priority under 35 U.S.C. § 119

12)☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

a)☑ All b)☐ Some** c)☐ None of the:

1.☐ Certified copies of the priority documents have been received.

2.☐ Certified copies of the priority documents have been received in Application No. _____.

3.☑ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

** See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☑ Notice of References Cited (PTO-892)

2) ☑ Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/SB/08b) Paper No(s)/Mail Date _____.

3) ☐ Interview Summary (PTO-413) Paper No(s)/Mail Date _____.

4) ☐ Other: _____.

DETAILED ACTION

Notice of Pre-AIA or AIA Status

1. The present application, filed on or after March 16, 2013, is being examined under the first inventor to file provisions of the AIA.

Priority

2. Receipt is acknowledged of certified copies of papers required by 37 CFR 1.55.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (a)(1) the claimed invention was patented, described in a printed publication, or in public use, on sale, or otherwise available to the public before the effective filing date of the claimed invention.

4. **Claim(s) 1-3 and 19** is/are rejected under 35 U.S.C. 102(a)(1) as being anticipated by Lee in Foreign Patent Document KR 10-19222111 (see IDS filed 13 July 2021, used US Pat 2020/0378938 for English translation).

Regarding **claim 1**, Lee teaches:

A radon management system using a radon detector (Abstract, Fig. 1), the radon management system comprising:

at least one of radon detectors (see “indoor radon sensor unit”, Fig. 3; see “indoor radon measurement module”, [0013]) installed in a specific space indoors or outdoors (see” installed in a specific indoor space”, [0013]), and configured to detect in real time alpha particles present in the specific space (see “detecting alpha particles”, [0103]; [0105]), output a predetermined alpha particle detection signal (see “generating

an annual standard graph of the radon average concentration by time for the corresponding specific indoor space", [0013]), count for a measurement time preset based on the output alpha particle detection signal to calculate an alpha particle concentration value (see "generating an annual standard graph of the radon average concentration by time for the corresponding specific indoor space", [0013]; [0024]; see "detecting alpha particles", [0103]; [0105]), and transmit unique device identification information (see "unique module identification information", [0079]; [0096]; [0126]) together with the calculated alpha particle concentration value (see "the corrected radon concentration measurement value is calculated", [0024]; [0031]; see "detecting alpha particles", [0103]; [0105]); and

a radon management server (see " an indoor radon prediction management server", Abstract; [0016]; [0115]) configured to collect the unique device identification information (see "unique device identification information", Abstract, [0017]) together with the alpha particle concentration value transmitted from each radon detector during a preset measurement period ([0015]-[0116]), calculate and quantify an average value of the collected alpha particle concentration values (see "an annual standard graph of the radon average concentration by time for the corresponding specific indoor space on the basis of the radon concentration data…", [0026]; [0131], [0194]), convert the average value into a database (DB) for each radon detector (see "database", [0008]; [0013]; [0129]), store and manage the average value (see "store the radon concentration data…", [0127]), compare the alpha particle concentration value transmitted in real time from each radon detector and the average value of the previously stored alpha particle concentration values with each other (see "…compare

and analyze the calculated…and the actual…", [0021]; [0028]; [0138]), calculate an amount of change in the alpha particle concentration value, and generate radon generation event information data according to the amount of change in the calculated alpha particle concentration value (see "…the ventilation facility…is able to operate corresponding to the radon deviation…", [0134]; see "…performs a function of controlling the notification related application…", [0166]).

Regarding **claim 2**, Lee teaches the limitations of claim 1 as presented above. Further, Lee teaches wherein the radon management server generates the radon generation event information data when the calculated amount of change in the alpha particle concentration value is greater than a preset reference amount of change (see "compared and analyzed through the indoor radon prediction management server, and, a difference between the two values is greater than the preset reference deviation value, the method may further include a step of providing a management service to notify a regular calibration diagnosis time", [0028]; [0138]).

Regarding **claim 3**, Lee teaches the limitations of claim 1 as presented above. Further, Lee teaches wherein the radon management server transmits the generated radon generation event information data to at least one external terminal through a communication network (see "The interface module 27 plays a role as a path for communication with all the external devices connected to the administrator terminal 20.", [0164]; Fig. 1).

Regarding **claim 19**, Lee teaches the limitations of claim 1 as presented above. Further, Lee teaches wherein, based on the unique device identification information together with the alpha particle concentration value transmitted from each radon

detector or the average value of the calculated alpha particle concentration values, the radon management server provides a service for the radon management-related information data to be displayed on a display screen of an administrator or displayed on the user's display screen provided in an external terminal, so that the administrator is able to monitor the radon management-related information data for each radon detector on a daily, day of the week, weekly, monthly, quarterly, and yearly basis, and on the basis of a real-time GIS (Geographic Information System) (see "calculating the estimated radon measurement value applying a correction index for each preset environmental element, generating an hourly, daily, monthly, and yearly radon concentration prediction graph for the corresponding specific indoor space on the basis of the calculated estimated radon measurement value, and constructing a DB for the radon concentration prediction graph, thereby storing and managing the DB", [0013]; see "may provide a management service to notify a regular calibration diagnosis time of the indoor radon measurement sensor unit provided in the indoor radon measurement module to the preset administrator terminal through the communication network", [0021]; [0142]-[0143]).

Allowable Subject Matter

5. **Claims 4-18** are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

6. The following is a statement of reasons for the indication of allowable subject matter:

Regarding **claim 4**, the closest prior art fails to anticipate or render obvious wherein the radon management server converts user action mission information corresponding to the amount of change in the calculated alpha particle concentration value into the database (DB) for each amount of change in each alpha particle concentration value, stores and manages the user action mission information in a separate storage device, extracts the amount of change in the alpha particle concentration value at a time of generating the radon generation event information data, reads, from the storage device, the user action mission information corresponding to the amount of change in the extracted alpha particle concentration value, uses the read user action mission information, and generates the radon generation event information data, **in combination** with all other limitations as claimed by Applicant.

Regarding **claim 6**, the closest prior art fails to anticipate or render obvious wherein, when collecting the alpha particle concentration value transmitted from each radon detector during the preset measurement period, the radon management server determines the alpha particle concentration value transmitted from each radon detector as noise in a case where the alpha particle concentration value is greater than a preset maximum alpha particle concentration value or less than a preset minimum alpha particle concentration value, uses only the alpha particle concentration value excluding the alpha particle concentration value determined as the noise among the collected alpha particle concentration values, and calculates the average value of the alpha particle concentration values, **in combination** with all other limitations as claimed by Applicant.

Regarding **claim 7**, the closest prior art fails to anticipate or render obvious wherein the radon management server converts the user action mission information corresponding to the amount of change in the calculated alpha particle concentration value into the database (DB) for each amount of change in the alpha particle concentration value so as to reduce the amount of change in the alpha particle concentration value and include information of action mission contents and action mission execution time, stores and manages the user action mission information in a separate storage device, wherein the radon management server extracts the amount of change in the alpha particle concentration value at a time of generating the radon generation event information data, reads, from the storage device, the user action mission information corresponding to the amount of change in the extracted alpha particle concentration value, and determines that the action mission contents included in the read user action mission information has been performed by a user, when the alpha particle concentration value transmitted in real time from each radon detector within the action mission execution time included in the read user action mission information is less than the average value of the alpha particle concentration values previously stored in the storage device, **in combination** with all other limitations as claimed by Applicant.

Regarding **claim 9**, the closest prior art fails to anticipate or render obvious wherein the radon management server collects the unique device identification information together with the alpha particle concentration value transmitted from each radon detector during a preset first measurement period, analyzes the alpha particle concentration values collected during the first measurement period, extracts a first alpha particle concentration pattern, converts the extracted first alpha particle concentration

pattern into the database (DB) for each radon detector, and stores and manages the first alpha particle concentration pattern, **in combination** with all other limitations as claimed by Applicant.

Regarding **claim 12**, the closest prior art fails to anticipate or render obvious a radon reduction facility including at least one discharging fan that suctions air entering a specific space through a vent pipe connected to the specific space, discharges the suctioned air to an external space, and reduces concentration of the alpha particles contained in the suctioned air, wherein the radon management server collects the unique device identification information together with the alpha particle concentration value transmitted from each radon detector during a preset first measurement period, analyzes the alpha particle concentration values collected during the first measurement period, extracts a first alpha particle concentration pattern, converts the extracted first alpha particle concentration pattern into the database (DB) for each radon detector, stores and manages the first alpha particle concentration pattern, collects the unique device identification information along with the alpha particle concentration value transmitted from each radon detector during a preset second measurement period, analyzes the alpha particle concentration values collected during the second measurement period, extracts a second alpha particle concentration pattern, determines that a change has occurred in a periodic action pattern of the corresponding user in the specific place when the second alpha particle concentration pattern does not match the first alpha particle concentration pattern, and controls an operation of the radon reduction facility, **in combination** with all other limitations as claimed by Applicant.

Regarding **claim 16**, the closest prior art fails to anticipate or render obvious wherein the preset measurement period is set as a period of measurement every 10 minutes for an hour, and the radon management server collects the unique device identification information along with the alpha particle concentration value transmitted from each radon detector during the preset measurement period, learns and analyzes the collected alpha particle concentration values, generates a radon concentration pattern over time, converts the radon concentration pattern into the database (DB) for each radon detector, stores and manages the radon concentration pattern in a separate storage device, generates a push alarm message for notifying a radon concentration risk when the alpha particle concentration value transmitted in real time from each radon detector is greater than a value of the radon concentration pattern previously stored in the storage device or greater than the preset radon concentration risk reference value, and transmits the push alarm message to a preset external terminal through the communication network, **in combination** with all other limitations as claimed by Applicant.

Regarding **claim 18**, the closest prior art fails to anticipate or render obvious wherein the radon management server provides a cloud computing service in response to a request from at least one client terminal, provides a cloud web service so as to download, through each client terminal, radon management-related information data converted into the database (DB) and stored in a separate storage device, encrypts and stores the radon management-related information data by using a symmetrical or asymmetric encryption method in a case of converting the radon management-related information into the database (DB) so as to be stored in the storage device, and

provides a service so that a decryption key capable of decrypting the encrypted radon management- related information data is transmitted to each client terminal, and each client terminal searches in real time the radon management- related information data stored in the storage device of the radon management server by using the cloud web service of a client member login of the radon management server, displays the radon management- related information data on a display screen, decrypts the radon management-related information data encrypted and stored in the storage device of the radon management server by using the corresponding client member login information together with the decryption key transmitted from the radon management server, searches in real time and displays the radon management-related information data on the display screen, searches in real time the radon management-related information data stored in the storage device of the radon management server through a radon management-related application downloaded from the radon management server, and displays the radon management-related information data on the display screen, **in combination** with all other limitations as claimed by Applicant.

Claims 5, 8, 10-11, 13-15 and 17 are indicated allowable by virtue of their dependence on the claims above.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Jo et al. in Foreign Patent Document KR102239524 (2021) teaches “he present invention relates to an environment monitoring system in a cloud computing environment. The environment monitoring system includes: at least one radon measurer

outputting a predetermined alpha particle detection signal

by detecting alpha particles existing in a specific area in real time, calculating

a radon concentration value by counting for a preset measurement time based on the

outputted alpha particle detection signal, and transmitting

preset unique device identification information and installation position information of the

specific area along with the calculated radon concentration value; and a cloud server

receiving the preset unique device identification information and the installation position

information of the specific area along with the radon concentration value transmitted

from each radon measurer through a communication network to store and

manage radon concentration values measured by installation position of

each radon measurer based on the provided information, and providing a cloud

computing service in response to a request from an external terminal through the

communication network. ” (Abstract).

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MISCHITA HENSON whose telephone number is (571)270-3944. The examiner can normally be reached Monday-Thursday 9am-6pm EST.

Examiner interviews are available via telephone, in-person, and video conferencing using a USPTO supplied web-based collaboration tool. To schedule an interview, applicant is encouraged to use the USPTO Automated Interview Request (AIR) at http://www.uspto.gov/interviewpractice.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Arleen Vazquez can be reached on 571-272-2619. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of published or unpublished applications may be obtained from Patent Center. Unpublished application information in Patent Center is available to registered users. To file and manage patent submissions in Patent Center, visit: https://patentcenter.uspto.gov. Visit https://www.uspto.gov/patents/apply/patent-center for more information about Patent Center and https://www.uspto.gov/patents/docx for information about filing in DOCX format. For additional questions, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/MISCHITA L HENSON/
Primary Examiner, Art Unit 2857

Notice of References Cited	Application/Control No. 17/310,034	Applicant(s)/Patent Under Reexamination KO et al.	
	Examiner MISCHITA HENSON	Art Unit 2857	Page 1 of 2

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date YYYY-MM-DD	Name	CPC Classification	US Classification
*	A	US-20200378938-A1	2020-12-03	LEE; Jae Sung	G01V5/271	1/1
	B					
	C					
	D					
	E					
	F					
	G					
	H					
	I					
	J					
	K					
	L					
	M					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date YYYY-MM-DD	Country	Name	CPC Classification
	N	KR-102239524-B1	2021-04-14	Korea	Ko Jae Jun et al.	G 01 T 1/167
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	English translation of International Search Report for International application NO. PCT/KR2020/012685, January 8, 2021, ISA/KR (Year: 2021)
	V	English translation of EPO Search Opinion for Application No. EP 20881549.8 (Year: 2022)
	W	English machine translation of Foreign Patent Document KR10-1912680 B1 to Lee (Year: 2018)
	X	English machine translation of Foreign Patent Document KR10-1446285 to Joo et al. (Year: 2014)

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in YYYY-MM-DD format are publication dates. Classifications may be US or foreign.

Notice of References Cited	Application/Control No. 17/310,034	Applicant(s)/Patent Under Reexamination KO et al.	
	Examiner MISCHITA HENSON	Art Unit 2857	Page 2 of 2

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date YYYY-MM-DD	Name	CPC Classification	US Classification
	A					
	B					
	C					
	D					
	E					
	F					
	G					
	H					
	I					
	J					
	K					
	L					
	M					

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date YYYY-MM-DD	Country	Name	CPC Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	English machine translation of Abstract for Foreign Patent Document KR102239524 to KO JAE JUN et al. (Year: 2021)
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in YYYY-MM-DD format are publication dates. Classifications may be US or foreign.

Doc code: IDS
Doc description: Information Disclosure Statement (IDS) Filed

PTO/SB/08a (01-10)
Approved for use through 07/31/2012. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Not for submission under 37 CFR 1.99)

Application Number	
Filing Date	
First Named Inventor	KO, Jae Jun
Art Unit	TBA
Examiner Name	TBA
Attorney Docket Number	4016-1060

U.S.PATENTS Remove

Examiner Initial*	Cite No	Patent Number	Kind Code[1]	Issue Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear
	1					

If you wish to add additional U.S. Patent citation information please click the Add button. Add

U.S.PATENT APPLICATION PUBLICATIONS Remove

Examiner Initial*	Cite No	Publication Number	Kind Code[1]	Publication Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear
	1					

If you wish to add additional U.S. Published Application citation information please click the Add button. Add

FOREIGN PATENT DOCUMENTS Remove

Examiner Initial*	Cite No	Foreign Document Number[3]	Country Code[2] i	Kind Code[4]	Publication Date	Name of Patentee or Applicant of cited Document	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	T[5]
	1	10-1912680	KR	B1	2018-10-29	LEE	English Abstract	
	2	10-1446285	KR	B1	2014-10-06	JOO et al.	English Abstract	
	3	10-1650436	KR	B1	2016-08-23	LEE et al.	English Abstract	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /M.L.H/

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Not for submission under 37 CFR 1.99)

Application Number	
Filing Date	
First Named Inventor	KO, Jae Jun
Art Unit	TBA
Examiner Name	TBA
Attorney Docket Number	4016-1060

	4	10-1922211	KR	B1	2018-11-26	LEE	English Abstract	
	5	10-2017-0023601	KR	A	2017-03-06	KO et al.	English Abstract	
	6	10-1569270	KR	B1	2015-11-13	JANG et al.	English Abstract	

If you wish to add additional Foreign Patent Document citation information please click the Add button Add

NON-PATENT LITERATURE DOCUMENTS Remove

Examiner Initials*	Cite No	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, pages(s), volume-issue number(s), publisher, city and/or country where published.	T[5]
	1	International Search Report for International application No. PCT/KR2020/012685, January 8, 2021, ISA/KR	

If you wish to add additional non-patent literature document citation information please click the Add button Add

EXAMINER SIGNATURE

Examiner Signature	/MISCHITA L HENSON/	Date Considered	02/03/2024

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through a citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[1] See Kind Codes of USPTO Patent Documents at www.USPTO.GOV or MPEP 901.04. [2] Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). [3] For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. [4] Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. [5] Applicant is to place a check mark here if English language translation is attached.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /M.L.H/

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Not for submission under 37 CFR 1.99)

Application Number	
Filing Date	
First Named Inventor	KO, Jae Jun
Art Unit	TBA
Examiner Name	TBA
Attorney Docket Number	4016-1060

CERTIFICATION STATEMENT

Please see 37 CFR 1.97 and 1.98 to make the appropriate selection(s):

That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(1).

OR

☐ That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in 37 CFR 1.56(c) more than three months prior to the filing of the information disclosure statement. See 37 CFR 1.97(e)(2).

See attached certification statement.

The fee set forth in 37 CFR 1.17 (p) has been submitted herewith.

☒ A certification statement is not submitted herewith.

SIGNATURE

A signature of the applicant or representative is required in accordance with CFR 1.33, 10.18. Please see CFR 1.4(d) for the form of the signature.

Signature	/Yun H. Choe/	Date (YYYY-MM-DD)	2021-07-13
Name/Print	Yun H. Choe	Registration Number	61798

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1 hour to complete, including gathering, preparing and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these record s.

2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.

3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.

4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).

5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.

6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).

7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.

8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.

9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.