
FPT Education
FPT UNIVERSITY

Nốt

One positive note every day, now with staff, AI and a shared catalog

Đoàn Thị Kim Thúy · SE190992
Phùng Thế Quân · SE193519
Phan Đức Duy · SE193591
Phan Hữu Phước · SE161951



AGENDA FOUR PARTS

Problem → Design → Demo → Proof

FPT Education
FPT UNIVERSITY

01

Problem

Why build it, and what is it?

Why build it?

- 01 Overview
- 02 Context
- 03 Problem

What is it?

- 04 Solution
- 05 Actors
- 06 Features

02

Design

How is the whole system built?

- 07 Business flow
- 08 State machine
- 09 Architecture
- 10 Stack
- 11 UI/UX
- 12 Sequence
- 13 Classes
- 14–15 Database
- 16 Traceability

03

Demo

How do the workflows run for real?

- 17 Demo plan
- 18 WF-01 Nốt AI
- 19 WF-02 Publish a card
- 20 WF-03 Announce

04

Proof

What can we prove?

- 21 Testing
- 22 Achievements
- 23 Limitations
- 24 Conclusion

FPT Education
FPT UNIVERSITY

01

Problem


Why build it, and what is it?

Why build it?

01 Overview | 02 Context | 03 Problem

What is it?

04 Solution | 05 Actors | 06 Features



Nốt at a glance

PROJECT

Nốt

Small-wins journal · Android app + web admin · one Firebase project

> For **students and young workers** who end a long day feeling they got nothing done: Nốt makes **one small win visible in under 30 seconds** and keeps **fresh small challenges** coming.

USERS


user
logs the day on the Android app

staff
reviews and creates cards, posts news on the web admin

admin
everything staff can, plus changes roles

CORE VALUE

- One win in 30 s, typed or sorted by Gemini
- New challenge cards without an app update
- Staff news in every inbox in the same minute



Context: an evening without Nốt

Final-year students and young workers reach the evening with little energy left.

ENVIRONMENT

University life and first jobs

long days of classes, internships, part-time work; the evening is the only free time

WHO IS INVOLVED



Minh, 22 · final-year student, tired, wants to feel the day counted


Nobody curates small, fresh challenges for people like Minh

CURRENT TOOLS

To-do app, phone notes, paper diary

plus self-help tips scattered across social media

CURRENT PROCESS






1. **Day ends** — home late, low energy
2. **Checks to-do** — sees only what is left
3. **Tries a diary** — blank page, gives up
4. **Same goals** — last week's list again
5. **Goes to bed** — "nothing done today"

So people need: a way to see one small win in seconds, and fresh small challenges that someone keeps up for them.

FPT Education
FPT UNIVERSITY

“I didn’t get anything done today”

Most of us think it after a long day, even on days when we did plenty of small things.

PAIN POINT		CAUSE		IMPACT
	**At night we only see what is unfinished**	→	To-do lists track **what is left**; the small things we did are never written down	→ We feel the day was wasted; motivation drops and **burnout** builds up
	**Writing the day down is one more task**	→	Diary apps ask for a **long entry**, at the moment we are most tired	→ We skip it, then **stop after a few days**; the good moments are lost
	**Goals that never change stop motivating**	→	**Nobody refreshes** the challenges or tells us what is new	→ The same list every week gets boring; good habits **break off**



HIT HARDEST final-year students and young workers, whose evening is the only free time and the most tired one.

EVIDENCE Lab 2 persona (Minh, 22) and our own evenings as final-year students. No formal survey was run.

FPT Education
FPT UNIVERSITY

Proposed solution: one Firebase system

An Android app for the evening, a staff web admin for content, and Gemini that sorts the day.

PAIN POINT		SOLUTION IN NỐT		VALUE
At night we only see what is unfinished	→	 **The jar of small wins**: one mood + one win, saved in under 30 s	→	The evening ends on **what we did**, not on what is left
Writing the day down is one more task	→	 **Nốt AI**: tell the day in one paragraph; Gemini splits it into sorted notes to confirm	→	**3 notes** from one paragraph, no form to fill
Goals that never change stop motivating	→	 **Staff web admin**: keep the card catalog fresh, approve cards users share, announce news	→	New cards and news reach users **without an app update**

IN SCOPE WF-01 Log the day with Nốt AI · WF-02 Publish a user card · WF-03 Announce news · onboarding, weekly PDF, roles, App Check

OUT OF SCOPE Cloud Functions and Cloud Storage (paid plan) · "Hỏi Nốt" AI (bonus) · iOS build


FPT Education
FPT UNIVERSITY

Three roles, two external services

The role lives in users/{uid}.role; only an admin changes it, and never their own.

User
logs every evening


- own notes and data
- share own cards (pending only)
- read catalog, news, own inbox



Android app

Staff
content curator

- create, edit, archive cards
- approve / reject with a reason
- post announcements



Web admin

Admin
all staff rights
team lead

- everything staff can do
- change other users' roles
- never their own role



Web admin

Firebase
Auth · Firestore
App Check · Remote Config · FCM

Security Rules decide every read and write

Gemini
via Firebase AI Logic
gets the scrubbed paragraph only
returns JSON suggestions


FPT Education
FPT UNIVERSITY

Four feature groups, three demo workflows

Each group links an actor to the pain point it solves, and names the workflow we demo live.

Log the day

User



DEMO WF-01
Nốt AI: tell the day once


MVP
- Jar of small wins, 30 s note
- Streak and weekly card PDF

EXTRA
- Self-control and breathing

SOLVES
Only seeing what is unfinished · writing is one more task

Challenges

User Staff



DEMO WF-02
Share a card, staff approve

MVP
- Card catalog run on the web
- Onboarding + starter plan

EXTRA
- Journey climb, groups

SOLVES
Goals that never change

News to users

Staff



DEMO WF-03
Announce to every inbox

MVP
- Personal inbox messages
- Evening push reminder

EXTRA
- Discord room links

SOLVES
Nobody tells us what is new

Admin and safety

Admin



MVP
- Roles, changed by an admin only
- Dashboard
- App Check, AI on/off switch

EXTRA
- next: "Hỏi Nốt" AI, iOS

SOLVES
Keeps the other three safe


FPT Education
FPT UNIVERSITY

02

Design


How is the whole system built?

07 Business flow | 08 State machine | 09 Architecture | 10 Stack | 11 UI/UX | 12 Sequence | 13 Classes | 14–15 Database | 16 Traceability



Business flow in one swimlane view


The three workflows share one Firestore; rules are the decision points.



BR-01 AI only when enabled, consented and App Check passes · BR-02 user creates pending only · BR-03 reject needs a reason · BR-04 announcements: staff only, title 1–80, body 1–1000 · BR-05 only admins change roles, never their own.

A shared card: pending → approved or rejected

Entity: challengeSubmissions/{id}. Every transition and every forbidden one has a rules test.



Forbidden (rules deny)

user → approved
approved → pending
reject without reason
withdraw after review


```
109                     && request.resource.data.createdAt == request.time;
110 ...         // Only pending -> approved | rejected; a rejection needs a reason.
111             allow update: if isStaff()
112                     && resource.data.status == 'pending'
113                     && request.resource.data.status in ['approved', 'rejected']
114                     && request.resource.data.diff(resource.data).affectedKeys()
115                         .hasOnly(['status', 'reason', 'reviewedAt', 'reviewedBy'
116                     && request.resource.data.reviewedBy == request.auth.uid
117                     && request.resource.data.reviewedAt == request.time
118                     && shortText(request.resource.data.get('reason', ''), 0, 200)
119                     && (request.resource.data.status == 'approved'
```

firestore.rules · the guard on every review (BR-03)

Tests: R-20 create pending only · R-21 read own or staff · R-22 staff review, reason on reject · R-23 withdraw while pending. 30/30 rules tests pass.


Two Flutter clients, one Firebase backend

Decision: no custom server. Security Rules + App Check are the backend's access layer.




Deploy: GitHub Actions builds both clients, deploys Hosting (/ and /admin/) and Firestore rules + indexes on merge to main.

Serverless on Firebase: Security Rules are the backend




One design system on phone and web


Lab 2 tokens live in packages/core; the web admin reuses them in a wide layout.




Empty · Hàng chờ duyệt




Loading · Tổng quan



Error · server unreachable, Thử lại



Success · approved cards




App · AI off state

States: empty · loading · error (within 15 s, Thử lại) · success · wrong role rejected on web and mobile.

Screen map: twelve screens, two clients

Real screenshots from the Galaxy A70 and the deployed web admin; codes match docs/design-traceability.md.


ANDROID · USER




S02 Today




S03b Nốt AI




S05 Jar



S07 Challenges




S11 Journey



S11b Weekly PDF




S13 Onboarding




S10 Breathing


WEB · STAFF




W1 Dashboard




W2 Catalog



W3 Review queue




W4 Announcements



W5 Users & roles

Approving a card is one batch write

Security Rules guard the write; snapshots carry the change back to the phone.




```
156          })
157          ..update(_col.doc(submission.id), <String, Object?>{
158            'status': SubmissionStatus.approved.id,
159            'reason': '',
160            'challengeId': cardId,
161            'reviewedBy': reviewerUid,
162            'reviewedAt': FieldValue.serverTimestamp(),
163          })
164          ..set(_inbox(submission.uid).doc(), <String, Object?>{
165            'kind': InboxKind.submissionApproved.id,
166            'title': 'Thẻ của bạn đã vào kho chung',
167            'body': _clip(
168              '"${submission.title}" đã được duyệt. Mọi người giờ có thể nhận '
169              'thẻ này ở tab Thử thách.',
170              500,
171            ),
172            'submissionId': submission.id,
173            'read': false,
174            'createdAt': FieldValue.serverTimestamp(),
175          });
176        await batch.commit();
177      });
```

FirestoreSubmissionRepository.approve: one batch

MVVM: screens never touch Firebase


Business rules sit in the repository + Security Rules, not in widgets.

LAYER	WF-01 NỐT AI	WF-02 SHARE & REVIEW	WF-03 ANNOUNCE
Screen	`FreeTellScreen`	`ChallengesScreen` · `ReviewScreen`	`AnnouncementsScreen` · `NotificationInboxSheet`
ViewModel	`FreeTellViewModel`	`CommunityActions` · `ReviewActions`	`AnnouncementActions` · `communityInboxProvider`
Service	`AiService`	`SubmissionRepository` · `CatalogRepository`	`AnnouncementRepository` · `InboxRepository`
Implementation	`FirebaseAiService`	`FirestoreSubmissionRepository`	`FirestoreAnnouncementRepository`
Model	`AiSortResult` · `AiNoteSuggestion`	`ChallengeSubmission` · `CatalogCard`	`Announcement` · `InboxMessage`

main.dart wires each provider to its Firebase implementation; tests swap in fakes (303 app · 14 web admin · 5 core tests).


Six new entities around the user

Lab 3 entities (notes, habits, groups, progress) stay private to their owner.




Firestore collections and their rules

COLLECTION	KEY FIELDS	CONSTRAINTS (RULES)
users/{uid}	role, displayName, email	self-create as user; only admin changes role, never own
challenges/{id}	topic, level 1–10, order, title ≤ 80, status	staff only; updatedBy = auth.uid; archive, no delete
challengeSubmissions/{id}	uid, topic, title, minutes, status, reason	create pending; staff review; reason on reject
users/{uid}/inbox/{id}	kind, title, body, read	staff create; owner reads, may only flip read
announcements/{id}	title ≤ 80, body ≤ 1000, authorUid	staff create/delete; every signed-in user reads
users/{uid}/reports/{week}	isoWeek, fileName, sizeBytes, noteCount	owner only; id = week; savedAt = server time
users/{uid}/private/onboarding	answers, profileLabel, planSource	owner only; enums and sizes checked



Firestore Console · challenges



Rules for announcements (BR-04)

Indexes: submissions (uid, createdAt↓), (status, createdAt↓) · notes (groupId, createdAt↓) · full table: docs/data-model.md

Traceability: screen → rule → test

FPT Education
FPT UNIVERSITY

WORKFLOW	SCREENS	CLASS / SERVICE	COLLECTION	TESTS
WF-01 Nốt AI	S03b Kể tự do	FreeTellViewModel · AiService	notes	BR-01 · free_tell_flow_test · ARTEMIS T18 (2/3), T19 (3/3)
WF-02 Share & review	S07 · Review queue · Inbox	CommunityActions · ReviewActions	challengeSubmissions · challenges · inbox	BR-02/03 · R-20…R-24 · ARTEMIS T20 (3/3) · D-1…D-3
WF-03 Announce news	Announcements · Inbox	AnnouncementActions	announcements · inbox	BR-04 · R-25 · notification_inbox_test · web checklist #9–11
Weekly PDF	S11b Thẻ tuần	WeeklyReportViewModel	reports	R-28 · weekly_report_test · ARTEMIS T14 (3/3)
Onboarding	S13a–g	OnboardingViewModel	private/onboarding	R-27 · onboarding_flow_test · ARTEMIS T17 (3/3)
Roles	Sign-in · Users	sessionProvider · UserActions	users	BR-05 · R-01, R-26, R-29 · session_test · auth_flow_test

Full matrix: docs/design-traceability.md · rules: firebase/tests/firestore.rules.test.js · E2E: e2e_test/


FPT Education
FPT UNIVERSITY

03

Demo

How do the workflows run for real?

17 Demo plan | 18 WF-01 Nốt AI | 19 WF-02 Publish a card | 20 WF-03 Announce



Demo plan: one evening

Minh logs his day and shares a card; staff publish it and announce. Each result feeds the next workflow.

01 · USER
Kể tự do: one paragraph → 3 notes saved


→

02 · USER → STAFF
Share "Đi bộ 10 phút" → staff approves → app shows it

→

03 · STAFF → USERS
"Bạn đã vận động chưa?" → every inbox

RESULT WF-01




Jar 11 → 14 notes, streak starts

RESULT WF-02



Card "Người dùng đề xuất" in catalog; inbox message

RESULT WF-03



Announcement in app inbox at 10:56, same minute

EXCEPTION PATHS SHOWN LIVE

- Remote Config `ai_enabled = false` → "Nốt AI đang nghỉ", user writes by hand
- Reject without reason → blocked (BR-03) · user account on the web, staff account on the phone → rejected (BR-05)

Prepared: user account on a Galaxy A70 (release build, Play Integrity) · staff/admin account on the web admin · ai_enabled ready to toggle in Remote Config · empty review queue · backup video.

WF-01 Log the day with Nốt AI

One paragraph becomes three editable notes.

TRIGGER · PRECONDITION


Evening, Ghi nốt → Kể tự do · role `user`, AI on (BR-01)

STEPS → RESULT

- Consent sheet on first use
- Scrubbed paragraph → Gemini → JSON notes + mood
- Labelled "Gợi ý từ Nốt AI", editable
- **Result:** chosen notes saved, jar and streak update

EXCEPTION


BR-01 fails (AI off, App Check, network) → "Ghi tay", paragraph kept



Consent



Suggestions




ai_enabled = false

Evidence: Galaxy A70, real Gemini (~2 s) · ARTEMIS T18 2/3, T19 (AI off) 3/3 · AI level 2: JSON schema → AiSortResult.

WF-01 in four screens

From an empty evening to three saved notes.



Ghi nốt
evening, from Today

Consent
what is sent to Gemini

Suggestions
3 notes + mood, editable

Saved
jar 11 → 14, streak starts

Exception shown live: ai_enabled = false → frame 2 says 'Nốt AI đang nghỉ' and only 'Ghi tay' is left.

WF-02 Publish a card

Staff approve on the web; the phone updates within seconds.

TRIGGER · STATE


User shares own card · **pending** → **approved** / rejected

STEPS


- User shares → pending
- Staff: Duyệt on the web
- Batch: card + status + inbox
- App: "Đã vào kho chung ✓"

EXCEPTION

BR-03 reason required · BR-02 user cannot approve



Đang chờ duyệt



Web: approved




App: inbox


Evidence: write 1.4 s after Duyệt · phone ≤ 3.4 s (D-2, D-3), 22 s when idle (D-1) · ARTEMIS T20 3/3 · docs/cross-role-flow.md

WF-02 in five screens


A private card becomes everyone's card.



Share
user sends own card



Pending
"Đang chờ duyệt"



Approve
staff, web admin



In catalog
"Đã vào kho chung ✓"




Inbox
message for the author


Exception shown live: Từ chối without a reason is blocked (BR-03); the card stays pending.

WF-03 Announce news to every user


Staff post once; every inbox shows it in the same minute.



1 · Compose (list still empty)



2 · Sent at 10:56, form cleared



3 · App inbox, 10:56

TRIGGER · PRECONDITION

Staff has news for every user · signed in as staff or admin

DECISION (BR-04)

Title 1–80 · body 1–1000 · authorUid = self, in the form and in the rules

RESULT

Announcement published; every user's inbox shows it in real time


EXCEPTION

Empty or too long → form error, nothing saved · user account → rejected at sign-in, rules deny (R-25)

Evidence: sent at 10:56, in the app inbox at 10:56 · rules R-25 (staff only, authorUid = self, title 1–80, body 1–1000) · web checklist #9–11.

WF-03 in three screens

One form, every inbox.



Compose
staff, web admin

Sent
10:56, form cleared

Every inbox
phone, 10:56

Exception shown live: empty body or > 1000 characters → form error, nothing saved (BR-04).


FPT Education
FPT UNIVERSITY

04

Proof

What can we prove?

21 Testing | 22 Achievements | 23 Limitations | 24 Conclusion



Testing at three levels

Rules, code and the deployed system are each tested, with evidence in the repo.


30/30
Security Rules tests

303
Flutter app tests


14 + 5
web admin + core tests

14/15
ARTEMIS Final runs, real phone

LEVEL	EVIDENCE	RESULT
Rules	Emulator, allowed + denied per role per collection (BR-02…BR-05)	30 / 30
Unit / widget	ViewModels, repositories, screens at 360 dp	all pass
Cross-role	3 runs on the deployed system, timed	3 / 3
Web checklist	Actions, rejection, empty, loading, error, live role change	16 / 16
Real device	Onboarding, Nốt AI, PDF, AI off, journal draft, role rejection on Galaxy A70	pass
E2E (ARTEMIS)	Lab 3: 41/42 · Final T14, T17–T20 on Galaxy A70: 14/15 · T15/T16 not run	14 / 15



ARTEMIS: agent reports SAVED




GitHub Actions: deploy on main


CI on every PR: format, analyze, all test suites, rules in the Emulator, web build, Android build, Hosting preview · details: docs/test-report.md.

Evidence wall


Every number on the testing slide has a screenshot or a log behind it.




Security Rules · Emulator 30/30




ARTEMIS on a real phone 14/15




GitHub Actions deploy green




App Check enforced



Web checklist · error state 16/16



Cross-role, deployed 3/3



Crashlytics live



Analytics events live

All files: evidence/ in the repo · details: docs/test-report.md

P4 22 ACHIEVEMENTS

Achievements

Every brief requirement maps to a live feature and a piece of evidence.

FPT Education
FPT UNIVERSITY

BRIEF REQUIREMENT	IMPLEMENTED	EVIDENCE
Web admin: 4 screens + announcement form, deployed	Dashboard, catalog, review, announcements, users	`evidence/web-admin/` (16 items)
Role-based rules, deny by default, tested	user / staff / admin, R-01…R-30	`evidence/firestore/rules-tests.txt`
Cross-role flow, real time, documented	Share card → approve → app + inbox	`docs/cross-role-flow.md`, `evidence/cross-role/`
AI level 2 with RC, App Check, fallback	Kể tự do on Gemini, `ai_*` flags incl. prompts, enforced App Check	`docs/ai-feature.md`, ARTEMIS T18/T19
App Check on Firestore and AI Logic	**Enforced** on both · Web: reCAPTCHA Enterprise; Android: Play Integrity	`evidence/app-check/`
Lab 3 PDF saved & shared on device	pdf + share_plus, metadata in Firestore	15.4 KB file pulled from the phone
Mobile data on Firestore with inbox	Announcements + personal inbox, real time	web checklist #11

Not met: ARTEMIS T15/T16 (email sign-in) not run → slide 23

Limitations and next steps

What is not done yet, and what it costs.

LIMITATION	IMPACT	PRIORITY	NEXT STEP
ARTEMIS T15/T16 (email sign-in) not run	Sign-out / sign-in by email has widget tests only, no E2E on a device	Medium	Create a test-only account, run 3× each
Names can reach Gemini (CR-F2)	Email and phone are scrubbed, but a friend's name is sent as typed	Medium	Consent sheet says so; add on-device name masking
Exploratory session X01: 10 UI issues not rechecked	Possible small layout bugs on rarely used screens	Low	Re-run X01 on the Final build, fix or close each
D-1 took 22 s on an idle phone	Real time not guaranteed after long idle	Low	Measure more runs; re-listen on resume
Lab 2 flow A3 (practice chat) dropped	Overlaps the Discord rooms; one designed flow not built	Low	Reason in docs/gap-review.md §1.1

Conclusion

Nốt is now a working multi-role system, and we can show every claim.

1 · Problem solved

Content is curated by staff and grows from users' own cards; news reaches every user in the same minute.

2 · Working product

WF-01, WF-02, WF-03 run live on Android and the deployed web admin, on the free plan.

3 · Verified

30/30 rules tests, 300+ code tests in CI, 14/15 ARTEMIS runs on a real phone, 3 timed cross-role runs, App Check enforced.

prm393-not-lab3.web.app

prm393-not-lab3.web.app/admin/

github.com/FU-PRM-Projects/Lab-03

Thank you · Questions?


AI examples

Three real Gemini inputs and outputs, and one handled failure.

INPUT (KỂ TỰ DO)	GEMINI OUTPUT
Ran 2 km, ate a snack I meant to skip, calmed down without blaming myself	chien_thang "Chạy bộ 2km quanh hồ" · nhat_ky "Lỡ ăn thêm gói snack..." · tu_chu "Không tự trách và bình tĩnh lại" · mood binh_thuong
Asked a stranger in the library where to charge my phone; wrote a few lines about the rainy afternoon	chien_thang "Lấy hết can đảm hỏi mượn chỗ sạc pin" · nhat_ky "Ghi lại vài dòng cảm xúc buổi chiều mưa" · mood vui
Tired for days, only tidied my desk today	chien_thang "Mình đã dọn dẹp được cái bàn học" · 2× nhat_ky · mood met · needs_support false
Handled failure	404 model retired / 401 missing App Check → `ai_error` logged, paragraph kept, "Ghi tay" offered; fixed by Remote Config model name

```
29
30  GenerativeModel _model(String instructions, Schema schema) =>
31      FirebaseAI.googleAI().generativeModel(
32        model: config.model,
33        systemInstruction: Content.system(instructions),
34        generationConfig: GenerationConfig(
35          responseMimeType: 'application/json',
36          responseSchema: schema,
37          temperature: 0.4,
38        ),
39      );
```

JSON schema forces the answer shape




Remote Config: model, prompts, on/off


Inputs are scrubbed (email, phone) and capped at 500 characters; no names, emails or photos are sent.

App Check: registered and enforced

Both apps are registered; Firestore and AI Logic are enforced.



Apps: lab03 (android) Play Integrity · lab03 (web) Fraud Defense



Cloud Firestore: Enforced · AI Logic: Enforced

Web: reCAPTCHA Enterprise (Fraud Defense) · Android: Play Integrity (debug builds need a registered debug token) · enforced 12/11/2026 · evidence/app-check/.

FPT Education
FPT UNIVERSITY

Lessons learned

Running the system for real found five bugs the tests did not; all are fixed, with regression tests.

APPROVE TIMED OUT

Riverpod paused the unwatched catalog provider; approval waited 10 s and failed. Found while timing D-1. Fixed: read the repository once (PR #70).

DASHBOARD SPUN OFFLINE

`count()` waits for the server forever. Found while shooting the error state. Fixed: 15 s timeout → error state (PR #71).

ERROR STATES 3 MIN LATE

Riverpod 3 retried failed providers 10× while showing loading. Found on the deployed web admin. Fixed: `retry: noRetry` in both apps (PR #77).

ROLE READ ONLY ONCE

A demoted staff kept the admin UI until reload (CR-F1). Fixed: the session follows the user's role document live (PR #75).

GEMINI MODEL RETIRED

`gemini-2.5-flash` returned 404 for new projects. Fixed: default `gemini-flash-lite-latest`, model stays in Remote Config.

AI NEEDS A PLAN B

App Check, quota and model changes all broke AI at some point; the hand-written path kept the flow alive.