```
 1 #!/bin/sh
 2 # WebUI icon used from http://icons8.com
 3
 4 ADDON_NAME=`basename "$0"`
 5
 6 ADDON_DIR=/usr/local/addons/${ADDON_NAME}
 7 PATCH_DIR=${ADDON_DIR}/patch
 8 WWW_DIR=/etc/config/addons/www/${ADDON_NAME}
 9 LOG_DIR=${ADDON_DIR}/log
10 GLOBAL_LOGFILE=$LOG_DIR/inst.log
11 GLOBAL_ERRFILE=$LOG_DIR/inst.err
12 PATCH_REVOKE_ERRFILE=$ADDON_DIR/log/revoke.err
13 FIRMWARE_DIR=/firmware/rftypes
14 CUSTOMIZED_FIRMWARE_DIR=${ADDON_DIR}/customized_firmware
15 RC_DIR=/usr/local/etc/config/rc.d
16 CK_FIRMWARE_FILE=${FIRMWARE_DIR}/hb-uni-sen-cap-moist.xml
17
18 PATCHVERSION=0
19 check_ccu_fw_version()
20 {
21  model=`grep VERSION /boot/VERSION   | awk -F'[=.]' {'print $2'}`
22  version=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $3'}`
23  build=`grep VERSION /boot/VERSION   | awk -F'[=.]' {'print $4'}`

24
25  if [ $model -ge 2 ] && [ $version -ge 45 ]; then
26   PATCHVERSION=2
27  else
28   PATCHVERSION=1
29  fi
30
31  echo "Found firmware version $model.$version.$build - using patchversion $P.
32 }
33
34 MONIT=0
35 check_monit()
36 {
37   MONIT=`ps -ef|grep \/usr\/bin\/monit|grep -v grep|wc -l`
38   echo "Found $MONIT monit process(es)" | tee -a $GLOBAL_LOGFILE
39 }
40
41 REGA=0
42 check_rega()
43 {
44   REGA=`ps -ef|grep \/bin\/ReGaHss|grep -v grep|wc -l`
45   echo "Found $REGA ReGaHss process(es)" | tee -a $GLOBAL_LOGFILE
46 }
47
48 RFD=0
49 check_rfd()
50 {
51   RFD=`ps -ef|grep \/bin\/rfd|grep -v grep|wc -l`
52   echo "Found $RFD rfd process(es)" | tee -a $GLOBAL_LOGFILE
53 }
54
55 case "$1" in
56     ""|init|start)
```

```
 1 #!/bin/sh
 2 # WebUI icon used from http://icons8.com
 3
 4 ADDON_NAME=`basename "$0"`
 5
 6 ADDON_DIR=/usr/local/addons/${ADDON_NAME}
 7 PATCH_DIR=${ADDON_DIR}/patch
 8 WWW_DIR=/etc/config/addons/www/${ADDON_NAME}
 9 LOG_DIR=${ADDON_DIR}/log
10 GLOBAL_LOGFILE=$LOG_DIR/inst.log
11 GLOBAL_ERRFILE=$LOG_DIR/inst.err
12 PATCH_REVOKE_ERRFILE=$ADDON_DIR/log/revoke.err
13 FIRMWARE_DIR=/firmware/rftypes
14 CUSTOMIZED_FIRMWARE_DIR=${ADDON_DIR}/customized_firmware
15 RC_DIR=/usr/local/etc/config/rc.d
16 CK_FIRMWARE_FILE=${FIRMWARE_DIR}/hb-dis-ep-42bw_e_v1_0.xml
17
18 PATCHVERSION=0
19 check_ccu_fw_version()
20 {
21  model=`grep VERSION /boot/VERSION   | awk -F'[=.]' {'print $2'}`
22  version=`grep VERSION /boot/VERSION | awk -F'[=.]' {'print $3'}`
23  build=`grep VERSION /boot/VERSION   | awk -F'[=.]' {'print $4'}`
24  bdate=`grep VERSION /boot/VERSION   | awk -F'[=.]' {'print $5'}`
25
26  if [ $model -ge 2 ] && [ $version -ge 45 ]; then
27   PATCHVERSION=2
28  else
29   PATCHVERSION=1
30  fi
31
32  echo "Found firmware version $model.$version.$build - using patchversion $P.
33 }
34
35 MONIT=0
36 check_monit()
37 {
38   MONIT=`ps -ef|grep \/usr\/bin\/monit|grep -v grep|wc -l`
39   echo "Found $MONIT monit process(es)" | tee -a $GLOBAL_LOGFILE
40 }
41
42 REGA=0
43 check_rega()
44 {
45   REGA=`ps -ef|grep \/bin\/ReGaHss|grep -v grep|wc -l`
46   echo "Found $REGA ReGaHss process(es)" | tee -a $GLOBAL_LOGFILE
47 }
48
49 RFD=0
50 check_rfd()
51 {
52   RFD=`ps -ef|grep \/bin\/rfd|grep -v grep|wc -l`
53   echo "Found $RFD rfd process(es)" | tee -a $GLOBAL_LOGFILE
54 }
55
56 case "$1" in
57     ""|init|start)
```

```
57      if [ ! -f ${ADDON_DIR}/installed ] || [ ! -f ${CK_FIRMWARE_FILE} ]; th
58        echo "Starting complete installation within '$1' $(date +"%d.%m.%Y %
59        cp /dev/null $GLOBAL_ERRFILE
60        cp /dev/null $PATCH_REVOKE_ERRFILE
61
62        mount -o remount,rw /
63
64        #### Check if monit process exists
65        check_monit
66        if [ $MONIT -ge 1 ]; then
67          echo "Stopping monitoring service for ReGaHss and RFD" | tee -a $G
68          /usr/bin/monit unmonitor ReGaHss
69          /usr/bin/monit unmonitor rfd
70        fi
71
72        check_rega
73        if [ $REGA -ge 1 ]; then
74          /etc/init.d/S70ReGaHss stop | tee -a $GLOBAL_LOGFILE
75        fi
76        check_rfd
77        if [ $RFD -ge 1 ]; then
78          /etc/init.d/S61rfd stop | tee -a $GLOBAL_LOGFILE
79              fi
80
81        cd ${ADDON_DIR}
82        cp -ar www/* /www/
83        chown root:root /www/config/img/devices/250/hb-*
84        chmod 755 /www/config/img/devices/250/hb-*
85        chown root:root /www/config/img/devices/50/hb-*
86        chmod 755 /www/config/img/devices/50/hb-*
87        chown root:root /www/ise/img/icons_hm_dis_ep_wm55/24/*
88        chmod 755 /www/ise/img/icons_hm_dis_ep_wm55/24/*
89
90        ### Patch some files ###
91        check_ccu_fw_version
92
93        cd /www
94
95          ######################### REVOKE ###########
96        echo "######## REVOKE COMMON APPLIED PATCHES ########" | tee -a $GLO
97        patchsubdir=common
98        for patchfile in `ls ${PATCH_DIR}/revoke/$patchsubdir/* | sort`; do
99          echo "### Rejecting $patchsubdir patch file $patchfile" | tee -a $
100         patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE_ERR
101       done
102
103       echo "######## REVOKE VERSION DEPENDEND PATCHES ########" | tee -a $
104       if [ $PATCHVERSION -le 1 ]; then
105         patchsubdir=le_343
106       else
107         patchsubdir=ge_345
108       fi
109       for patchfile in `ls ${PATCH_DIR}/revoke/$patchsubdir/* | sort`; do
110         echo "### Rejecting $patchsubdir patch file $patchfile" | tee -a $
111         patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE_ERR
112       done
```

```
58      if [ ! -f ${ADDON_DIR}/installed ] || [ ! -f ${CK_FIRMWARE_FILE} ]; th
59        echo "Starting complete installation within '$1' $(date +"%d.%m.%Y %
60        cp /dev/null $GLOBAL_ERRFILE
61        cp /dev/null $PATCH_REVOKE_ERRFILE
62
63        mount -o remount,rw /
64
65        #### Check if monit process exists
66        check_monit
67        if [ $MONIT -ge 1 ]; then
68          echo "Stopping monitoring service for ReGaHss and RFD" | tee -a $G
69          /usr/bin/monit unmonitor ReGaHss
70          /usr/bin/monit unmonitor rfd
71        fi
72
73        check_rega
74        if [ $REGA -ge 1 ]; then
75          /etc/init.d/S70ReGaHss stop | tee -a $GLOBAL_LOGFILE
76        fi
77        check_rfd
78        if [ $RFD -ge 1 ]; then
79          /etc/init.d/S61rfd stop | tee -a $GLOBAL_LOGFILE
80              fi
81
82        cd ${ADDON_DIR}
83        cp -ar www/* /www/
84        chown root:root /www/config/img/devices/250/hb-*
85        chmod 755 /www/config/img/devices/250/hb-*
86        chown root:root /www/config/img/devices/50/hb-*
87        chmod 755 /www/config/img/devices/50/hb-*
88        chown root:root /www/ise/img/icons_hm_dis_ep_wm55/24/*
89        chmod 755 /www/ise/img/icons_hm_dis_ep_wm55/24/*
90
91        ### Patch some files ###
92        check_ccu_fw_version
93        ./patchworker install ${ADDON_NAME} ${PATCHVERSION} $model.$version.
94
95        cd /www
96
97#         ######################### REVOKE ###########
98#       echo "######## REVOKE COMMON APPLIED PATCHES ########" | tee -a $GL
99#       patchsubdir=common
100#      for patchfile in `ls ${PATCH_DIR}/revoke/$patchsubdir/* | sort`; do
101#        echo "### Rejecting $patchsubdir patch file $patchfile" | tee -a
102#        patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE_ER
103#      done
104#
105#      echo "######## REVOKE VERSION DEPENDEND PATCHES ########" | tee -a
106#      if [ $PATCHVERSION -le 1 ]; then
107#        patchsubdir=le_343
108#      else
109#        patchsubdir=ge_345
110#      fi
111#      for patchfile in `ls ${PATCH_DIR}/revoke/$patchsubdir/* | sort`; do
112#        echo "### Rejecting $patchsubdir patch file $patchfile" | tee -a
113#        patch -R -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$PATCH_REVOKE_ER
114#      done
```

Left column:

```
113
114
115    ######################     APPLY     ###################
116    echo "######## APPLY COMMON PATCHES ########" | tee -a $GLOBAL_LOGFI
117    patchsubdir=common
118    for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
119      echo "### Applying $patchsubdir patch file $(basename $patchfile)"
120      patch -N -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$GLOBAL_ERRFILE
121      echo "- done" | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
122    done
123
124    echo "######## APPLY VERSION DEPENDEND PATCHES ########" | tee -a $G
125    if [ $PATCHVERSION -le 1 ]; then
126      patchsubdir=le_343
127    else
128      patchsubdir=ge_345
129    fi
130
131    for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
132      echo "Applying $patchsubdir patch file $(basename $patchfile)" | t
133      patch -N -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$GLOBAL_ERRFILE
134      echo "- done" | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
135    done
136
137    [[ -f ./config/ic_common.tcl.orig ]] && rm ./config/ic_common.tcl.or
138    [[ -f ./rega/esp/side.inc.orig ]] && rm ./rega/esp/side.inc.orig
139    [[ -f ./rega/esp/functions.fn.orig ]] && rm ./rega/esp/functions.fn.
140    [[ -f ./rega/pages/tabs/admin/views/programs.htm.orig ]] && rm ./reg
141    [[ -f ./rega/esp/datapointconfigurator.fn.orig ]] && rm ./rega/esp/d
142    [[ -f ./webui/webui.js.orig ]] && rm ./webui/webui.js.orig
143
144    ### Create Symlink to include own js file
145    echo "(Re-)Creating symlinks for jp_webui_inc.js..." | tee -a $GLOBA
146    [[ ! -f /www/webui/js/extern/jp_webui_inc.js ]] && ln -s ${ADDON_DIR
147
148    cd ${ADDON_DIR}
149    echo "Running scripts..." | tee -a $GLOBAL_LOGFILE
150    for f in ${ADDON_DIR}/install_* ; do echo "  - $(basename $f)"; ./$(
151
152      echo "Copying customized firmware files..." | tee -a $GLOBAL_LOG
153    cp ${CUSTOMIZED_FIRMWARE_DIR}/* ${ADDON_DIR}${FIRMWARE_DIR}/
154
155    echo "(Re-)Creating symlinks for firmware files..." | tee -a $GLOBAL
156    for f in ${ADDON_DIR}${FIRMWARE_DIR}/* ; do rm -f ${FIRMWARE_DIR}/$(
157
158    sync
159    mount -o remount,ro /
160    touch ${ADDON_DIR}/installed
161
162    if [ $RFD -ge 1 ]; then
163      /etc/init.d/S61rfd start | tee -a $GLOBAL_LOGFILE
164          fi
165    if [ $REGA -ge 1 ]; then
166      /etc/init.d/S70ReGaHss start | tee -a $GLOBAL_LOGFILE
167    fi
168    if [ $MONIT -ge 1 ]; then
169      echo "Starting monitoring service for ReGaHss and RFD" | tee -a $G
```

Right column:

```
115#
116#
117#    ######################     APPLY     ###################
118#    echo "######## APPLY COMMON PATCHES ########" | tee -a $GLOBAL_LOGF
119#    patchsubdir=common
120#    for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
121#      echo "### Applying $patchsubdir patch file $(basename $patchfile)
122#      patch -N -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$GLOBAL_ERRFILE
123#      echo "- done" | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
124#    done
125#
126#    echo "######## APPLY VERSION DEPENDEND PATCHES ########" | tee -a $
127#    if [ $PATCHVERSION -le 1 ]; then
128#      patchsubdir=le_343
129#    else
130#      patchsubdir=ge_345
131#    fi
132#
133#    for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
134#      echo "Applying $patchsubdir patch file $(basename $patchfile)" |
135#      patch -N -p3 -i $patchfile >> $GLOBAL_LOGFILE 2>>$GLOBAL_ERRFILE
136#      echo "- done" | tee -a $GLOBAL_LOGFILE | tee -a $GLOBAL_ERRFILE
137#    done
138#
139#    [[ -f ./config/ic_common.tcl.orig ]] && rm ./config/ic_common.tcl.o
140#    [[ -f ./rega/esp/side.inc.orig ]] && rm ./rega/esp/side.inc.orig
141#    [[ -f ./rega/esp/functions.fn.orig ]] && rm ./rega/esp/functions.fn
142#    [[ -f ./rega/pages/tabs/admin/views/programs.htm.orig ]] && rm ./re
143#    [[ -f ./rega/esp/datapointconfigurator.fn.orig ]] && rm ./rega/esp/
144#    [[ -f ./webui/webui.js.orig ]] && rm ./webui/webui.js.orig
145
146    ### Create Symlink to include own js file
147    echo "(Re-)Creating symlinks for jp_webui_inc.js..." | tee -a $GLOBA
148    [[ ! -f /www/webui/js/extern/jp_webui_inc.js ]] && ln -s ${ADDON_DIR
149
150    cd ${ADDON_DIR}
151    echo "Running scripts..." | tee -a $GLOBAL_LOGFILE
152    for f in ${ADDON_DIR}/install_* ; do echo "  - $(basename $f)" | tee
153
154      echo "Copying customized firmware files..." | tee -a $GLOBAL_LOG
155    cp ${CUSTOMIZED_FIRMWARE_DIR}/* ${ADDON_DIR}${FIRMWARE_DIR}/
156
157    echo "(Re-)Creating symlinks for firmware files..." | tee -a $GLOBAL
158    for f in ${ADDON_DIR}${FIRMWARE_DIR}/* ; do rm -f ${FIRMWARE_DIR}/$(
159
160    sync
161    mount -o remount,ro /
162    touch ${ADDON_DIR}/installed
163
164    if [ $RFD -ge 1 ]; then
165      /etc/init.d/S61rfd start | tee -a $GLOBAL_LOGFILE
166          fi
167    if [ $REGA -ge 1 ]; then
168      /etc/init.d/S70ReGaHss start | tee -a $GLOBAL_LOGFILE
169    fi
170    if [ $MONIT -ge 1 ]; then
171      echo "Starting monitoring service for ReGaHss and RFD" | tee -a $G
```

```
170          /usr/bin/monit monitor ReGaHss                        172          /usr/bin/monit monitor ReGaHss
171          /usr/bin/monit monitor rfd                            173          /usr/bin/monit monitor rfd
172        fi                                                      174        fi
173        echo "Installation done." | tee -a $GLOBAL_LOGFILE      175        echo "Installation done." | tee -a $GLOBAL_LOGFILE
174      else                                                      176      else
175        echo "Checking for subsequent customized firmware files..."   177        echo "Checking for subsequent customized firmware files..."
176        changed=0                                               178        changed=0
177                                                                179
178        for f in ${ADDON_DIR}${FIRMWARE_DIR}/* ; do             180        for f in ${ADDON_DIR}${FIRMWARE_DIR}/* ; do
179            $(cmp -s ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f)   181            $(cmp -s ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f)
180          rc=$?                                                 182          rc=$?
181          if [ $rc -eq 1 ]; then                                183          if [ $rc -eq 1 ]; then
182            echo "Difference detected for $(basename $f). Copying..."   184            echo "Difference detected for $(basename $f). Copying..."
183            cp ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f      185            cp ${CUSTOMIZED_FIRMWARE_DIR}/$(basename $f) $f
184            let changed++                                       186            let changed++
185          fi                                                    187          fi
186        done                                                    188        done
187                                                                189
188        if [ $changed -gt 0 ]; then                             190        if [ $changed -gt 0 ]; then
189          echo "$changed Firmware file(s) changed" | tee -a $GLOBAL_LOGFILE   191          echo "$changed Firmware file(s) changed" | tee -a $GLOBAL_LOGFILE
190          check_rfd                                             192          check_rfd
191          if [ $RFD -ge 1 ]; then                               193          if [ $RFD -ge 1 ]; then
192            echo " - restarting RFD"                            194            echo " - restarting RFD"
193            /etc/init.d/S61rfd restart | tee -a $GLOBAL_LOGFILE 195            /etc/init.d/S61rfd restart | tee -a $GLOBAL_LOGFILE
194                fi                                              196                fi
195        else                                                    197        else
196          echo "Nothing changed - nothing to do"               198          echo "Nothing changed - nothing to do"
197        fi                                                      199        fi
198                                                                200
199    fi                                                          201    fi
200    ;;                                                          202    ;;
201                                                                203
202    stop)                                                       204    stop)
203      echo "Nothing to stop..."                                 205      echo "Nothing to stop..."
204    ;;                                                          206    ;;
205                                                                207
206    uninstall)                                                  208    uninstall)
207      mount -o remount,rw /                                     209      mount -o remount,rw /
208                                                                210
209      cd ${ADDON_DIR}                                           211      cd ${ADDON_DIR}
210      echo "Running scripts..."                                 212      echo "Running scripts..."
211      for f in ${ADDON_DIR}/uninstall_* ; do echo " - $(basename $f)"; ./$(   213      for f in ${ADDON_DIR}/uninstall_* ; do echo " - $(basename $f)"; ./$(
212                                                                214
213      check_ccu_fw_version                                      215      check_ccu_fw_version
                                                                   216      ./patchworker uninstall ${ADDON_NAME} ${PATCHVERSION} $model.$version.
214                                                                217
215      cd /www                                                   218      cd /www
216                                                                219
217      echo "######## REVOKE COMMON PATCHES ########"            220#      echo "######## REVOKE COMMON PATCHES ########"
218      patchsubdir=common                                       221#      patchsubdir=common
219      for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do        222#      for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
220        echo "Rejecting $patchsubdir patch file $(basename $patchfile)" | te   223#        echo "Rejecting $patchsubdir patch file $(basename $patchfile)" | t
221        patch -R -p3 -i $patchfile                              224#        patch -R -p3 -i $patchfile
222      done                                                      225#      done
223                                                                226#
224      echo "######## REVOKE VERSION DEPENDEND PATCHES ########"  227#      echo "######## REVOKE VERSION DEPENDEND PATCHES ########"
225      if [ $PATCHVERSION -le 1 ]; then                         228#      if [ $PATCHVERSION -le 1 ]; then
```

```
226        patchsubdir=le_343
227    else
228        patchsubdir=ge_345
229    fi
230
231    for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
232      echo "Rejecting $patchsubdir patch file $(basename $patchfile)" | te
233      patch -R -p3 -i $patchfile
234    done
235
236    [[ -f ./webui/webui.js.orig ]] && rm ./webui/webui.js.orig
237    [[ -f ./rega/esp/datapointconfigurator.fn.orig ]] && rm ./rega/esp/dat
238    [[ -f ./rega/esp/functions.fn.orig ]] && rm ./rega/esp/functions.fn.or
239    [[ -f ./rega/esp/side.inc.orig ]] && rm ./rega/esp/side.inc.orig
240    [[ -f ./rega/pages/tabs/admin/views/programs.htm.orig ]] && rm ./rega/
241    [[ -f ./config/ic_common.tcl.orig ]] && rm ./config/ic_common.tcl.orig
242    [[ -f ./webui/js/extern/jp_webui_inc.js ]] && rm ./webui/js/extern/jp_
243
244    cd /
245    rm -rf $ADDON_DIR
246    rm -rf $WWW_DIR
247    rm -f ${RC_DIR}/${ADDON_NAME}
248    sync
249    mount -o remount,ro /
250    ;;
251
252  restart|reload)
253    # Operations to stop and start (restart) the addon
254    ;;
255
256  info)
257    echo "Info: <center><b>JP HB Devices Support Addon</b></center><br />"
258    echo "Info: <center><img src='../addons/${ADDON_NAME}/${ADDON_NAME}.pn
259    echo "Version: $(cat ${ADDON_DIR}/VERSION)"
260    echo "Name: JP HB Devices"
261    echo "Operations: uninstall"
262    #echo "Config-Url: ${CONFIG_URL}"
263    echo "Update: /addons/${ADDON_NAME}/update-check.cgi"
264    ;;
265
266  *)
267    echo "Usage: $ADDON_NAME {start|info|uninstall}" >&2
268    exit 1
269    ;;
270
271esac
272
273exit $?
274
```

```
229#        patchsubdir=le_343
230#    else
231#        patchsubdir=ge_345
232#    fi
233#
234#    for patchfile in ${PATCH_DIR}/$patchsubdir/* ; do
235#      echo "Rejecting $patchsubdir patch file $(basename $patchfile)" | t
236#      patch -R -p3 -i $patchfile
237#    done
238#
239#    [[ -f ./webui/webui.js.orig ]] && rm ./webui/webui.js.orig
240#    [[ -f ./rega/esp/datapointconfigurator.fn.orig ]] && rm ./rega/esp/da
241#    [[ -f ./rega/esp/functions.fn.orig ]] && rm ./rega/esp/functions.fn.o
242#    [[ -f ./rega/esp/side.inc.orig ]] && rm ./rega/esp/side.inc.orig
243#    [[ -f ./rega/pages/tabs/admin/views/programs.htm.orig ]] && rm ./rega
244#    [[ -f ./config/ic_common.tcl.orig ]] && rm ./config/ic_common.tcl.ori
245    [[ -f ./webui/js/extern/jp_webui_inc.js ]] && rm ./webui/js/extern/jp_
246
247    cd /
248    rm -rf $ADDON_DIR
249    rm -rf $WWW_DIR
250    rm -f ${RC_DIR}/${ADDON_NAME}
251    sync
252    mount -o remount,ro /
253    ;;
254
255  restart|reload)
256    # Operations to stop and start (restart) the addon
257    ;;
258
259  info)
260    echo "Info: <b>HB-TM-JP AddOn Reduced</b><br>"
261    echo "Info: <b>CCU2/3, RaspberryMatic</b><br>"
262    echo "Info: (c) 2018-2020 jp112sdl<br>(c) 2019-2020 TomMajor (Redu
263    echo "Info: <a href='https://github.com/TomMajor/SmartHome/tree/ma
264    echo "Version: $(cat ${ADDON_DIR}/VERSION)"
265    echo "Name: HB-TM-JP AddOn Reduced"
266    echo "Operations: uninstall"
267    echo "Update: /addons/${ADDON_NAME}/update-check.cgi"
268    ;;
269
270  *)
271    echo "Usage: $ADDON_NAME {start|info|uninstall}" >&2
272    exit 1
273    ;;
274
275esac
276
277exit $?
278
```