

---

---

# Index

---

---

- 
- .config, 175
- .d, 111
- .htaccess, 272
- /etc/apt/apt.conf.d/, 111
- /etc/apt/preferences, 112
- /etc/apt/sources.list, 100
- /etc/apt/trusted.gpg.d/, 121
- /etc/bind/named.conf, 241
- /etc/default/ntpdate, 170
- /etc/exports, 277
- /etc/fstab, 171
- /etc/group, 159
- /etc/hosts, 155, 156
- /etc/init.d/rcS, 188
- /etc/init.d/rcS.d/, 188
- /etc/pam.d/common-account, 288
- /etc/pam.d/common-auth, 288
- /etc/pam.d/common-password, 288
- /etc/passwd, 157
- /etc/shadow, 157
- /etc/sudoers, 171
- /etc/timezone, 168
- /proc/, 155
- /sys/, 155
- /usr/share/doc/, 11
- /usr/share/zoneinfo/, 168
- /var/lib/dpkg/, 80
- ~, 161
- 100BASE-T, 149
- 100BASE-T, 149
- 10BASE-T, 149
- 10GBASE-T, 149
- 32/64 bits, choice, 51
- A**
- A, DNS record, 240
- AAAA, DNS record, 240
- account
  - administrator account, 55, 171
  - creation, 159
  - disable, 158
- ACPI, 218
- acpid, 218
- activity, history, 385
- activity, monitoring, 384
- add a user to a group, 160
- addgroup, 159
- address, IP address, 149
- adduser, 159
- administration, interfaces, 199
- ADSL, modem, 152
- Advanced Configuration and Power Interface, 218
- Advanced Package Tool, 100
- AFP, 40
- Afterstep, 358
- AH, protocol, 230
- aide (Debian package), 387
- Akkerman, Wichert, 12
- alias
  - virtual alias domain, 255
- alien, 96
- alioth, 18
- Allow from, Apache directive, 273
- AllowOverride, Apache directive, 271, 272
- alternative, 358
- am-utils, 173
- amanda, 210
- amd, 173
- amd64, 44
- anacron, 208

- analog, 140
- analyzer of web logs, 273
- Anjuta, 366
- antivirus, 265
- apache, 268
- Apache directives, 271, 272
- AppArmor, 389
- AppleShare, 40
- AppleTalk, 40
- approx, 106
- apropos, 134
- APT, 72, 100
  - configuration, 111
  - header display, 116
  - initial configuration, 64
  - interfaces, 117
  - package search, 116
  - pinning, 112
  - preferences, 112
- apt, 107
- apt dist-upgrade, 110
- apt full-upgrade, 110
- apt install, 107
- apt purge, 107
- apt remove, 107
- apt search, 116
- apt show, 116
- apt update, 107
- apt upgrade, 109
- apt-cache, 116
- apt-cache dumpavail, 117
- apt-cache pkgnames, 117
- apt-cache policy, 117
- apt-cache search, 116
- apt-cache show, 116
- apt-cacher, 106
- apt-cacher-ng, 106
- apt-cdrom, 101
- apt-ftparchive, 428
- apt-get, 107
- apt-get dist-upgrade, 110
- apt-get install, 107
- apt-get purge, 107
- apt-get remove, 107
- apt-get update, 107
- apt-get upgrade, 109
- apt-key, 121
- apt-mark auto, 115
- apt-mark manual, 115
- apt-xapian-index, 116
- apt.conf.d/, 111
- aptitude, 68, 107, 117
- aptitude dist-upgrade, 110
- aptitude full-upgrade, 110
- aptitude install, 107
- aptitude markauto, 115
- aptitude purge, 107
- aptitude remove, 107
- aptitude safe-upgrade, 109
- aptitude search, 116
- aptitude show, 116
- aptitude unmarkauto, 115
- aptitude update, 107
- aptitude why, 115
- Aptosid, 443
- ar, 72
- architecture, 3, 44
  - multi-arch support, 94
- artistic license, 7
- ASCII, 146
- assignment of names, 154
- association, 2, 4
- assurance
  - quality assurance, 18
- at, 207
- ATA, 452
- atd, 205
- ATI, 357
- atq, 208
- atrm, 208
- authentication
  - package authentication, 121
- author, upstream, 6
- autobuilder, 23
- autofs, 173
- automatic completion, 161

- automatic upgrade, 127
- automount, 173
- automounter, 173
- Autopsy Forensic Browser, 416
- Avahi, 40
- awk, 358
- AWStats, 273
- awtats, 140
- axi-cache, 116, 130
- azerty, 147

## B

- BABEL wireless mesh routing, 237
- babeld, 237
- backdoor, 415
- backport, 103, 420
- backports.debian.org, 104
- backup, 210
  - copy, 211
  - on tape, 213
- BackupPC, 210
- bacula, 210
- bash, 160
- Basic Input/Output System, 48
- BGP, 237
- bgpd, 237
- binary code, 3
- bind9, 240
- BIOS, 48, 453
- Blackbox, 358
- block (disk), 210
- block, mode, 160
- Bo, 9
- Bochs, 323
- Bonjour, 40
- boot
  - loader, 51
- bootable CD-ROM, 443
- booting
  - the system, 182
- bootloader, 51, 66, 162
- Breaks, header field, 77
- bridge, 150
- broadcast, 150

- broken dependency, 89
- browser, Web, 365
- Bruce Perens, 9
- BSD, 34
- BSD license, 7
- BTS, 14
- buffer
  - receive buffer, 379
- bug
  - report a bug, 15
  - severity, 14
- bug report, 141
- Bug Tracking System, 14
- bugs.debian.org, 14
- build daemon, 24
- Build-Depends, control field, 421
- Build-Depends, header field, 85
- build-simple-cdd, 344
- bulld, 24
- Buster, 9
- Buzz, 9
- bzip2, 100
- bzr, 19

## C

- c++, 358
- cache, proxy, 65, 106
- Calligra Suite, 368
- cc, 358
- CD-ROM
  - bootable, 443
  - installation CD-ROM, 49
  - netinst CD-ROM, 49
- certificate
  - X.509, 224
- Certificates, 251
- chage, 158
- chain, 378
- changelog.Debian.gz, 137
- character set, 146
- character, mode, 160
- Chat
  - server, 292
- checksecurity, 388

- checksums, 83
- chfn, 158
- chgrp, 198
- chmod, 198
- choice, 358
  - of country, 53
  - of language, 52
- chown, 198
- chsh, 158
- CIFS, 279
- cifs-utils, 281
- clamav, 265
- clamav-milter, 265
- client
  - client/server architecture, 191
  - NFS, 278
- clock
  - synchronization, 169
- CNAME, DNS record, 240
- codename, 9
- CodeWeavers, 369
- Collaborative Work, 367
- Collins, Ben, 12
- command interpreter, 160
- command line interface, 160
- command line interpreter, 134
- command scheduling, 205
- Common Unix Printing System, 162
- common-account, 288
- common-auth, 288
- common-password, 288
- comparison of versions, 93
- compilation, 3
  - of a kernel, 173
- compiler, 3
- component (of a repository), 101
- Compose, key, 147
- conffiles, 83
- confidentiality
  - files, 63
- config, debconf script, 82
- configuration
  - files, 83
  - initial configuration of APT, 64
  - network
    - DHCP, 55
    - static, 55
  - of the kernel, 175
  - of the network, 150
  - printing, 162
  - program configuration, 139
- configuration management, 19
- conflicts, 77
- Conflicts, header field, 77
- connection
  - by ADSL modem, 152
  - by PSTN modem, 151
- connector, RJ45, 149
- console-data, 147
- console-tools, 147
- constitution, 11
- context, security context, 399
- contract, social, 5
- contrib, section, 101
- control, 74
- control of traffic, 235
- control sum, 386
- control.tar.gz, 80
- copy, backup copy, 211
- copyleft, 8
- copyright, 138
- copyrights, 8
- CPAN, 79
- creation
  - of groups, 159
  - of user accounts, 159
- cron, 205
- crontab, 206
- CrossOver, 369
- crossover cable, 153
- crypt, 157
- csh, 161
- CUPS, 162
- cups, 162
  - administration, 162
- cvs, 19

## D

- daemon, 140, 458
- DAM, 13
- dansguardian, 284
- DATA, 261
- database
  - developer's database, 10
  - of groups, 156
  - of users, 156
- daylight saving time, 168
- DCF-77, 170
- dch, 431
- dconf, 360
- DDPO, 18
- debc, 431
- debconf, 82, 201, 341
- debfooster, 115
- debhelper, 431
- debi, 431
- Debian Account Managers, 13
- Debian Developer's Packages Overview, 18
- Debian Developer's Reference, 430
- Debian France, 4
- Debian Free Software Guidelines, 7
- Debian Maintainer, 432
- Debian Package Tracker, 18
- Debian Policy, 11
- Debian Project Leader, 11
- Debian Project News, 20
- debian-admin, 17
- debian-archive-keyring, 121
- debian-cd, 3, 343
- debian-installer, 4, 48
- debian-kernel-handbook, 174
- debian-user@lists.debian.org, 141
- debian.net, 106
- debian.tar.gz file, 84
- deborphan, 115
- debsums, 387
- debtags, 130
- debuild, 431
- decompressing, source package, 87
- deletion of a group, 159
- delgroup, 159
- denial of service, 388
- Deny from, Apache directive, 273
- dependency, 75
- Depends, header field, 75
- deployment, 339
- derivative distribution, 16
- desktop, remote graphical desktop, 195
- Destination NAT, 223
- detection, intrusion, 388
- developers
  - Debian developers, 9
  - developer's database, 10
- device
  - access permissions, 160
  - multi-disk device, 62
- devscripts, 431
- Devuan, 444
- DFSG, 7
- dh-make, 431
- DHCP, 151, 243
- diff, 15, 213
- diff.gz file, 84
- directives, Apache, 271, 272
- directory, LDAP, 284
- DirectoryIndex, Apache directive, 271
- dirvish, 211
- Disable an account, 158
- display manager, 196
- distribution
  - commercial distribution, XXI
  - commercial Linux distribution, 35
  - community Linux distribution, 35
  - Linux distribution, XXI
- Distrowatch, 445
- dkms, 177
- dm-crypt, 63
- DNAT, 223
- DNS, 155, 240
  - automated updates, 244
  - NAPTR record, 293
  - SRV record, 293
  - zone, 240

- DNS record, 240
- DNSSEC, 241
- documentation, 134, 137
  - location, 11
- domain
  - name, 155
  - virtual, 255
- domain controller, 279
- Domain Name Service, 155
- DoudouLinux, 445
- dpkg, 72, 87
  - database, 80
  - dpkg --verify, 386
  - internal operation, 81
- dpkg-reconfigure, 201
- dpkg-source, 87
- DPL, 11
- dput, 432
- DruCall, 299
- DSA (Debian System Administrators), 17
- DSC file, 84
- dselect, 69
- dsl-provider, 152
- DST, 168
- dual boot, 51, 67
- dump, 213
- dupload, 432
- DVD-ROM
  - installation DVD-ROM, 49
  - netinst DVD-ROM, 49
- Dynamic Host Configuration Protocol, 243
- E
  - easy-rsa, 224
  - edquota, 209
  - eGroupware, 367
  - EHLO, 259
  - Ekiga, 370, 372
  - email
    - filtering, 254
    - filtering on contents, 262
    - filtering on the recipient, 260
    - filtering on the sender, 260
    - server, 252
    - software, 362
  - Empathy, 370
  - Emulating Windows, 369
  - encoding, 146
  - Enforcement, Type Enforcement, 408
  - Enhances, header field, 76
  - environment, 147
    - environment variable, 161
    - heterogeneous environment, 40
  - Epiphany, 365
  - ESP, protocol, 230
  - Etch, 9
  - eth0, 150
  - Ethernet, 149, 151
  - Evolution, 362
  - evolution-ews, 363
  - examples, location, 139
  - Excel, Microsoft, 368
  - ExecCGI, Apache directive, 271
  - execution, right, 197
  - Exim, 252
  - Experimental, 22, 105, 113
  - Explanation, 113
  - exploring a Debian machine, 43
  - exports, 277
- F
  - Facebook, 21
  - file
    - confidentiality, 63
    - logs, rotation, 170
    - server, 276
    - special, 160
    - system, 60
  - files
    - configuration files, 83
    - log files, 201
    - logs, 140
  - filesystem, 455
    - network, 276
  - Filesystem Hierarchy, 450
  - filtering email, 254
  - filtering rule, 378, 381
  - fingerprint, 386

- Firefox, Mozilla, 365, 366
- firewall, 377
  - IPv6, 238
- Firewire, 452
- flamewar, 12
- Fluxbox, 358
- FollowSymlinks, Apache directive, 271
- forensics, 444
- fork, 192, 458
- Foundation Documents, 5
- free
  - software, 7
- Free Software Directory, 138
- free software principles, 7
- FreeBSD, 34
- FreeDesktop.org, 359
- Freenet6, 239
- freeze, 26
- French localization, 146
- fstab, 171
- FTP (File Transfer Protocol), 275
- ftpmaster, 17
- Fully Automatic Installer (FAI), 339
- FusionForge, 18, 367
- fwbuilder, 382
  
- G**
- Garbee, Bdale, 12
- gateway, 222
- gdm, 357
- gdm3, 196
- Gecko, 365
- GECOS, 157
- General Public License, 7
- general resolution, 12
- getent, 159
- getty, 191
- gid, 157
- Git, 19
- git, 19
- Glade, 366
- GNOME, 359
- gnome, 359
- GNOME Office, 368
- gnome-control-center, 201
- gnome-packagekit, 126
- gnome-system-monitor, 385
- GnomeMeeting, 372
- GNU, 2
  - General Public License, 7
  - Info, 136
  - is Not Unix, 2
- GNU/Linux, 33
- gnugk, 372
- Gnumeric, 368
- Gogo6, 239
- Google+, 21
- GPL, 7
- GPS, 170
- GPT
  - partition table format, 164
- graphical desktop, 359
  - remote, 195
- GRE, protocol, 231
- greylisting, 262
- Grml, 443
- group, 157, 159
  - add a user, 160
  - change, 159
  - creation, 159
  - database, 156
  - deletion, 159
  - of volumes, 62
  - owner, 197
- groupmod, 159
- groupware, 367
- GRUB, 66, 166
- grub-install, 166
- GRUB 2, 166
- gsettings, 360
- GTK+, 359
- guessnet, 154
- gui-apt-key, 122
- gzip, 100
  
- H**
- H323, 371
- Hamm, 9

- hard drive, names, [163](#)
- hard link, [211](#)
- heated debate, [12](#)
- HELO, [259](#)
- hg, [19](#)
- Hocevar, Sam, [12](#)
- host, [241](#)
- hostname, [154](#)
- hosts, [155](#), [156](#)
- hotplug, [214](#)
- HOWTO, [138](#)
- htpasswd, [272](#)
- HTTP
  - secure, [269](#)
  - server, [268](#)
- HTTP/FTP proxy, [282](#)
- HTTPS, [269](#)
- I**
- i18n, [14](#)
- i386, [44](#)
- Ian Murdock, [2](#)
- ICE, [294](#)
- Icedove, [366](#)
- Iceweasel, [366](#)
- Icewm, [358](#)
- Icinga, [346](#)
- ICMP, [379](#)
- id, [159](#)
- IDE, [452](#)
- Identi.ca, [21](#)
- IDS, [388](#)
- IEEE 1394, [214](#), [452](#)
- IKE, [230](#)
- in-addr.arpa, [241](#)
- Includes, Apache directive, [271](#)
- incompatibilities, [77](#)
- Indexes, Apache directive, [271](#)
- inetd, [204](#)
- info, [136](#)
- info2www, [137](#)
- init, [152](#), [184](#), [458](#)
- initialization script, [190](#)
- inode, [210](#)
- installation
  - automated installation, [339](#)
  - netboot installation, [50](#)
  - of a kernel, [179](#)
  - of the system, [48](#)
  - package installation, [88](#), [107](#)
  - PXE installation, [50](#)
  - TFTP installation, [50](#)
- installer, [48](#)
- Instant Messaging
  - server, [292](#)
- Inter-Process Communications, [459](#)
- interface
  - administration interface, [199](#)
  - graphical, [356](#)
  - network interface, [150](#)
- internationalization, [14](#)
- Internet Control Message Protocol, [379](#)
- Internet Printing Protocol, [162](#)
- Internet Relay Chat, [371](#)
- Internet Software Consortium, [240](#)
- intrusion detection, [388](#)
- intrusion detection system, [388](#)
- invoke-rc.d, [190](#)
- IP address, [149](#)
  - private, [223](#)
- ip6.arpa, [241](#)
- ip6tables, [238](#), [378](#), [380](#)
- IPC, [459](#)
- IPP, [162](#)
- iproute, [235](#)
- IPsec, [230](#)
  - IPsec Key Exchange, [230](#)
- iptables, [378](#), [380](#)
- iputils-ping, [237](#)
- iputils-tracepath, [237](#)
- IPv6, [237](#)
- IPv6 firewall, [238](#)
- IRC, [371](#)
- IS-IS, [237](#)
- ISC, [240](#)
- isisd, [237](#)
- ISO-8859-1, [146](#)



ISO-8859-15, 146  
ISP, Internet Service Provider, 253

## J

Jabber, 296  
Jackson, Ian, 12  
Jessie, 9  
Jitsi, 370  
JSCommunicator, 298  
jxplorer, 286

## K

Kali, 444  
KDE, 359  
KDevelop, 367  
kdm, 196, 357  
kernel  
    compilation, 173  
    configuration, 175  
    external modules, 177  
    installation, 179  
    patch, 178  
    sources, 174  
kernel space, 457  
kernel-package, 174  
key  
    APT's authentication keys, 122  
    Compose, 147  
    Meta, 147  
key pair, 224, 230, 289, 432  
keyboard layout, 53, 147  
keyboard-configuration, 147  
kFreeBSD, 34  
KMail, 363  
kmod, 188  
Knoppix, 443  
Kolab, 367  
Konqueror, 365  
krdc, 196  
krfb, 196  
Kubuntu, 442  
KVM, 323, 334  
kwin, 358

## L

l10n, 14  
LANG, 147  
language, 146  
Latin 1, 146  
Latin 9, 146  
layout, keyboard, 53, 147  
LDAP, 284  
    secure, 289  
ldapvi, 290  
LDIF, 285  
LDP, 138  
leader  
    election, 11  
    role, 11  
Lenny, 9  
level, runlevel, 189  
libapache-mod-security, 410  
libapache2-mpm-itk, 268  
libnss-ldap, 287  
libpam-ldap, 288  
library (of functions), 460  
Libre Office, 368  
libvirt, 334  
license  
    artistic, 7  
    BSD, 7  
    GPL, 7  
lifecycle, 22  
lightdm, 196  
lighttpd, 268  
LILO, 165  
limitation of traffic, 235  
link  
    hard link, 211  
    symbolic, 168  
Linphone, 370  
lintian, 430  
Linux, 33  
    distribution, XXI  
    kernel, XXI  
Linux distribution  
    role, 22  
Linux Documentation Project, 138

- Linux kernel sources, 174
- Linux Loader, 165
- Linux Mint, 442
- Linux Security Modules, 389
- linux32, 51
- lire, 140
- listmaster, 18
- lists
  - mailing lists, 18
- live-build, 443
- LiveCD, 443
- ln, 168
- loader
  - bootloader, 51, 66, 162
- locale, 147
- locale-gen, 146
- locales, 146
- localization, 14
- locate, 173
- location of the documentation, 11
- log
  - forwarding, 203
- logcheck, 140, 383
- Logical Volume Manager, 312
  - during installation, 62
- login, 157
  - remote login, 191
- logrotate, 170
- logs
  - dispatching, 201
  - files, 140
  - files, rotation, 170
  - monitoring, 383
  - web logs analyzer, 273
- Long Term Support (LTS), 29
- lpd, 162
- lpq, 162
- lpr, 162
- lsdev, 454
- lspci, 454
- lspcmcia, 454
- lsusb, 454
- LUKS, 63

- Lumicall, 371
- LVM, 312
  - during installation, 62
- LXC, 323, 329
- LXDE, 362
- lzma, 100
- M**
- MAIL FROM, 260
- mail server, 252
- mailbox, virtual domain, 256
- mailing lists, 18, 141
- main, 442
- main, section, 101
- maintainer
  - new maintainer, 13
- maintenance
  - package maintenance, 10
- make deb-pkg, 176
- Makefile, 426
- man, 134
- man2html, 136
- management, power management, 218
- manager
  - display, 357
  - display manager, 196
  - window, 358
- Mandatory Access Control, 389
- manual pages, 134
- mask
  - rights mask, 199
  - subnet mask, 149
- masquerading, 222
- Master Boot Record, 163
- Master Boot Record (MBR), 453
- master plan, 32
- MBR, 163
- McIntyre, Steve, 12
- MCS (Multi-Category Security), 399
- MD5, 386
- md5sums, 83
- mdadm, 305
- mentors.debian.net, 105
- menu, 359

- mercurial, 19
- meritocracy, 13
- Meta, key, 147
- meta-distribution, 2
- meta-package, 76, 78
- metacity, 358
- Michlmayr, Martin, 12
- microblog, 21
- Microsoft
  - Excel, 368
  - Point-to-Point Encryption, 232
  - Word, 368
- migration, 32, 41
- migrationtools, 286
- mini-dinstall, 428
- mini.iso, 49
- mkfs, 456
- mknod, 160
- mlocate, 173
- mod-security, 410
- mode
  - block, 160
  - character, 160
- modem
  - ADSL, 152
  - PSTN, 151
- modification, right, 197
- modprobe, 188
- module-assistant, 178
- modules
  - external kernel modules, 177
  - kernel modules, 188
- monitoring, 383
  - activity, 384
  - log files, 383
- mount, 171
- mount point, 61, 171
- mount.cifs, 281
- Mozilla, 366
  - Firefox, 365, 366
  - Thunderbird, 365
- MPPE, 232
- mrtg, 385
- Multi-Arch, 94
- multiverse, 442
- MultiViews, Apache directive, 271
- Munin, 346
- Murdock, Ian, 2, 12
- mutter, 358
- MX
  - DNS record, 240
  - server, 253
- N
- Nagios, 348
- name
  - attribution and resolution, 154
  - codename, 9
  - domain, 155
  - resolution, 155
- Name Service Switch, 158
- named pipe, 203
- named.conf, 241
- names
  - of hard drives, 163
- nameserver, 155
- NAT, 223
- NAT Traversal, 230
- NAT-T, 230
- netfilter, 378
- Netiquette, 141
- Netscape, 366
- netstat, 245
- Network
  - Address Translation, 223
  - File System, 276
  - IDS, 388
  - Time Protocol, 169
- network
  - address, 149
  - configuration, 150
  - DHCP configuration, 243
  - gateway, 222
  - roaming configuration, 153
  - social networks, 21
  - virtual private, 224
- network-manager, 150, 153

network-manager-openvpn-gnome, 229

newgrp, 159

NEWS.Debian.gz, 11, 137

NFS, 276

client, 278

options, 277

security, 277

nginx, 268

nibble format, 241

NIDS, 388

nmap, 42, 246

nmbd, 279

non-free, 6

non-free, section, 101

NS, DNS record, 240

NSS, 155, 158

NTP, 169

server, 170

ntp, 170

ntpdate, 170

Nussbaum, Lucas, 12

nVidia, 357

## O

octal representation of rights, 198

office suite, 368

Oldoldstable, 22

Oldstable, 22

Open Source, 9

Openbox, 358

OpenLDAP, 284

OpenOffice.org, 368

OpenSSH, 192

OpenSSL

creating keys, 289

OpenVPN, 224

operations, internal, 9

Options, Apache directive, 271

Order, Apache directive, 273

organization, internal, 9

orig.tar.gz file, 84

OSPF, 237

ospf6d, 237

ospfd, 237

owner

group, 197

user, 197

## P

package

authenticity check, 121

binary package, XXIII, 72

conflict, 77

content inspection, 90

Debian

archive of, 427

Debian package, XXIII

Debian Package Tracker, 18

dependency, 75

file list, 90

incompatibility, 77

installation, 88, 107

maintenance, 10

meta-information, 74

popularity, 362

priority, 112

purge, 89

removal, 89, 107

replacement, 80

seal, 121

search, 116

signature, 121

source of, 100

source package, XXIII, 84

status, 90

types, 424

unpacking, 88

virtual package, 78

package archive, 427

package meta-information, 74

package tracking system, 18

package types, 424

Packages.xz, 100

packagesearch, 130

packet

IP, 222, 377

packet filter, 377

PAE, 51

- PAM, [147](#)
- pam\_env.so, [147](#)
- PAP, [151](#)
- Parallel ATA, [452](#)
- partition
  - encrypted, [63](#)
  - extended, [163](#)
  - primary, [163](#)
  - secondary, [163](#)
  - swap partition, [61](#)
- partition encryption, [63](#)
- partition table
  - GPT format, [164](#)
  - MS-DOS format, [163](#)
- partitioning, [57](#)
  - guided partitioning, [59](#)
  - manual partitioning, [61](#)
- passwd, [157](#), [158](#)
- password, [158](#)
- patch, [15](#)
- patch of the kernel, [178](#)
- pbuilder, [422](#)
- PCMCIA, [214](#)
- penetration testing, [444](#)
- Perens, Bruce, [9](#), [12](#)
- Perfect Forward Secrecy, [269](#)
- Perl, [79](#)
- permissions, [197](#)
- Philosophy & Procedures, [433](#)
- PHPLinux, [367](#)
- Physical Address Extension, [51](#)
- PICS, [284](#)
- pid, [456](#)
- Pin, [113](#)
- Pin-Priority, [113](#)
- pinfo, [136](#)
- ping, [379](#)
- pinning, APT pinning, [112](#)
- pipe, [459](#)
- pipe, named pipe, [203](#)
- piuparts, [431](#)
- Pixar, [9](#)
- PKI (Public Key Infrastructure), [224](#)
- Planet Debian, [21](#)
- poff, [152](#)
- point to point, [151](#)
- point, mount, [171](#)
- point, mount point, [61](#)
- Point-to-Point Tunneling Protocol, [231](#)
- policy, [11](#)
- pon, [152](#)
- popularity of packages, [362](#)
- popularity-contest, [362](#)
- port
  - TCP, [222](#)
  - UDP, [222](#)
- port forwarding, [194](#), [223](#)
- portmapper, [277](#)
- Postfix, [252](#)
- postinst, [80](#)
- postrm, [80](#)
- Potato, [9](#)
- power management, [218](#)
- PPP, [151](#), [229](#)
- pppconfig, [151](#)
- PPPOE, [152](#)
- pppoeconf, [152](#)
- PPTP, [153](#), [231](#)
- pptp-linux, [231](#)
- pre-dependency, [77](#)
- Pre-Depends, header field, [77](#)
- preconfiguration, [340](#)
- preferences, [112](#)
- preinst, [80](#)
- prelude, [389](#)
- prerm, [80](#)
- preseed, [340](#)
- printcap, [162](#)
- printing
  - configuration, [162](#)
  - network, [282](#)
- priority
  - package priority, [112](#)
- private IP address, [223](#)
- proc, [155](#)
- process, [183](#)

- processor, 3
- procmail, 254
- Progeny, 2
- program
  - configuration, 139
- proposed-updates, 103
- Prosody, 296, 297
- protocol
  - AH, 230
  - ESP, 230
  - GRE, 231
- Provides, header field, 77
- proxy, 65
- proxy cache, 65, 106, 282
- pseudo-package, 17
- Psi, 370
- PTR, DNS record, 240
- PTS, 18
- Public Key Infrastructure, 224
- purge of a package, 82
- purging a package, 89

## Q

- QEMU, 323
- QoS, 235
- Qt, 359
  - Designer, 367
- quagga, 236
- quality
  - assurance, 18
  - of service, 235
- quality of service, 235
- quota, 160, 209

## R

- racoona, 230
- radvd, 239
- RAID, 302
  - Software RAID, 62
- Raspberry Pi, 445
- Raspbian, 445
- RBL, 259
- RCPT TO, 260
- rcS, 188

- rcS.d, 188
- RDP, 370
- read, right, 197
- README.Debian, 11, 137
- receive buffer, 379
- Recommends, header field, 76
- record
  - DNS, 240
- recovering a Debian machine, 43
- Red Hat Package Manager, 96
- reinstallation, 109
- release, 23
- Release Manager, 25
- Release.gpg, 121
- Remote Black List, 259
- Remote Desktop Protocol, 370
- remote graphical desktop, 195
- remote login, 191
- Remote Procedure Call, 277
- removal of a package, 107
- removing a package, 89
- replacement, 80
- Replaces, header field, 80
- report a bug, 15, 141
- reportbug, 15
- repro, 295
- Request For Comments, 75
- Require, Apache directive, 272
- resize a partition, 61
- resolution, 356
  - name, 155
- resolv.conf, 155
- restarting services, 190
- restoration, 210
- restricted, 442
- reverse zone, 241
- Rex, 9
- RFC, 75
- rights, 197
  - mask, 199
  - octal representation, 198
- Ring (soft-phone), 370
- RIP, 237

- ripd, 237
- ripngd, 237
- RJ45 connector, 149
- RMS, 2
- Robinson, Branden, 12
- root, 171
- rotation of log files, 170
- route, 237
- router, 150, 222
- routing
  - advanced, 235
  - dynamic, 236
- RPC, 277
- RPM, 96
- RSA (algorithm), 224
- rsh, 192
- rsync, 211
- rsyslogd, 201
- RTC
  - server, 292
- RTFM, 134
- runlevel, 189
  
- S**
- safe-upgrade, 69
- Samba, 40, 279
- Sarge, 9
- SATA, 214
- scheduled commands, 205
- scp, 192
- SCSI, 452
- search of packages, 116
- section
  - contrib, 101
  - main, 101
  - non-free, 6, 101
- Secure Boot, 453
- Secure Shell, 191
- security context, 399
- security updates, 102
- security.debian.org, 102
- SELinux, 397
- semanage, 400
- semodule, 400
  
- Serial ATA, 452
- server
  - client/server architecture, 191
  - file, 276, 279
  - HTTP, 268
  - MX, 253
  - name, 240
  - NTP, 170
  - SMTP, 252
  - web, 268
  - X, 356
- Server Name Indication, 270
- service
  - quality, 235
  - restart, 190
- setarch, 51
- setgid directory, 198
- setgid, right, 197
- setkey, 230
- setquota, 209
- setuid, right, 197
- Setup, 453
- severity, 14
- SFLphone, 370
- sftp, 192
- sg, 159
- SHA1, 386
- shadow, 157
- shell, 134, 160
- shrink a partition, 61
- Sid, 9
- Siduction, 443
- Sidux, 443
- signature
  - package signature, 121
- Simple Mail Transfer Protocol, 252
- Simple Network Management Protocol, 385
- simple-cdd, 343
- SIP, 293, 370
  - PBX, 294
  - proxy, 294
  - server, 294
  - trunk, 294

- user agent, 370
  - WebSockets, 298
- slapd, 284
- Slink, 9
- SMB, 279
- smbclient, 281
- smbd, 279
- SMTP, 252
- snapshot.debian.org, 106
- SNAT, 223
- SNMP, 385
- snort, 388
- social contract, 5
- social networks, 21
- Software in the Public Interest, 4
- Software RAID, 62
- source
  - code, 3
  - of packages, 100
  - of the Linux kernel, 174
  - package, XXIII, 84
- Source NAT, 223
- SourceForge, 367
- sources.list, 100
- Sources.xz, 100
- spam, 257
- spamass-milter, 265
- special, file, 160
- SPI, 4
- sponsoring, 434
- SQL injection, 409
- Squeeze, 9
- Squid, 65, 282
- squidGuard, 283
- SSD, 320
- SSH, 191, 229
- SSH tunnel, *see* VPN
  - VNC, 196
- SSL, 224
- Stable, 22
- Stable Release Manager, 25
- stable updates, 103
- stable-backports, 103
- stable-proposed-updates, 103
- stable-updates, 103
- Stallman, Richard, 2
- standard procedure, 139
- StarOffice, 368
- sticky bit, 198
- Stretch, 9
- strongswan, 230
- subnet, 149
- subproject, 3, 16
- subversion, 19
- sudo, 171
- sudoers, 171
- suexec, 268
- Suggests, header field, 76
- suite, office, 368
- super-server, 204
- support
  - Long Term Support (LTS), 29
- suricata, 388
- svn, 19
- swap, 61
- swap partition, 61
- symbolic link, 168
- SymlinksIfOwnerMatch, Apache directive, 271
- synaptic, 117
- sys, 155
- syslogd, 140
- system
  - base, 64
  - Bug Tracking System, 14
  - filesystem, 60
  - package tracking system, 18
- system, filesystem, 455
- systemd, 152

## T

- tag, 130
- Tails, 444
- taking over a Debian server, 43
- Tanglu, 444
- tape, backup, 213
- TAR, 213
- Tasks & Skills, 434



- tc, 235
- TCO, 34
- TCP, port, 222
- tcpd, 204
- tcpdump, 248
- technical committee, 12
- Telepathy, 370
- telnet, 192
- Testing, 22
- the project secretary, 12
- The Sleuth Kit, 416
- Thunderbird, Mozilla, 365
- tilde, 161
- time synchronization, 169
- timezone, 168
- TLS, 224, 251
- top, 384
- ToS, 236
- Total Cost of Ownership, 34
- Towns, Anthony, 12
- Toy Story, 9
- tracker
  - Debian Package Tracker, 18
- traffic
  - control, 235
  - limitation, 235
- trusted key, 122
- tsclient, 196
- tshark, 249
- tunnel (SSH), *see* VPN
- TURN
  - server, 294
- Twitter, 21
- Type Enforcement, 408
- Type of Service, 236
- TZ, 168

**U**

- Ubuntu, 441
- ucf, 201
- UDP, port, 222
- UEFI, 453
- uid, 157
- umask, 199
- unattended-upgrades, 126
- uncompressing, source package, 87
- Unicode, 146
- universe, 442
- unpacking
  - binary package, 88
  - source package, 87
- Unstable, 22
- update-alternatives, 358
- update-menus, 359
- update-rc.d, 190
- update-squidguard, 284
- updatedb, 173
- updates
  - backports, 103
  - security updates, 102
  - stable updates, 103
- upgrade
  - automatic system upgrade, 127
  - system upgrade, 109
- upstream, 6
- upstream author, 6
- USB, 214, 452
- USB key, 49
- uscan, 431
- user
  - database, 156
  - owner, 197
- User agent (SIP), 370
- user space, 457
- UTF-8, 146

**V**

- variable, environment, 161
- Venema, Wietse, 205
- Version Control System (VCS), 19
- version, comparison, 93
- VESA, 357
- video card, 357
- video conference, 371
- vinagre, 196
- vino, 196
- virsh, 337
- virt-install, 334, 335

- virt-manager, 334
- virtinst, 334
- virtual domain, 255
  - virtual alias domain, 255
  - virtual mailbox domain, 256
- virtual host, 269
- virtual memory, 61
- Virtual Network Computing, 195
- virtual package, 78
- virtual private network, 224
- VirtualBox, 323
- virtualization, 323
- visudo, 171
- vmlinuz, 179
- VMWare, 323
- VNC, 195
- vnc4server, 197
- VoIP
  - server, 292
- volume
  - group, 62
  - logical volume, 62
  - physical volume, 62
- vote, 12
- VPN, 224
- vsftpd, 276
  
- W**
- warnquota, 210
- web access restriction, 272
- web authentication, 272
- Web browser, 365
- web logs analyzer, 273
- web server, 268
- webalizer, 140
- WebKit, 365
- webmin, 199
- WebRTC, 298
  - demonstration, 298
- whatis, 135
- Wheezy, 9
- Wietse Venema, 205
- wiki.debian.org, 138
- Winbind, 279

- window manager, 358
- WindowMaker, 358
- Windows domain, 279
- Windows share, 279
- Windows share, mounting, 281
- Windows Terminal Server, 370
- Windows, emulation, 369
- Wine, 369
- winecfg, 369
- WINS, 280
- wireshark, 248
- wondershaper, 235
- Woody, 9
- Word, Microsoft, 368
- world-wide distribution, 10
- write, right, 197
- www-browser, 358
- www-data, 268

## X

- x-window-manager, 358
- x-www-browser, 358
- X.509, 251
- X.509, certificate, 224
- X.org, 356
- X11, 356
- x11vnc, 196
- xdelta, 213
- xdm, 196, 357
- xe, 327
- Xen, 323
- Xfce, 361
- XFree86, 356
- xm, 327
- XMPP, 293, 370
  - server, 296
- xserver-xorg, 356
- xvnc4viewer, 196
- xz, 100

## Y

- yaboot, 167
- ybin, 167

## Z

Zabbix, [346](#)  
Zacchioli, Stefano, [12](#)  
zebra, [236](#)  
Zeroconf, [40](#)  
zone  
    DNS, [240](#)  
    reverse, [241](#)  
zoneinfo, [168](#)  
zsh, [161](#)

