
Index

.config, 191
.d, 120
.desktop, 384
.dsc, 90
.htaccess, 297
.menu, 385
/bin, 478
/boot, 478
/dev, 478
/etc, 478
/etc/apt/apt.conf, 120
/etc/apt/apt.conf.d/, 120
/etc/apt/apt.conf.d/50unattended-upgrades, 139
/etc/apt/preferences, 121
/etc/apt/preferences.d/, 121
/etc/apt/sources.list, 108
 Example
 stable, 110
 unstable, 112
/etc/apt/sources.list.d, 109
/etc/apt/trusted.gpg, 133
/etc/apt/trusted.gpg.d/, 133
/etc/bind/named.conf, 261
/etc/default/ntpdate, 185
/etc/exports, 303
/etc/fstab, 187
/etc/group, 175
/etc/hosts, 171
/etc/init.d/rcS, 204
/etc/init.d/rcS.d/, 204
/etc/pam.d/common-account, 315
/etc/pam.d/common-auth, 315
/etc/pam.d/common-password, 315
/etc/passwd, 173
/etc/postfix/main.cf
 example, 274
/etc/shadow, 173
/etc/squidguard/squidGuard.conf.default, 310
/etc/sudoers, 186
/etc/timezone, 183
/home, 478
/lib, 478
/media, 478
/mnt, 478
/opt, 478
/proc, 478
/proc/, 170
/root, 478
/run, 478
/sbin, 478
/srv, 478
/sys, 478
/sys/, 170
/tmp, 478
/usr, 97, 478
/usr/share/doc/, 11
/usr/share/zoneinfo/, 183
/var, 478
/var/cache/apt/archives/, 119
/var/lib/dpkg/, 86
~, 177
1000BASE-T, 163
100BASE-T, 163
10BASE-T, 163
10GBASE-T, 163
32/64 bits, choice, 55

A, DNS record, 259
AAAA, DNS record, 260
account
 administrator account, 59, 186

- creation, 175
- disable, 174
- ACPI, 234
- acpid, 234
- activity, history, 411
- activity, monitoring, 411
- add a user to a group, 176
- addgroup, 175
- address, IP address, 163
- adduser, 175
- administration, interfaces, 215
- ADSL, modem, 168
- Advanced Configuration and Power Interface, 234
- Advanced Package Tool, *see also* APT, 108
- Advanced Packaging Tools, *see also* APT, 78
- AFP, 42
- Afterstep, 384
- AH, protocol, 250
- aide (Debian package), 414
- Akkerman, Wichert, 12
- alias
 - virtual alias domain, 276
- alien, 103
- alioth.debian.org, *see also* salsa.debian.org, 395
- Allow from, Apache directive, 299
- AllowOverride, Apache directive, 297
- alternative, 384
- am-utils, 188
- amanda, 227
- amd, 188
- amd64, 47
- anacron, 225
- analog, 155
- analyzer of web logs, 299
- Anjuta, 393
- antivirus, 286
 - controversy, 286
- Apache
 - .htaccess, 297
 - /etc/apache2/conf-available, 296
 - /etc/apache2/conf-enabled, 296
 - /etc/apache2/mods-available, 294
 - /etc/apache2/mods-enabled, 294
 - /etc/apache2/sites-available, 296
 - /etc/apache2/sites-enabled, 296
 - a2enconf, 296
 - a2enmod, 294
 - a2ensite, 296
 - Allow from, 299
 - AllowOverride, 296, 297
 - certbot, 241
 - CustomLog, 296
 - Deny from, 299
 - directives, 296
 - Directory, 296
 - DirectoryIndex, 296, 297
 - ExecCGI, 297
 - FollowSymlinks, 297
 - htpasswd, 298
 - Includes, 297
 - IncludesNOEXEC, 297
 - Indexes, 297
 - installation, 293
 - IP-based authentication, 298
 - log analyzer, 299
 - LogFormat, 296
 - mod_gnutls, 295
 - mod_info, 294
 - mod_ssl, 294
 - MultiViews, 297
 - Options, 296, 297
 - Order, 299
 - password-based authentication, 297
 - Require, 298
 - SSL, 294
 - SymlinksIfOwnerMatch, 297
 - trusted certificates, 241
 - Virtual Hosts, 295
 - VirtualHost, 295
 - www-data, user, 293
- apache, 293
- Apache directives, 296
- AppArmor, 417
- AppleShare, 42
- AppleTalk, 42

- approx, 116
- apropos, 148, 149
- APT, 108
 - .dsc
 - Binary, 91
 - Source, 91
 - /etc/apt/apt.conf, 120
 - /etc/apt/apt.conf.d/, 120
 - /etc/apt/sources.list, 108
 - /etc/apt/sources.list.d, 109
 - /etc/apt/trusted.gpg, 132
 - /var/cache/apt/archives/, 119
 - /var/log/apt/eipp.log.xz, 120
 - /var/log/apt/history.log, 120
 - /var/log/apt/term.log, 120
 - Acquire::ftp::proxy, 120
 - Acquire::http::proxy, 120
 - Acquire::Languages, 117
 - Acquire::PDiffs, 117
 - apt, 78
 - apt-secure, 132
 - APT::Clean-Installed, 119
 - APT::Default-Release, 113, 120
 - APT::Install-Recommends, 82
 - APT::Install-Suggests, 82
 - APT::Periodic::AutocleanInterval, 138
 - APT::Periodic::Download-Upgradeable-Packages, 138
 - APT::Periodic::Unattended-Upgrade, 139
 - APT::Periodic::Update-Package-Lists, 138
 - Aptitude::Recommends-Important, 82
 - archive authentication, 132
 - automatic removal, 125
 - configuration, 120
 - control
 - Breaks, 83
 - Conflicts, 83
 - Depends, 81
 - Enhances, 82
 - Pre-Depends, 83
 - Provides, 83
 - Recommends, 82
 - Replaces, 86
 - Suggests, 82
 - Tag, 86
 - dist-upgrade, 134
 - DPkg::options, 120
 - Dpkg::Options, 89
 - file search, 128
 - header display, 126
 - initial configuration, 69
 - InRelease, 132
 - interfaces, 128
 - aptitude, *see* aptitude
 - synaptic, *see* synaptic
 - package search, 126
 - pinning, 121
 - preferences, 121
 - Release, 132
 - Release.gpg, 132
- apt, 116
- apt autoremove, 125
- apt dist-upgrade, 120
- apt full-upgrade, 120
- apt install, 117
- apt install --reinstall, 118
- apt purge, 117
- apt remove, 117
- apt search, 126
- apt show, 126
- apt update, 117
- apt upgrade, 120
- apt-cache, 126
- apt-cache dumpavail, 127
- apt-cache pkgnames, 127
- apt-cache policy, 127
- apt-cache search, 126
- apt-cache show, 126
- apt-cacher, 116
- apt-cacher-ng, 116
- apt-cdrom, 110
- apt-file, 128
- apt-ftparchive, 457
- apt-get, 116
- apt-get autoclean, 119
- apt-get autoremove, 125

- apt-get clean, 119
- apt-get dist-upgrade, 120
- apt-get install, 117
- apt-get install --reinstall, 118
- apt-get purge, 117
- apt-get remove, 117
- apt-get update, 117
- apt-get upgrade, 120
- apt-key, 133
- apt-mark auto, 125
- apt-mark manual, 125
- apt-show-versions, 137
- apt-xapian-index, 126
- apt.conf, 120
- apt.conf.d/, 120
- apt.conf5, 120
- apt_preferences5, 121
- aptitude, 74, 116, 128
 - /var/log/aptitude, 131
 - automatic flag, 129
 - basic usage, 129
 - command line, 130
 - documentation, 129
 - log, 131
 - markauto, 129
 - package search, 129
 - solver, 131
 - tasks, 130
- aptitude dist-upgrade, 120
- aptitude full-upgrade, 120
- aptitude install, 117
- aptitude install --reinstall, 118
- aptitude markauto, 125
- aptitude purge, 117
- aptitude remove, 117
- aptitude safe-upgrade, 120
- aptitude search, 126
- aptitude show, 126
- aptitude unmarkauto, 125
- aptitude update, 117
- aptitude why, 125
- Aptosid, 471
- ar, 78

- architecture, 3, 46
 - multi-arch support, 101
- artistic license, 8
- ASCII, 160
- assignment of names, 170
- association, 2, 4
- assurance
 - quality assurance, 20
- at, 224
- ATA, 480
- atd, 222
- ATI, 383
- atq, 225
- atrm, 225
- authentication
 - package authentication, 132
- author, upstream, 5
- autobuilder, 25
- autofs, 188
- automatic completion, 177
- automatic upgrade, 140
- automount, 188
- automounter, 188
- autopkgtest, 460
- Autopsy Forensic Browser, 442
- Avahi, 42
- awk, 384
- AWStats, 299
- awtats, 155
- axi-cache, 126, 144
- azerty, 161
- backdoor, 442
- backport, 112, 448
- backports.debian.org, *see also* backports, 112
- backup, 227
 - copy, 228
 - on tape, 230
- BackupPC, 227
- bacula, 227
- bash, 176
- Basic Input/Output System, 52
- BGP, 257
- bgpd, 257

- binary code, 3
- bind9, 260
- BIOS, 52, 481
- Blackbox, 384
- block (disk), 226
- block, mode, 176
- Bo, 9
- Bochs, 349
- Bonjour, 42
- Bookworm, 9
- boot
 - loader, 55
- bootable CD-ROM, 471
- booting
 - the system, 198
- bootloader, 55, 71, 179
 - intermediary shim, 72
- Breaks, header field, 83
- bridge, 164
- broadcast, 164
- broken dependency, 95
- browser, Web, 391
 - chromium, 393
 - epihpany, 391
 - firefox, 392
 - firefox-esr, 391
 - konqueror, 391
- Bruce Perens, 8
- BSD, 36
- BSD license, 8
- BTS, 14
- buffer
 - receive buffer, 405
- bug
 - severity, 14
- bug report, 156
- Bug Tracking System, 14
- bugs.debian.org, 14
- build daemon, 25
- Build-Depends, control field, 450
- Build-Depends, header field, 91
- build-simple-cdd, 371
- build, 25
- Builder, GNOME Builder, 393
- Bullseye, 9
- Buster, 9
- buster-updates, 111
- Buzz, 9
- bzip2, 108
- bzr, 16
- c++, 384
- CA, *see* Certificate Authority
- cache, 126
- cache, proxy, 70, 115
- Calligra Suite, 395
- cc, 384
- CD-ROM
 - bootable, 471
 - installation CD-ROM, 53
 - netinst CD-ROM, 53
- CDN, *see* Content Delivery Networks
- certbot, 241
- certificate
 - X.509, 243
- Certificate Authority, 240
- certificates, 240
- chage, 174
- chain, 405
- changelog.Debian.gz, 151
- character set, 160
- character, mode, 176
- Chat
 - server, 319
- checksecurity, 415
- checksums, 89
- chfn, 174
- chgrp, 214
- chmod, 214
- choice, 384
 - of country, 57
 - of language, 56
- chown, 214
- chsh, 174
- CIFS, *see* Common Internet File System
- cifs-utils, 307

- Cinnamon, 388
- clamav, 286
- clamav-milter, 286
- client
 - client/server architecture, 207
 - NFS, 304
- clock
 - synchronization, 184
- CNAME, DNS record, 259
- Code of Conduct, 155
- codename, 9
- CodeWeavers, 396
- Collaborative Work, 394
- Collins, Ben, 12
- command interpreter, 176
- command line interface, 176
- command line interpreter, 148
- command scheduling, 222
- Common Internet File System, 305
- Common Unix Printing System, 178
- Common Vulnerabilities and Exposures, *see also* CVE, 111
- common-account, 315
- common-auth, 315
- common-password, 315
- comparison of versions, 100
- compilation, 3
 - of a kernel, 189
- compiler, 3
- component
 - contrib, 109
 - main, 109
 - non-free, 109
- component (of a repository), 109
- Compose, key, 162
- Comprehensive Perl Archive Network, 85
- conffiles, 89
- confidentiality
 - files, 68
- config, debconf script, 88
- configuration
 - files, 89
 - initial configuration of APT, 69
- network
 - DHCP, 59
 - static, 59
 - of the kernel, 191
 - of the network, 165
 - printing, 178
 - program configuration, 153
- configuration files
 - .dpkg-dist, 137
 - .dpkg-old, 137
 - .ucf-dist, 137
 - .ucf-new, 137
 - .ucf-old, 137
- configuration management, 16
- conflicts, 83
- Conflicts, header field, 83
- connection
 - by ADSL modem, 168
 - by PSTN modem, 167
- connector, RJ45, 163
- console-data, 161
- console-tools, 161
- constitution, 11
- Content Delivery Networks, 114
- context, security context, 425
- contract, social, 5
- contrib, component, 109
- contributing, XXII
- control, *see also* package meta-information, 80
 - Depends, 81
- control of traffic, 255
- control sum, 413
- control.tar.gz, 86
- copy, backup copy, 228
- copyleft, 8
- copyright, 152
- copyrights, 8
- coturn, 321
- CPAN, *see also* Comprehensive Perl Archive Network, 85
- creation
 - of groups, 175
 - of user accounts, 175

- cron, 222
- crontab, 222
- CrossOver, 396
- crossover cable, 169
- cruft, 138
- cruft-ng, 138
- crypt, 172
- CUPS, 178
- cups
 - administration, 179
- CustomLog, Apache directive, 296
- CVE
 - Common Vulnerabilities and Exposures, 111
- cvs, 16
- daemon, 154, 486
- DAM, 13
- dansguardian, 310
- DATA, 281
- database
 - developer's database, 9
 - of groups, 172
 - of users, 172
- daylight saving time, 183
- DCF-77, 185
- dch, 459
- dconf, 386
- dconf-editor, 386
- DDPO, 20
- deb.debian.org, *see* mirrors
- debc, 459
- debconf, 88, 217, 367
- debfooster, 125
- debhelper, 460
- debi, 459
- Debian Account Managers, 13
- Debian Developer's Packages Overview, 20
- Debian Developer's Reference, 459
- Debian France, 4
- Debian Free Software Guidelines, 6
- Debian Maintainer, 461
- Debian Package Tracker, 20
- Debian Policy, 10
- Debian Project Leader, 11
- Debian Project News, 21
- Debian Security Advisory, *see also* DSA, 111
- Debian Source Control, *see* .dsc
- debian-admin, 19
- debian-archive-keyring, 133
- debian-cd, 3, 369
- debian-installer, 4, 52
- debian-kernel-handbook, 189
- debian-security-announce, 111
- debian-user@lists.debian.org, 155
- debian.net, 115
- debian.tar.gz file, 90
- deborphan, 125
- debsums, 135, 414
- debtags, 144
- debuild, 459
- decompressing, source package, 92
- deletion of a group, 175
- delgroup, 175
- denial of service, 416
- Deny from, Apache directive, 299
- dependency, 81
- Depends, header field, *see also* APT, 81
- deployment, 365
- derivative distribution, 18
- desktop, remote graphical desktop, 212
- Destination NAT, 239
- detection, intrusion, 416
- developers
 - Debian developers, 9
 - developer's database, 9
- device
 - access permissions, 176
 - multi-disk device, 67
- devscripts, 459
- Devuan, 472
- DFSG, 6
- dh-make, 460
- DHCP, 165, 263
- diff, 15, 230
- diff.gz file, 90
- Differentiated Services Code Point, 256

- directives, Apache, 296
- directory, LDAP, 310
- DirectoryIndex, Apache directive, 297
- dirvish, 228
- Disable an account, 174
- display manager, 212
 - gdm, 383
 - lightdm, 383
 - sddm, 383
 - xdm, 383
- dist-upgrade, 134
- distribution
 - commercial distribution, XIX
 - commercial Linux distribution, 37
 - community Linux distribution, 37
 - Linux distribution, XIX
- Distrowatch, 473
- DKIM, *see* DomainKeys Identified Mail
- dkms, 192
- dm-crypt, 68
- DMARC, *see* Domain-based Message Authentication, Reporting and Conformance
- DNAT, 239
- DNS, 171, 259
 - automated updates, 264
 - NAPTR record, 320
 - SRV record, 320
 - zone, 259
- DNS record, 260
- DNSSEC, 260
- documentation, 15, 148, 151
 - /usr/share/doc/package/, 151
 - /usr/share/info/, 150
 - /usr/share/man/, 148
 - documentation package, 151
 - HOWTO, 152
 - info documents, 150
 - location, 11
 - manpages-lang, 153
 - manual pages, 148
 - package documentation, 151
 - package-doc, 151
 - tutorials, 152
 - websites, 151
 - wiki.debian.org, 152
- Dogguy, Mehdi, 12
- domain
 - name, 171
 - virtual, 275
- domain controller, 305
- Domain Name Service, 171
- Domain-based Message Authentication, Reporting and Conformance, 290
- DomainKeys Identified Mail, 288
 - mailing list problems, 289
- DoudouLinux, 472
- dpkg, 78, 94
 - force-confask, 89, 119
 - force-confdef, 89
 - force-confmiss, 119
 - force-confnew, 89
 - force-confold, 89
 - /var/log/dpkg.log, 101, 120
 - database, 86
 - dpkg --verify, 413
 - internal operation, 87
- dpkg-reconfigure, 217
- dpkg-source, 92
- DPL, 11
- dput, 460
- DruCall, 324
- DSA
 - Debian Security Advisory, 111
- DSA (Debian System Administrators), 19
- DSC file, 90
- dsc file, 90
- DSCP, 256
- dsl-provider, 168
- DST, 183
- DTLS, 243
- dual boot, 55, 71
- dummy package, 137
- dump, 230
- dupload, 460
- DVD-ROM
 - installation DVD-ROM, 53

- netinst DVD-ROM, 53
- Dynamic Host Configuration Protocol, 263
- e2guardian, 310
- easy-rsa, 243
- edquota, 226
- eGroupware, 394
- EHLO, *see also* HELO, 279
- Ekiga, 398
- email
 - custom restriction classes, 285
 - evolution, 389
 - Exim, 272
 - filtering, 274, 277
 - filtering on content inspection, 282
 - filtering on contents, 282
 - filtering on SMTP commands, 281
 - filtering on the client host, 278
 - filtering on the mail host, 279
 - filtering on the recipient, 281
 - filtering on the sender, 280
 - greylisting, 283
 - kmail, 390
 - Postfix, 272
 - server, 272
 - software, 389
 - thunderbird, 390
 - virus scanning, 286
- Empathy, 398
- Emulating Windows, 396
- en*, 165
- encoding, 160
- Enforcement, Type Enforcement, 435
- Enhances, header field, 82
- enigmail, 390
- environment, 161
 - environment variable, 177
 - heterogeneous environment, 42
- Epiphany, 391
- ESP, protocol, 250
- Etch, 9
- eth0, 165
- Ethernet, 163, 165
- Evolution, 389
- evolution-ews, 390
- Examples
 - /etc/postfix/main.cf, 274
- examples, location, 154
- Excel, Microsoft, 395
- ExecCGI, Apache directive, 297
- execution, right, 213
- Exim, 272
- exim4, 272
- Experimental, 24, 122
- experimental, 113
- Explanation, 123
- exploring a Debian machine, 45
- exports, 303
- Extensible Messaging and Presence Protocol, 397
- Facebook, 22
- fbdev, 382
- file
 - confidentiality, 68
 - logs, rotation, 186
 - server, 302
 - special, 176
 - system, 64
- File Transfer Protocol, 301
- files
 - configuration files, 89
 - log files, 218
 - logs, 154
- filesystem, 483
 - network, 302
- Filesystem Hierarchy, 478
- filtering email, 274
- fingerprint, 413
- firefox, 392
- Firefox (ESR), 392
- Firefox, Mozilla, 391
- firefox-esr, 392
- firewall, 403
 - IPv6, 258
- Firewire, 480
- firmware, 166
- flamewar, 12

- Fluxbox, 384
- FollowSymlinks, Apache directive, 297
- forensics, 472
- fork, 208, 486
- Foundation Documents, 5
- free
 - software, 6
- Free Software Directory, 152
- free software principles, 6
- FreeBSD, 36
- FreeDesktop.org, 385
- freeze, 27
- French localization, 160
- fstab, 187
- FTP, *see* File Transfer Protocol
- ftpmaster, 19
- Fully Automatic Installer (FAI), 366
- FusionForge, 394
- fusionforge, *see also* alioth.debian.org, 395

- Garbee, Bdale, 12
- gateway, 238
- gdm, 383
- gdm3, 212
- Gecko, 391, 393
- GECOS, 173
- General Public License, 8
- general resolution, 12
- getent, 175
- getty, 207
- gid, 173
- Git, 16
- git, 16
- GitLab, 19
- Glade, 393
- GNOME, 385
- gnome, 385
- GNOME Office, 395
- gnome-control-center, 217
- gnome-packagekit, 139
- gnome-system-monitor, 411
- GNU, 2
 - General Public License, 8
 - Info, 150
 - is Not Unix, 2
- GNU/Linux, 35
- Gnumeric, 395
- GnuTLS, 243
- gpasswd, 175
- GPL, 8
- GPS, 185
- GPT
 - partition table format, 180
- graphical desktop, 385
 - remote, 212
- GRE, protocol, 250
- greylisting, 283
- Grml, 472
- group, 173, 175
 - add a user, 176
 - change, 175
 - creation, 175
 - database, 172
 - deletion, 175
 - of volumes, 67
 - owner, 213
- groupmod, 175
- groupware, 394
 - citadel-suite, 394
 - kopano-core, 394
 - sogo, 394
- GRUB, 71, 182
- grub-install, 182
- GRUB 2, 182
- gsettings, 386
- GStreamer, 324
- GTK+, 385
- gzip, 108

- Hamm, 9
- hard drive, names, 180
- hard link, 227
- Hartman, Sam, 12
- heated debate, 12
- HELO, 279
- hg, 16
- Hocevar, Sam, 12
- host, 261

- hostname, 170
- hosts, 171
- hotplug, 230
- how-can-i-help, 17
- HOWTO, 152
- htpasswd, 298
- HTTP
 - secure, 294
 - server, *see also* Apache, 293
- HTTP/FTP proxy, 309
- httpredir.debian.org, *see* mirrors
- HTTPS, 294
- Hurricane Electric, 259

- i18n, 15
- i386, 47
- Ian Murdock, 2
- ICE, 320, *see* Interactive Connectivity Establishment
- Icedove, 392
- Iceweasel, 392
- Icewm, 384
- Icinga, 372
- ICMP, 405
- id, 175
- IDE, 480
- Identi.ca, 22
- IDS, 416
- IEEE 1394, 230, 480
- IKE, 250
- IM, *see* Instant Messaging
- in-addr.arpa, 260
- Includes, Apache directive, 297
- IncludesNOEXEC, Apache directive, 297
- incompatibilities, 83
- Indexes, Apache directive, 297
- inetd, 220
- info, 150
- info2www, 151
- init, 168, 200, 486
- initialization script, 206
- inode, 226
- InRelease, 133
- installation
 - automated installation, 365
 - netboot installation, 54
 - of a kernel, 194
 - of the system, 52
 - package installation, 94, 117
 - PXE installation, 54
 - TFTP installation, 54
- installer, 52
- Instant Messaging, 397
 - server, 319
- Inter-Process Communications, 487
- Interactive Connectivity Establishment, 398
- interface
 - administration interface, 215
 - graphical, 382
 - network interface, 165
- internationalization, 15
- Internet Control Message Protocol, 405
- Internet Printing Protocol, 178
- Internet Relay Chat, 398
- Internet Software Consortium, 260
- intrusion detection, 416
- intrusion detection system, 416
- invoke-rc.d, 206
- IP address, 163
 - private, 239
- ip route, 256
- ip6.arpa, 260
- ip6tables, 258
- IPC, 487
- IPP, 178
- iproute, 255
- IPsec, 250
 - IPsec Key Exchange, 250
- iptables, 404
- iputils-ping, 257
- iputils-tracepath, 257
- IPv6, 257
- IPv6 firewall, 258
- IRC, *see* Internet Relay Chat
- IS-IS, 257
- ISC, 260
- isenkram, 166

- isisd, 257
- ISO-8859-1, 160
- ISO-8859-15, 160
- ISP, Internet Service Provider, 273

- Jabber, 322
- Jackson, Ian, 12
- Jami (soft-phone), 398
- Jessie, 9
- jxplorer, 313

- Kali, 472
- Kamailio, 322
- KDE, 385
- KDevelop, 393
- kdm, 212
- kernel
 - compilation, 189
 - configuration, 191
 - external modules, 192
 - installation, 194
 - patch, 193
 - sources, 190
- kernel space, 485
- kernel-package, 190
- key
 - APT's authentication keys, 134
 - Compose, 162
 - Meta, 162
- key pair, 243, 250, 316, 461
- keyboard layout, 57, 161
- keyboard-configuration, 161
- kFreeBSD, 36
- KMail, 390
- kmod, 204
- Knoppix, 471
- Kolab, 394
- Konqueror, 391
- krdc, 212
- krfb, 212
- Kubuntu, 470
- KVM, 349, 360
- kwin, 384

- l10n, 15

- Lamb, Chris, 12
- LANG, 161
- language, 160
- Latin 1, 160
- Latin 9, 160
- layout, keyboard, 57, 161
- LDAP, 310
 - secure, 316
- ldapvi, 317
- LDIF, 311
- LDP, 152
- leader
 - election, 11
 - role, 11
- Lenny, 9
- Let's Encrypt, 242
- level, runlevel, 205
- libapache-mod-security, 436
- libapache2-mpm-itk, 293
- libnss-ldap, 313
- libpam-ldap, 315
- library (of functions), 488
- LibreOffice, 395
- libreswan, 250
- libvirt, 361
- license
 - artistic, 8
 - BSD, 8
 - GPL, 8
- lifecycle, 24
- lightdm, 212, 383
- lighttpd, 293
- LILO, 181
- limitation of traffic, 255
- link
 - hard link, 227
 - symbolic, 183
- Linphone, 398
- lintian, 459
- Linux, 35
 - distribution, XIX
 - kernel, XIX
- Linux distribution

- role, 23
- Linux Documentation Project, 152
- Linux kernel sources, 190
- Linux Loader, 181
- Linux Mint, 470
- Linux Security Modules, 417
- linux32, 55
- list of mirrors, *see also* mirrors, 114
- listmaster, 20
- lists
 - mailing lists, 20
- live CD, 471
- live-build, 471
- ln, 183
- loader
 - bootloader, 55, 71, 179
- locale, 161
- locale-gen, 160
- locales, 160
- localization, 15
- locate, 189
- location of the documentation, 11
- log
 - forwarding, 220
- logcheck, 155, 410
- LogFormat, Apache directive, 296
- Logical Volume Manager, 339
 - during installation, 67
- login, 173
 - remote login, 207
- logrotate, 186
- logs
 - dispatching, 218
 - files, 154
 - files, rotation, 186
 - monitoring, 410
 - web logs analyzer, 299
- Long Term Support (LTS), 30
- lpd, 178
- lpq, 178
- lpr, 178
- lsdev, 482
- lspci, 482
- lspcmcia, 482
- lsusb, 482
- LUKS, 68
- Lumicall, 398
- LVM, 339
 - during installation, 67
- LXC, 349, 356
- LXDE, 388
- LXQt, 388
- lzma, 108
- MAIL FROM, 280
- mail server, 272
- mailbox, virtual domain, 276
- maildrop, 274
- mailing lists, 20, 155
 - debian-admin@lists.debian.org, 19
 - debian-announce@lists.debian.org, 21, 22
 - debian-architecture@lists.debian.org, 21
 - debian-boot@lists.debian.org, 4, 21
 - debian-cd@lists.debian.org, 3
 - debian-devel-announce@lists.debian.org, 22
 - debian-news@lists.debian.org, 22
 - debian-policy@lists.debian.org, 11, 21
 - debian-qa@lists.debian.org, 21
 - debian-security-announce@lists.debian.org, 111
 - debian-stable-announce@lists.debian.org, 111
 - debian-user-lang@lists.debian.org, 155
 - debian-user@lists.debian.org, 155
- main, 470
- main, component, 109
- maintainer
 - new maintainer, 13
- maintenance
 - package maintenance, 10
- make deb-pkg, 192
- Makefile, 455
- man, 148
- man-db, 148
- man2html, 150
- management, power management, 234

- manager
 - display, 383
 - display manager, 212
 - window, 383, 384
- Mandatory Access Control, 417
- manual pages, 148
- mask
 - rights mask, 215
 - subnet mask, 163
- masquerading, 239
- Master Boot Record, 179
- Master Boot Record (MBR), 481
- master plan, 34
- MATE, 388
- MBR, 179
- McIntyre, Steve, 12
- MCS (Multi-Category Security), 425
- MD5, 413
- md5sums, 89
- mdadm, 331
- mentors.debian.net, 114
- menu, 384
- mercurial, 16
- merged /usr, 97, 479
- meritocracy, 13
- Meta, key, 162
- meta-distribution, 2
- meta-package, 82, 84
- Michlmayr, Martin, 12
- microblog, 22
- Microsoft
 - Excel, 395
 - Point-to-Point Encryption, 252
 - Word, 395
- migration, 34, 43
- migrationtools, 312
- milter-greylist, 284
- mini-dinstall, 456
- mini.iso, 53
- mirror list, *see also* mirrors, 114
- mirrors, 114
- mkfs, 484
- mknod, 176
- mlocate, 189
- mod-security, 436
- mode
 - block, 176
 - character, 176
- modem
 - ADSL, 168
 - PSTN, 167
- modification, right, 213
- modprobe, 204
- module-assistant, 193
- modules
 - external kernel modules, 192
 - kernel modules, 204
- monitoring, 410
 - activity, 411
 - log files, 410
- mount, 186
- mount point, 66, 186
- mount.cifs, 307
- Mozilla, 393
 - Firefox, 391
 - Thunderbird, 390
- MPPE, 252
- mrtg, 412
- Multi-Arch, 101
- multiverse, 470
- MultiViews, Apache directive, 297
- Munin, 372
- Murdock, Ian, 2, 12
- mutter, 384
- MX
 - DNS record, 259
 - server, 273
- Nagios, 374
- name
 - attribution and resolution, 170
 - codename, 9
 - domain, 171
 - resolution, 171
- Name Service Switch, 174
- named pipe, 219
- named.conf, 261

- names
 - of hard drives, 180
- nameserver, 171
- NAT, 239
- NAT Traversal, 250
- NAT-T, 250
- net neutrality, 255
- Netiquette, 155
- Netscape, 393
- netstat, 265
- Network
 - Address Translation, 239
 - File System, 302
 - IDS, 416
 - Time Protocol, 185
- network
 - address, 163
 - configuration, 165
 - DHCP configuration, 263
 - gateway, 238
 - roaming configuration, 169
 - social networks, 22
 - virtual private, 247
- Network File System, 302
 - Windows client, 302
- network-manager, 164, 169
- network-manager-openvpn-gnome, 249
- newgrp, 175
- NEWS.Debian.gz, 11, 151
- NFS, *see also* Network File System, 302
 - /etc/exports, 303
 - client, 304
 - options, 303
 - security, 302
 - server, 303
- nginx, 293
- nibble format, 260
- NIDS, 416
- nmap, 44, 266
- nmbd, 305
- non-free, 6
- non-free, component, 109
- NS, DNS record, 260
- NSS, 171, 174
- NTP, 185
 - server, 185
- ntp, 185
- ntpdate, 185
- Nussbaum, Lucas, 12
- NVIDIA, 383
- octal representation of rights, 214
- office suite, 395
 - calligra, 396
 - libreoffice, 396
- Oldoldstable, 24
- Oldstable, 24
- Open Source, 8
- Openbox, 384
- opendkim, 288
 - opendkim-genkey, 289
- opendmarc, 290
- OpenLDAP, 310
- OpenOffice.org, 395
- OpenSSH, 208
- OpenSSL
 - creating keys, 316
- OpenVPN, 247
- operations, internal, 9
- Options, Apache directive, 297
- Order, Apache directive, 299
- organization, internal, 9
- orig.tar.gz file, 90
- orphaned packages, 17
- OSI
 - model, 404
- OSPF, 257
- ospf6d, 257
- ospfd, 257
- owner
 - group, 213
 - user, 213
- package
 - authenticity check, 132
 - automatic removal, 125
 - binary package, XXI, *see also* .deb, 78

- build dependencies, 91
- checksums, 80
- conflict, 83
- content inspection, 96
- control, 80
- Debian
 - archive of, 456
- Debian package, XXI
- Debian Package Tracker, 20
- dependency, 81
- dummy, 137
- enhancements, 82
- file list, 96
- incompatibility, 83
- installation, 87, 94, 117
- maintainer scripts, 80
- maintenance, 10
- meta-information, 80
- naming conventions, 142
- popularity, 389
- pre-dependency, 83
- priority, 121
- purge, 88, 96
- recommendations, 82
- removal, 87, 96, 117
- replacement, 86
- seal, 132
- search, 126
- search files, 128
- search package, 142
- signature, 132
- source of, 108
- source package, XXI, 90, 108
- status, 96
- suggestions, 82
- tags, 144
- transitional, 137
- types, 453
- unpacking, 95
- version, comparison, 100
- virtual package, 84

package archive, 456

package meta-information, *see also* meta-information, 80

package source, *see also* repository, 108

package tracking system, 20

package types, 453

Packages.bz2, 108

Packages.gz, 108

Packages.xz, 108

packagesearch, 144

packet

- IP, 238, 403

packet filter, 403

PAE, 55

PAM, 161

pam_env.so, 161

PAP, 167

Parallel ATA, 480

partition

- encrypted, 68
- extended, 180
- primary, 180
- secondary, 180
- swap partition, 66

partition encryption, 68

partition table

- GPT format, 180
- MS-DOS format, 180

partitioning, 61

- guided partitioning, 63
- manual partitioning, 65

passwd, 173, 174

password, 174

patch, 15

patch of the kernel, 193

pbuilder, 451

PCMCIA, 230

penetration testing, 472

Perens, Bruce, 8, 12

Perfect Forward Secrecy, 295

Perl, 85

permissions, 213

Philosophy & Procedures, 462

Physical Address Extension, 55

PICS, *see* Platform for Internet Content Selection

pid, 484

Pin, 123

Pin-Priority, 123

pinfo, 151

ping, 405

pinning, APT pinning, 121

pipe, 487

pipe, named pipe, 219

piuparts, 459

Pixar, 9

PKI (Public Key Infrastructure), 243

Planet Debian, 22

Platform for Internet Content Selection, 310

poff, 168

point to point, 167

point, mount, 186

point, mount point, 66

Point-to-Point Tunneling Protocol, 250

policy, 10

pon, 168

popularity of packages, 389

popularity-contest, 389

port

- TCP, 238
- UDP, 238

port forwarding, 210, 239

portmapper, 303

ports.debian.org, 36

Postfix, 272

- /etc/postfix/main.cf, 272
- /etc/postfix/virtual, 276
- /etc/postfix/vmailbox, 277
- body_checks, 282
- certbot, 275
- check_client_access, 279
- check_helo_access, 280
- check_recipient_access, 285
- check_sender_access, 280
- DKIM, 290
- DMARC, 291
- header_checks, 282
- installation, 272
- non_smtpd_milters
 - DKIM, 290
 - DMARC, 291
- permit_mynetworks, 280
- reject_invalid_helo_hostname, 280
- reject_non_fqdn_helo_hostname, 280
- reject_non_fqdn_recipient, 281
- reject_non_fqdn_sender, 281
- reject_rbl_client, 279
- reject_rhsbl_client, 279
- reject_rhsbl_sender, 281
- reject_unauth_destination, 281
- reject_unauth_pipelining, 282
- reject_unknown_client_hostname, 278
- reject_unknown_helo_hostname, 280
- reject_unknown_sender_domain, 280
- reject_unlisted_recipient, 281
- reject_unlisted_sender, 280
- smtp_tls_CApath, 275
- smtpd_client_restrictions, 278
- smtpd_data_restrictions, 281
- smtpd_delay_reject, 282
- smtpd_helo_restrictions, 279
- smtpd_milters
 - DKIM, 290
 - DMARC, 291
- smtpd_recipient_restrictions, 281
- smtpd_restriction_classes, 285
- smtpd_sender_restrictions, 280
- smtpd_tls_CAfile, 275
- smtpd_tls_CApath, 275
- smtpd_tls_cert_file, 275
- smtpd_tls_key_file, 275
- soft_bounce, 277
- SPF, 288
- trusted certificates, 275
- virtual domain, 275
- virtual_alias_domains, 276
- virtual_alias_maps, 276
- virtual_gid_maps, 277
- virtual_mailbox_base, 277
- virtual_mailbox_domains, 277

- virtual_mailbox_maps, 277
- virtual_uid_maps, 277
- warn_if_reject, 277, 278
- postfix, 272
- postfix-policyd-spf-python, 287
- postgrey, 283
- postinst, 86
- postrm, 86
- Potato, 9
- POWDER, *see* Protocol for Web Description Resources
- power management, 234
- PPP, 167, 249
- pppconfig, 167
- PPPOE, 168
- pppoeconf, 168
- PPTP, 169, 250
- pptp-linux, 251
- pre-dependency, 83
- Pre-Depends, header field, 83
- preconfiguration, 367
- preferences, 121
- preinst, 86
- prelude, 417
- prerm, 86
- preseed, 367
- printing
 - configuration, 178
 - network, 308
- priority
 - package priority, 121
- private IP address, 239
- proc, 170
- process, 199
- processor, 3
- procmail, 274
- Progeny, 2
- program
 - configuration, 153
- proposed-updates, 112
- Prosody, 322
- protocol
 - AH, 250
 - ESP, 250
 - GRE, 250
 - Protocol for Web Description Resources, 310
 - Provides, header field, 83
 - Proxy
 - FTP, 308
 - HTTP, 308
 - proxy, 70
 - proxy cache, 70, 115, 309
 - pseudo-package, 19
 - Psi, 398
 - PTR, DNS record, 259
 - PTS, 20
 - Public Key Infrastructure, 243
 - PureOS, 473
 - purge of a package, 88
 - purging a package, 96
 - Purism, 473
 - python-certbot-apache, 241
- QEMU, 349
- QoS, 255
- Qt, 385
 - Designer, 393
- quagga, 256
- quality
 - assurance, 20
 - of service, 255
- quality of service, 255
- quilt, 92
- quota, 175, 226
- radvd, 259
- RAID, 328
 - Software RAID, 67
- Raspberry Pi, 473
- Raspbian, 473
- RBL, *see* Remote Black List
- RCPT TO, 281
- rcS, 204
- rcS.d, 204
- RDP, *see* Remote Desktop Protocol
- read, right, 213
- README.Debian, 11, 151

- Real-Time Communication, 397
- receive buffer, 405
- Recommends, header field, 82
- record
 - DNS, 260
- recovering a Debian machine, 45
- Red Hat Package Manager, 103
- regex, *see* regular expressions
- regexp, *see* regular expressions
- regular expressions, 283
- reinstallation, 118
- release, 24
- Release Manager, 26
- release notes, 134
- Release.gpg, 133
- Remote Black List, 279
- Remote Desktop Protocol, 397
- remote graphical desktop, 212
- remote login, 207
- Remote Procedure Call, 303
- removal of a package, 117
- removing a package, 96
- replacement, 86
- Replaces, header field, 86
- report a bug, 156
- reportbug, 156
- reprotest, 460
- Request For Comments, *see also* RFC, 81
- Require, Apache directive, 298
- resize a partition, 65
- resolution, 382
 - name, 171
- resolv.conf, 171
- restarting services, 206
- restoration, 227
- restricted, 470
- reverse zone, 260
- Rex, 9
- RFC, 81
- rights, 213
 - mask, 215
 - octal representation, 214
- RIP, 257
- ripd, 257
- ripngd, 257
- RJ45 connector, 163
- RMS, 2
- Robinson, Branden, 12
- root, 186
- rotation of log files, 186
- route, 256
- router, 164, 238
- routing
 - advanced, 255
 - dynamic, 256
- RPC, *see* Remote Procedure Call
- RPM, 103
- RSA (algorithm), 243
- rsh, 207
- rsync, 227
- rsyslogd, 218
- RTC, *see* Real-Time Communication
 - server, 319
- RTFM, 148
- rule, 405
- runlevel, 205
- safe-upgrade, 74
- salsa.debian.org, 19
- Samba, 42, 305
 - /etc/samba/smb.conf, 306
 - add users, 307
 - client, 307
 - configuration, 305, 306
 - credentials, 307
 - domain controller, 305
 - installation, 305
 - mount, 307
 - nmdb, 305
 - server, 305
 - shared printers, 308
 - smb.conf, 306
 - smbd, 305
 - smbpasswd, 307
- Sarge, 9
- SATA, 230
- scheduled commands, 222

schroot, 451
 scp, 208
 SCSI, 480
 sddm, 383
 search of files, 128
 search of packages, 126
 section
 non-free, 6
 Secure Boot, 481
 Secure Shell, 207
 security context, 425
 security updates, 111
 security.debian.org, 111
 SELinux, 424
 semanage, 427
 semodule, 427
 Sender Policy Framework, 287
 Serial ATA, 480
 server
 CIFS, 305
 client/server architecture, 207
 E-Mail, 272
 email, 272
 file, 301, 302, 305
 FTP, 301
 HTTP, 293
 MX, 273
 name, 259
 NFS, 302
 NTP, 185
 Samba, 305
 SMB, 305
 SMTP, 272
 web, 293
 X, 382
 Server Message Block, 305
 Server Name Indication, 295
 service
 quality, 255
 restart, 206
 Session Initiation Protocol, 397
 setarch, 55
 setgid directory, 214
 setgid, right, 213
 setkey, 250
 setquota, 226
 setuid, right, 213
 Setup, 481
 severity, 14
 SFLphone, 398
 sftp, 208
 sg, 175
 SHA1, 413
 shadow, 173
 shell, 148, 176
 shim, 72
 shrink a partition, 65
 Sid, 9
 Siduction, 471
 Sidux, 471
 signature
 package signature, 132
 Simple Mail Transfer Protocol, 272
 Simple Network Management Protocol, 411
 simple-cdd, 370
 SIP, 319, *see* Session Initiation Protocol
 PBX, 321
 proxy, 321
 server, 321
 trunk, 321
 user agent, 397
 WebSockets, 324
 slapd, 311
 Slink, 9
 SMB, *see* Server Message Block
 smbclient, 307
 smbd, 305
 SMTP, 272
 DATA, 281
 EHLO, 279
 HELO, 279
 MAIL FROM, 280
 snapshot.debian.org, 115
 SNAT, 239
 SNMP, 411
 snort, 416

- social contract, 5
- social networks, 22
- Software in the Public Interest, 4
- Software RAID, 67
- source
 - code, 3
 - of packages, 108
 - of the Linux kernel, 190
 - package, XXI, 90
- Source NAT, 239
- source package
 - format, 92
 - unpacking, 92
- SourceForge, 394
- Sources.bz2, 108
- Sources.gz, 108
- sources.list, 108
- Sources.xz, 108
- spam, 277
- spamass-milter, 286
- spamassassin, 286
 - DKIM, 290
 - SPF, 288
- special, file, 176
- SPF, *see* Sender Policy Framework
- SPI, 4
- sponsoring, 463
- SQL injection, 435
- Squeeze, 9
- Squid, 70, 309
 - /etc/squid/squid.conf, 309
 - installation, 309
 - squid.conf, 309
 - squidGuard, 310
 - update-squidguard, 310
- squidGuard, 310
 - /etc/squidguard/squid-Guard.conf.default, 310
 - squidGuard.conf, 310
- squidGuard.conf, 310
- SSD, 346
- SSH, 207, 249
- SSH tunnel, *see also* VPN, 210
 - VNC, 212
- SSL, 240, 243
- Stable, 24
- Stable Release Manager, 26
- stable updates, 111
- stable-backports, 112
- stable-proposed-updates, 112
- stable-updates, 111
- Stallman, Richard, 2
- standard procedure, 153
- StarOffice, 395
- SteamOS, 473
- sticky bit, 214
- Stretch, 9
- strongswan, 250
- subnet, 163
- subproject, 3, 18
- subversion, 16
- sudo, 186
- sudoers, 186
- suexec, 293
- Suggests, header field, 82
- suite, office, 395
- super-server, 220
- support
 - Long Term Support (LTS), 30
- suricata, 416
- svn, 16
- swap, 66
- swap partition, 66
- symbolic link, 183
- SymlinksIfOwnerMatch, Apache directive, 297
- synaptic, 128, 131
- sys, 170
- syslogd, 154
- system
 - base, 69
 - Bug Tracking System, 14
 - dist-upgrade, 134
 - filesystem, 64
 - package tracking system, 20
 - release notes, 134
- system, filesystem, 483

- systemd, 168
- tag, 144
- Tails, 472
- taking over a Debian server, 45
- tape, backup, 230
- TAR, 230
- Tasks & Skills, 463
- tc, 255
- TCO, 36
- TCP, port, 238
- tcpd, 221
- tcpdump, 267
- tcsh, 176
- technical committee, 12
- Telepathy, 398
- telnet, 207
- Testing, 24
- the project secretary, 12
- The Sleuth Kit, 442
- Thunderbird, Mozilla, 390
- tilde, 177
- time synchronization, 184
- timezone, 183
- TLS, 240, 243
- top, 411
- Total Cost of Ownership, 36
- Towns, Anthony, 12
- Toy Story, 9
- tracker
 - Debian Package Tracker, 20
- traffic
 - control, 255
 - limitation, 255
- transitional package, 137
- translation, 15
- Traversal Using Relays around NAT, 398
- trusted key, 134
- tsclient, 212
- tshark, 268
- tunnel (SSH), *see also* VPN, 210
- tunnel broker, 259
- TURN, *see* Traversal Using Relays around NAT server, 320
- Twitter, 22
- Type Enforcement, 435
- TZ, 183
- Ubuntu, 469
- ucf, 218
- UDP, port, 238
- UEFI, 481
- uid, 173
- umask, 215
- unattended-upgrades
 - /etc/apt/apt.conf.d/50unattended-upgrades, 139
- uncompressing, source package, 92
- Unicode, 160
- universe, 470
- unpacking
 - binary package, 95
 - source package, 92
- unsolicited commercial email, *see* spam
- Unstable, 24
- update-alternatives, 384
- update-menus, 384
- update-rc.d, 206
- update-squidguard, 310
- updatedb, 189
- updates
 - backports, 112
 - buster, 111
 - proposed, 112
 - security updates, 111
 - stable, 111
 - stable, backports, 112
 - stable, proposed, 112
 - stable-backports, 112
 - stable-proposed, 112
- upgrade
 - automatic system upgrade, 140
 - cleaning, 136
 - system upgrade, 120
- upstream, 5
- upstream author, 5
- USB, 230, 480
- USB key, 53

- uscan, 459
- user
 - database, 172
 - owner, 213
- User agent (SIP), 397
- user space, 485
- UTF-8, 160

- Valve Corporation, 473
- variable, environment, 177
- Venema, Wietse, 221
- Version Control System (VCS), 16
- version, comparison, 100
- VESA, 382
- vesa, 382
- video card, 383
- vinagre, 212
- vino, 212
- virsh, 363
- virt-install, 361
- virt-manager, 361
- virtinst, 361
- virtual domain, 275
 - virtual alias domain, 276
 - virtual mailbox domain, 276
- virtual host, 295
- virtual memory, 66
- Virtual Network Computing, 212
- virtual package, 84
- virtual private network, 247
- VirtualBox, 349
- virtualization, 349
- visudo, 186
- vmlinuz, 194
- VMWare, 349
- VNC, 212
- vnc4server, 213
- VoIP
 - server, 319
- volume
 - group, 67
 - logical volume, 67
 - physical volume, 67
- vote, 12

- VPN, 247
- vsftpd, 301

- warnquota, 226
- web access restriction, 298
- web authentication, 297
- Web browser, 391
- web logs analyzer, 299
- web server, *see also* Apache, 293
- webalizer, 155
- WebKit, 391
- webmin, 216
- WebRTC, 324
 - demonstration, 324
- WEP, 167
- whatis, 149
- Wheezy, 9
- Wietse Venema, 221
- wiki.debian.org, 152
- Winbind, 305
- window manager, 384
 - afterstep, 384
 - blackbox, 384
 - fluxbox, 384
 - icewm, 384
 - kwin, 383
 - mutter, 383
 - openbox, 384
 - windowmaker, 384
 - xfwm, 383
- WindowMaker, 384
- Windows domain, 305
- Windows share, 305
- Windows share, mounting, 307
- Windows Terminal Server, 397
- Windows, emulation, 396
- Wine, 396
- winecfg, 396
- WINS, 306
- wireless, 166
- wireshark, 267
- wl*, 165
- wlan0, 165
- wondershaper, 255

- Woody, [9](#)
- Word, Microsoft, [395](#)
- world-wide distribution, [10](#)
- WPA, [167](#)
- write, right, [213](#)
- www-browser, [384](#)
- www-data, [293](#)

- x-window-manager, [384](#)
- x-www-browser, [384](#)
- X.509
 - certificates, [240](#)
- X.509, certificate, [243](#)
- X.org, [382](#)
- X11, [382](#)
- x11vnc, [212](#)
- xdelta, [230](#)
- xdm, [212](#), [383](#)
- xe, [354](#)
- Xen, [350](#)
- Xfce, [387](#)
- XFree86, [382](#)
- xfwm, [384](#)
- xm, [354](#)
- XMPP, [319](#), *see* Extensible Messaging and Presence Protocol
 - server, [322](#)
- xserver-xorg, [382](#)
- xvnc4viewer, [212](#)
- xz, [108](#)

- Zabbix, [372](#)
- Zacchioli, Stefano, [12](#)
- zebra, [256](#)
- Zeroconf, [42](#)
- zone
 - DNS, [259](#)
 - reverse, [260](#)
- zoneinfo, [183](#)
- zsh, [176](#)

- “newcomer” bugs, [17](#)

