






Congestion window over time
195.181.162.195, comparison q3-20261017
Congestion window (KiB)
Elapsed time (s)
0
1000
2000
3000
4000
5000
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT over time
195.181.162.195, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Smoothed RTT (ms)
0
500
1000
1500
2000
2500
3000
3500
Elapsed time (s)
0
10
20
30
40
50
60



Retransmission proxy over time
195.181.162.195, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Retransmissions (packets)
Elapsed time (s)
0
2
4
6
8
10
0
10
20
30
40
50
60



Goodput over time
195.181.162.195, comparison q3-20261017
Goodput (Mbps)
Elapsed time (s)
25
20
15
10
5
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



Congestion window vs goodput
195.181.162.195, comparison q3-20261017
Goodput (Mbps)
25
20
15
10
5
0
1000
2000
3000
4000
5000
Congestion window (KiB)
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT vs goodput
195.181.162.195, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
25
20
15
10
5
0
500
1000
1500
2000
2500
3000
3500
Smoothed RTT (ms)



Retransmission proxy vs goodput
195.181.162.195, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
25
20
15
10
5
0
2
4
6
8
10
Retransmissions (packets)



Congestion window over time
84.17.57.129, comparison q3-20261017
Congestion window (KiB)
Elapsed time (s)
0
500
1000
1500
2000
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno



RTT over time
84.17.57.129, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno
Smoothed RTT (ms)
Elapsed time (s)
1400
1200
1000
800
600
400
200
0
10
20
30
40
50
60



Retransmission proxy over time
84.17.57.129, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno
Retransmissions (packets)
Elapsed time (s)
0
1
2
3
4
5
6
7
8
0
10
20
30
40
50
60



Goodput over time
84.17.57.129, comparison q3-20261017
Goodput (Mbps)
Elapsed time (s)
0
5
10
15
20
25
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno



Congestion window vs goodput
84.17.57.129, comparison q3-20261017
Goodput (Mbps)
Congestion window (KiB)
0
5
10
15
20
25
0
500
1000
1500
2000
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno



RTT vs goodput
84.17.57.129, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno
Goodput (Mbps)
Smoothed RTT (ms)
0
5
10
15
20
25
200
400
600
800
1000
1200
1400



Retransmission proxy vs goodput
84.17.57.129, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
BBR
Reno
Goodput (Mbps)
Retransmissions (packets)
0
5
10
15
20
25
0
1
2
3
4
5
6
7
8



Congestion window over time
41.210.185.162, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Congestion window (KiB)
0
1000
2000
3000
4000
5000
0
10
20
30
40
50
60
Elapsed time (s)



RTT over time
41.210.185.162, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Smoothed RTT (ms)
250
500
750
1000
1250
1500
1750
0
10
20
30
40
50
60
Elapsed time (s)



Retransmission proxy over time
41.210.185.162, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Retransmissions (packets)
Elapsed time (s)
0
1
2
3
4
5
6
0
10
20
30
40
50
60



Goodput over time
41.210.185.162, comparison q3-20261017
Goodput (Mbps)
Elapsed time (s)
0
5
10
15
20
25
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



Congestion window vs goodput
41.210.185.162, comparison q3-20261017
Goodput (Mbps)
Congestion window (KiB)
0
5
10
15
20
25
0
1000
2000
3000
4000
5000
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT vs goodput
41.210.185.162, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
0
5
10
15
20
25
250
500
750
1000
1250
1500
1750
Smoothed RTT (ms)



Retransmission proxy vs goodput
41.210.185.162, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
Retransmissions (packets)
0
5
10
15
20
25
0
1
2
3
4
5
6



Congestion window over time
204.155.243.172, comparison q3-20261017
Congestion window (KiB)
Elapsed time (s)
0
1000
2000
3000
4000
5000
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT over time
204.155.243.172, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Smoothed RTT (ms)
0
500
1000
1500
2000
0
10
20
30
40
50
60
Elapsed time (s)



Retransmission proxy over time
204.155.243.172, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Retransmissions (packets)
0
2
4
6
8
Elapsed time (s)
0
10
20
30
40
50
60



Goodput over time
204.155.243.172, comparison q3-20261017
Goodput (Mbps)
Elapsed time (s)
25
20
15
10
5
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



Congestion window vs goodput
204.155.243.172, comparison q3-20261017
Goodput (Mbps)
25
20
15
10
5
0
1000
2000
3000
4000
5000
Congestion window (KiB)
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT vs goodput
204.155.243.172, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
Smoothed RTT (ms)
25
20
15
10
5
0
500
1000
1500
2000



Retransmission proxy vs goodput
204.155.243.172, comparison q3-20261017
Goodput (Mbps)
Retransmissions (packets)
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
25
20
15
10
5
0
2
4
6
8



Congestion window over time
154.81.51.4, comparison q3-20261017
Congestion window (KiB)
Elapsed time (s)
0
2000
4000
6000
8000
10000
12000
14000
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT over time
154.81.51.4, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Smoothed RTT (ms)
2000
1500
1000
500
0
10
20
30
40
50
60
Elapsed time (s)



Retransmission proxy over time
154.81.51.4, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Retransmissions (packets)
0
5
10
15
20
0
10
20
30
40
50
60
Elapsed time (s)



Goodput over time
154.81.51.4, comparison q3-20261017
Goodput (Mbps)
Elapsed time (s)
0
5
10
15
20
0
10
20
30
40
50
60
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



Congestion window vs goodput
154.81.51.4, comparison q3-20261017
Goodput (Mbps)
0
5
10
15
20
0
2000
4000
6000
8000
10000
12000
14000
Congestion window (KiB)
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT vs goodput
154.81.51.4, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
0
5
10
15
20
500
1000
1500
2000
Smoothed RTT (ms)



Retransmission proxy vs goodput
154.81.51.4, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
0
5
10
15
20
Retransmissions (packets)
0
5
10
15
20



Congestion window over time
185.93.3.50, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Congestion window (KiB)
Elapsed time (s)
0
1000
2000
3000
4000
5000
6000
7000
8000
0
10
20
30
40
50
60



RTT over time
185.93.3.50, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Smoothed RTT (ms)
500
1000
1500
2000
0
10
20
30
40
50
60
Elapsed time (s)



Retransmission proxy over time
185.93.3.50, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Retransmissions (packets)
0
2
4
6
8
Elapsed time (s)
0
10
20
30
40
50
60



Goodput over time
185.93.3.50, comparison q3-20261017
Goodput (Mbps)
0
5
10
15
20
0
10
20
30
40
50
60
Elapsed time (s)
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



Congestion window vs goodput
185.93.3.50, comparison q3-20261017
Goodput (Mbps)
0
5
10
15
20
0
1000
2000
3000
4000
5000
6000
7000
8000
Congestion window (KiB)
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR



RTT vs goodput
185.93.3.50, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
0
5
10
15
20
500
1000
1500
2000
Smoothed RTT (ms)



Retransmission proxy vs goodput
185.93.3.50, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
0
5
10
15
20
Retransmissions (packets)
0
2
4
6
8



Congestion window over time
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Congestion window (KiB)
0
2000
4000
6000
8000
10000
Elapsed time (s)
0
10
20
30
40
50
60



RTT over time
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Smoothed RTT (ms)
2500
2000
1500
1000
500
0
10
20
30
40
50
60
Elapsed time (s)



Retransmission proxy over time
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Retransmissions (packets)
0
10
20
30
40
Elapsed time (s)
0
10
20
30
40
50
60



Goodput over time
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
Elapsed time (s)
0
5
10
15
20
25
30
0
10
20
30
40
50
60



Congestion window vs goodput
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
Congestion window (KiB)
0
5
10
15
20
25
30
0
2000
4000
6000
8000
10000



RTT vs goodput
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
Smoothed RTT (ms)
0
5
10
15
20
25
30
500
1000
1500
2000
2500



Retransmission proxy vs goodput
105.235.237.2, comparison q3-20261017
Algorithm
(each trace: one repetition)
CUBIC
Reno
BBR
Goodput (Mbps)
Retransmissions (packets)
0
5
10
15
20
25
30
0
10
20
30
40



Congestion window over time
96.45.38.22, comparison q3-20261017
Congestion window (KiB)
0
1000
2000
3000
4000
5000
0
10
20
30
40
50
60
Elapsed time (s)
Algorithm
(each trace: one repetition)
Reno



RTT over time
96.45.38.22, comparison q3-20261017
Algorithm
(each trace: one repetition)
Reno
Smoothed RTT (ms)
Elapsed time (s)
2500
2000
1500
1000
500
0
10
20
30
40
50
60


Retransmission proxy over time
96.45.38.22, comparison q3-20261017
Algorithm
(each trace: one repetition)
Reno
Retransmissions (packets)
Elapsed time (s)
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
0
10
20
30
40
50
60


Goodput over time
96.45.38.22, comparison q3-20261017
Goodput (Mbps)
Elapsed time (s)
Algorithm
(each trace: one repetition)
Reno
0
5
10
15
20
25
0
10
20
30
40
50
60


Congestion window vs goodput
96.45.38.22, comparison q3-20261017
Algorithm
(each trace: one repetition)
Reno
Goodput (Mbps)
Congestion window (KiB)
0
5
10
15
20
25
0
1000
2000
3000
4000
5000


RTT vs goodput
96.45.38.22, comparison q3-20261017
Algorithm
(each trace: one repetition)
Reno
Goodput (Mbps)
Smoothed RTT (ms)
0
5
10
15
20
25
500
1000
1500
2000
2500


Retransmission proxy vs goodput
96.45.38.22, comparison q3-20261017
Algorithm
(each trace: one repetition)
Reno
Goodput (Mbps)
Retransmissions (packets)
0
5
10
15
20
25
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0