




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	18.03	12.73	153	--
CUBIC	Congestion window (KiB)	120.4	55.15	102	--
Reno	Congestion window (KiB)	291.1	158.4	153	--
BBR	Congestion window (KiB)	223.2	217.1	102	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	2.682	0.658	153	--
CUBIC	Smoothed RTT (ms)	2.93	0.847	102	--
Reno	Smoothed RTT (ms)	3.504	0.813	153	--
BBR	Smoothed RTT (ms)	2.969	0.8145	102	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.04667	0	150	--
CUBIC	Retransmissions (packets)	0.04	0	100	--
Reno	Retransmissions (packets)	0.07333	0	150	--
BBR	Retransmissions (packets)	0.01	0	100	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	4.304	2.656	150	--
CUBIC	Goodput (Mbps)	4.267	2.648	100	--
Reno	Goodput (Mbps)	9.649	5.061	150	--
BBR	Goodput (Mbps)	4.54	2.666	100	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	18.11	12.73	150	0.028
Hand-Written	Goodput (Mbps)	4.304	2.656	150	
CUBIC	Congestion window (KiB)	122.6	103.2	100	-0.083
CUBIC	Goodput (Mbps)	4.267	2.648	100	
Reno	Congestion window (KiB)	296.6	158.4	150	0.021
Reno	Goodput (Mbps)	9.649	5.061	150	
BBR	Congestion window (KiB)	227.3	217.8	100	0.485
BBR	Goodput (Mbps)	4.54	2.666	100	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6857	0.656	150	-0.031
Hand-Written	Goodput (Mbps)	4.304	2.656	150	
CUBIC	Smoothed RTT (ms)	0.8699	0.846	100	0.525
CUBIC	Goodput (Mbps)	4.267	2.648	100	
Reno	Smoothed RTT (ms)	0.8298	0.8125	150	-0.041
Reno	Goodput (Mbps)	9.649	5.061	150	
BBR	Smoothed RTT (ms)	0.8432	0.812	100	0.568
BBR	Goodput (Mbps)	4.54	2.666	100	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.04667	0	150	0.078
Hand-Written	Goodput (Mbps)	4.304	2.656	150	
CUBIC	Retransmissions (packets)	0.04	0	100	0.455
CUBIC	Goodput (Mbps)	4.267	2.648	100	
Reno	Retransmissions (packets)	0.07333	0	150	0.164
Reno	Goodput (Mbps)	9.649	5.061	150	
BBR	Retransmissions (packets)	0.01	0	100	-0.011
BBR	Goodput (Mbps)	4.54	2.666	100	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	11.88	11.31	102	--
CUBIC	Congestion window (KiB)	107.5	104.6	102	--
Reno	Congestion window (KiB)	270	312.5	102	--
BBR	Congestion window (KiB)	240.2	234.7	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	3.469	0.656	102	--
CUBIC	Smoothed RTT (ms)	3.713	0.845	102	--
Reno	Smoothed RTT (ms)	3.61	0.816	102	--
BBR	Smoothed RTT (ms)	3.464	0.753	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.03	0	100	--
CUBIC	Retransmissions (packets)	0.03	0	100	--
Reno	Retransmissions (packets)	0.02	0	100	--
BBR	Retransmissions (packets)	0.1867	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	3.794	2.62	100	--
CUBIC	Goodput (Mbps)	3.318	2.588	100	--
Reno	Goodput (Mbps)	3.215	2.585	100	--
BBR	Goodput (Mbps)	13.51	14.43	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	11.84	11.31	100	0.172
Hand-Written	Goodput (Mbps)	3.794	2.62	100	
CUBIC	Congestion window (KiB)	109.4	104.6	100	0.188
CUBIC	Goodput (Mbps)	3.318	2.588	100	
Reno	Congestion window (KiB)	275.1	313.9	100	0.014
Reno	Goodput (Mbps)	3.215	2.585	100	
BBR	Congestion window (KiB)	244.6	236.9	150	0.178
BBR	Goodput (Mbps)	13.51	14.43	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6806	0.654	100	-0.436
Hand-Written	Goodput (Mbps)	3.794	2.62	100	
CUBIC	Smoothed RTT (ms)	0.8521	0.8445	100	0.276
CUBIC	Goodput (Mbps)	3.318	2.588	100	
Reno	Smoothed RTT (ms)	0.8202	0.814	100	0.364
Reno	Goodput (Mbps)	3.215	2.585	100	
BBR	Smoothed RTT (ms)	0.8018	0.7515	150	-0.094
BBR	Goodput (Mbps)	13.51	14.43	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.03	0	100	0.639
Hand-Written	Goodput (Mbps)	3.794	2.62	100	
CUBIC	Retransmissions (packets)	0.03	0	100	-0.010
CUBIC	Goodput (Mbps)	3.318	2.588	100	
Reno	Retransmissions (packets)	0.02	0	100	0.404
Reno	Goodput (Mbps)	3.215	2.585	100	
BBR	Retransmissions (packets)	0.1867	0	150	0.250
BBR	Goodput (Mbps)	13.51	14.43	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	29.74	14.14	153	--
CUBIC	Congestion window (KiB)	72.98	65.05	153	--
Reno	Congestion window (KiB)	340.7	312.5	153	--
BBR	Congestion window (KiB)	215.7	206.5	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	2.628	0.692	153	--
CUBIC	Smoothed RTT (ms)	2.849	0.83	153	--
Reno	Smoothed RTT (ms)	2.733	0.85	153	--
BBR	Smoothed RTT (ms)	2.906	0.821	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.06667	0	150	--
CUBIC	Retransmissions (packets)	0.03333	0	150	--
Reno	Retransmissions (packets)	0.02	0	150	--
BBR	Retransmissions (packets)	0.06	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	4.913	3.887	150	--
CUBIC	Goodput (Mbps)	4.117	1.336	150	--
Reno	Goodput (Mbps)	4.967	3.93	150	--
BBR	Goodput (Mbps)	4.643	3.891	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	30.05	14.14	150	-0.204
Hand-Written	Goodput (Mbps)	4.913	3.887	150	
CUBIC	Congestion window (KiB)	74.15	65.05	150	0.380
CUBIC	Goodput (Mbps)	4.117	1.336	150	
Reno	Congestion window (KiB)	347.2	312.5	150	-0.034
Reno	Goodput (Mbps)	4.967	3.93	150	
BBR	Congestion window (KiB)	219.7	207.2	150	0.528
BBR	Goodput (Mbps)	4.643	3.891	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.7057	0.6855	150	-0.249
Hand-Written	Goodput (Mbps)	4.913	3.887	150	
CUBIC	Smoothed RTT (ms)	0.8524	0.829	150	0.145
CUBIC	Goodput (Mbps)	4.117	1.336	150	
Reno	Smoothed RTT (ms)	0.8478	0.8475	150	-0.298
Reno	Goodput (Mbps)	4.967	3.93	150	
BBR	Smoothed RTT (ms)	0.8418	0.82	150	0.198
BBR	Goodput (Mbps)	4.643	3.891	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.06667	0	150	0.201
Hand-Written	Goodput (Mbps)	4.913	3.887	150	
CUBIC	Retransmissions (packets)	0.03333	0	150	0.133
CUBIC	Goodput (Mbps)	4.117	1.336	150	
Reno	Retransmissions (packets)	0.02	0	150	0.302
Reno	Goodput (Mbps)	4.967	3.93	150	
BBR	Retransmissions (packets)	0.06	0	150	0.067
BBR	Goodput (Mbps)	4.643	3.891	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	12.42	12.73	153	--
CUBIC	Congestion window (KiB)	136.1	149.9	153	--
Reno	Congestion window (KiB)	402.8	625	153	--
BBR	Congestion window (KiB)	222.9	220.6	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	1.834	0.618	153	--
CUBIC	Smoothed RTT (ms)	1.981	0.782	153	--
Reno	Smoothed RTT (ms)	2.11	0.805	153	--
BBR	Smoothed RTT (ms)	2.004	0.802	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.06	0	150	--
CUBIC	Retransmissions (packets)	0.06	0	150	--
Reno	Retransmissions (packets)	0.05333	0	150	--
BBR	Retransmissions (packets)	0.05333	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	7.69	6.55	150	--
CUBIC	Goodput (Mbps)	7.578	6.591	150	--
Reno	Goodput (Mbps)	7.674	6.569	150	--
BBR	Goodput (Mbps)	6.578	5.257	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	12.39	12.73	150	0.074
Hand-Written	Goodput (Mbps)	7.69	6.55	150	
CUBIC	Congestion window (KiB)	138.5	149.9	150	-0.398
CUBIC	Goodput (Mbps)	7.578	6.591	150	
Reno	Congestion window (KiB)	410.5	625	150	-0.270
Reno	Goodput (Mbps)	7.674	6.569	150	
BBR	Congestion window (KiB)	227.1	220.6	150	0.492
BBR	Goodput (Mbps)	6.578	5.257	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6174	0.616	150	-0.224
Hand-Written	Goodput (Mbps)	7.69	6.55	150	
CUBIC	Smoothed RTT (ms)	0.8022	0.7785	150	-0.198
CUBIC	Goodput (Mbps)	7.578	6.591	150	
Reno	Smoothed RTT (ms)	0.8041	0.802	150	-0.163
Reno	Goodput (Mbps)	7.674	6.569	150	
BBR	Smoothed RTT (ms)	0.8224	0.8005	150	0.125
BBR	Goodput (Mbps)	6.578	5.257	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.06	0	150	0.449
Hand-Written	Goodput (Mbps)	7.69	6.55	150	
CUBIC	Retransmissions (packets)	0.06	0	150	0.100
CUBIC	Goodput (Mbps)	7.578	6.591	150	
Reno	Retransmissions (packets)	0.05333	0	150	0.036
Reno	Goodput (Mbps)	7.674	6.569	150	
BBR	Retransmissions (packets)	0.05333	0	150	0.055
BBR	Goodput (Mbps)	6.578	5.257	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	13.1	12.73	102	--
CUBIC	Congestion window (KiB)	77.87	63.63	153	--
Reno	Congestion window (KiB)	127.3	63.63	153	--
BBR	Congestion window (KiB)	222.6	206.5	51	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	4.538	0.686	102	--
CUBIC	Smoothed RTT (ms)	4.626	0.813	153	--
Reno	Smoothed RTT (ms)	4.799	0.852	153	--
BBR	Smoothed RTT (ms)	5.017	0.908	51	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0	0	100	--
CUBIC	Retransmissions (packets)	0.06	0	150	--
Reno	Retransmissions (packets)	0.02	0	150	--
BBR	Retransmissions (packets)	0	0	50	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	2.218	1.321	100	--
CUBIC	Goodput (Mbps)	7.026	2.613	150	--
Reno	Goodput (Mbps)	2.521	1.329	150	--
BBR	Goodput (Mbps)	1.76	1.311	50	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	13.08	12.73	100	0.158
Hand-Written	Goodput (Mbps)	2.218	1.321	100	
CUBIC	Congestion window (KiB)	79.14	63.63	150	0.236
CUBIC	Goodput (Mbps)	7.026	2.613	150	
Reno	Congestion window (KiB)	129.5	63.63	150	0.320
Reno	Goodput (Mbps)	2.521	1.329	150	
BBR	Congestion window (KiB)	226.7	206.5	50	0.358
BBR	Goodput (Mbps)	1.76	1.311	50	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6822	0.686	100	-0.018
Hand-Written	Goodput (Mbps)	2.218	1.321	100	
CUBIC	Smoothed RTT (ms)	0.8368	0.809	150	-0.046
CUBIC	Goodput (Mbps)	7.026	2.613	150	
Reno	Smoothed RTT (ms)	0.8855	0.849	150	0.628
Reno	Goodput (Mbps)	2.521	1.329	150	
BBR	Smoothed RTT (ms)	0.8946	0.905	50	0.105
BBR	Goodput (Mbps)	1.76	1.311	50	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0	0	100	N/A (constant)
Hand-Written	Goodput (Mbps)	2.218	1.321	100	
CUBIC	Retransmissions (packets)	0.06	0	150	0.232
CUBIC	Goodput (Mbps)	7.026	2.613	150	
Reno	Retransmissions (packets)	0.02	0	150	0.053
Reno	Goodput (Mbps)	2.521	1.329	150	
BBR	Retransmissions (packets)	0	0	50	N/A (constant)
BBR	Goodput (Mbps)	1.76	1.311	50	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	11.58	11.31	153	--
CUBIC	Congestion window (KiB)	139.7	164	153	--
Reno	Congestion window (KiB)	414.3	612.3	153	--
BBR	Congestion window (KiB)	221.7	220.6	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	1.612	0.608	153	--
CUBIC	Smoothed RTT (ms)	1.714	0.784	153	--
Reno	Smoothed RTT (ms)	1.715	0.787	153	--
BBR	Smoothed RTT (ms)	1.774	0.774	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.07333	0	150	--
CUBIC	Retransmissions (packets)	0.04667	0	150	--
Reno	Retransmissions (packets)	0.03333	0	150	--
BBR	Retransmissions (packets)	0.07333	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	10.17	9.188	150	--
CUBIC	Goodput (Mbps)	10.27	9.194	150	--
Reno	Goodput (Mbps)	10.4	9.191	150	--
BBR	Goodput (Mbps)	10.07	9.174	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	11.53	11.31	150	0.197
Hand-Written	Goodput (Mbps)	10.17	9.188	150	
CUBIC	Congestion window (KiB)	142.2	164	150	-0.490
CUBIC	Goodput (Mbps)	10.27	9.194	150	
Reno	Congestion window (KiB)	422.3	612.3	150	-0.348
Reno	Goodput (Mbps)	10.4	9.191	150	
BBR	Congestion window (KiB)	225.8	222	150	0.359
BBR	Goodput (Mbps)	10.07	9.174	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6134	0.6055	150	-0.211
Hand-Written	Goodput (Mbps)	10.17	9.188	150	
CUBIC	Smoothed RTT (ms)	0.7904	0.783	150	-0.190
CUBIC	Goodput (Mbps)	10.27	9.194	150	
Reno	Smoothed RTT (ms)	0.7925	0.784	150	-0.339
Reno	Goodput (Mbps)	10.4	9.191	150	
BBR	Smoothed RTT (ms)	0.7866	0.7725	150	-0.194
BBR	Goodput (Mbps)	10.07	9.174	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.07333	0	150	0.059
Hand-Written	Goodput (Mbps)	10.17	9.188	150	
CUBIC	Retransmissions (packets)	0.04667	0	150	0.254
CUBIC	Goodput (Mbps)	10.27	9.194	150	
Reno	Retransmissions (packets)	0.03333	0	150	-0.003
Reno	Goodput (Mbps)	10.4	9.191	150	
BBR	Retransmissions (packets)	0.07333	0	150	0.042
BBR	Goodput (Mbps)	10.07	9.174	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	12.23	11.31	153	--
CUBIC	Congestion window (KiB)	91.6	101.8	153	--
Reno	Congestion window (KiB)	518.1	634.9	153	--
BBR	Congestion window (KiB)	211.5	206.5	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	2.562	0.656	153	--
CUBIC	Smoothed RTT (ms)	2.812	0.849	153	--
Reno	Smoothed RTT (ms)	2.785	0.862	153	--
BBR	Smoothed RTT (ms)	2.784	0.842	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.03333	0	150	--
CUBIC	Retransmissions (packets)	0.04667	0	150	--
Reno	Retransmissions (packets)	0.02667	0	150	--
BBR	Retransmissions (packets)	0.01333	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	4.838	3.927	150	--
CUBIC	Goodput (Mbps)	4.787	3.892	150	--
Reno	Goodput (Mbps)	4.222	2.665	150	--
BBR	Goodput (Mbps)	4.763	3.927	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	12.19	11.31	150	0.059
Hand-Written	Goodput (Mbps)	4.838	3.927	150	
CUBIC	Congestion window (KiB)	93.15	101.8	150	-0.016
CUBIC	Goodput (Mbps)	4.787	3.892	150	
Reno	Congestion window (KiB)	528.1	634.9	150	-0.164
Reno	Goodput (Mbps)	4.222	2.665	150	
BBR	Congestion window (KiB)	215.4	208.6	150	0.612
BBR	Goodput (Mbps)	4.763	3.927	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6649	0.6545	150	-0.203
Hand-Written	Goodput (Mbps)	4.838	3.927	150	
CUBIC	Smoothed RTT (ms)	0.8725	0.849	150	0.105
CUBIC	Goodput (Mbps)	4.787	3.892	150	
Reno	Smoothed RTT (ms)	0.8566	0.858	150	0.076
Reno	Goodput (Mbps)	4.222	2.665	150	
BBR	Smoothed RTT (ms)	0.8475	0.8395	150	0.042
BBR	Goodput (Mbps)	4.763	3.927	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.03333	0	150	0.230
Hand-Written	Goodput (Mbps)	4.838	3.927	150	
CUBIC	Retransmissions (packets)	0.04667	0	150	0.384
CUBIC	Goodput (Mbps)	4.787	3.892	150	
Reno	Retransmissions (packets)	0.02667	0	150	0.066
Reno	Goodput (Mbps)	4.222	2.665	150	
BBR	Retransmissions (packets)	0.01333	0	150	-0.040
BBR	Goodput (Mbps)	4.763	3.927	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	13.59	12.73	153	--
CUBIC	Congestion window (KiB)	65.47	62.22	153	--
Reno	Congestion window (KiB)	138.8	63.63	153	--
BBR	Congestion window (KiB)	207.5	198	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	5.446	0.739	153	--
CUBIC	Smoothed RTT (ms)	5.604	0.86	153	--
Reno	Smoothed RTT (ms)	5.628	0.847	153	--
BBR	Smoothed RTT (ms)	5.692	0.892	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.03333	0	150	--
CUBIC	Retransmissions (packets)	0.006667	0	150	--
Reno	Retransmissions (packets)	0.07333	0	150	--
BBR	Retransmissions (packets)	0.02	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	1.831	1.31	150	--
CUBIC	Goodput (Mbps)	1.771	1.308	150	--
Reno	Goodput (Mbps)	6.51	1.338	150	--
BBR	Goodput (Mbps)	1.985	1.311	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	13.57	12.73	150	0.371
Hand-Written	Goodput (Mbps)	1.831	1.31	150	
CUBIC	Congestion window (KiB)	66.5	62.22	150	0.560
CUBIC	Goodput (Mbps)	1.771	1.308	150	
Reno	Congestion window (KiB)	141.2	63.63	150	0.064
Reno	Goodput (Mbps)	6.51	1.338	150	
BBR	Congestion window (KiB)	211.4	200.1	150	0.445
BBR	Goodput (Mbps)	1.985	1.311	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.7249	0.7375	150	-0.127
Hand-Written	Goodput (Mbps)	1.831	1.31	150	
CUBIC	Smoothed RTT (ms)	0.8677	0.859	150	0.463
CUBIC	Goodput (Mbps)	1.771	1.308	150	
Reno	Smoothed RTT (ms)	0.8854	0.8455	150	0.083
Reno	Goodput (Mbps)	6.51	1.338	150	
BBR	Smoothed RTT (ms)	0.9685	0.891	150	0.611
BBR	Goodput (Mbps)	1.985	1.311	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.03333	0	150	0.143
Hand-Written	Goodput (Mbps)	1.831	1.31	150	
CUBIC	Retransmissions (packets)	0.006667	0	150	-0.011
CUBIC	Goodput (Mbps)	1.771	1.308	150	
Reno	Retransmissions (packets)	0.07333	0	150	0.206
Reno	Goodput (Mbps)	6.51	1.338	150	
BBR	Retransmissions (packets)	0.02	0	150	0.020
BBR	Goodput (Mbps)	1.985	1.311	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	12.24	11.31	153	--
CUBIC	Congestion window (KiB)	109.1	98.98	153	--
Reno	Congestion window (KiB)	397.6	318.2	153	--
BBR	Congestion window (KiB)	206.5	199.4	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	3.009	0.668	153	--
CUBIC	Smoothed RTT (ms)	3.147	0.809	153	--
Reno	Smoothed RTT (ms)	3.083	0.804	153	--
BBR	Smoothed RTT (ms)	3.186	0.855	153	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.07333	0	150	--
CUBIC	Retransmissions (packets)	0.04	0	150	--
Reno	Retransmissions (packets)	0.08	0	150	--
BBR	Retransmissions (packets)	0.04667	0	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Goodput (Mbps)	3.85	2.624	150	--
CUBIC	Goodput (Mbps)	7.438	3.938	150	--
Reno	Goodput (Mbps)	8.578	3.952	150	--
BBR	Goodput (Mbps)	3.762	2.624	150	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Congestion window (KiB)	12.2	11.31	150	0.267
Hand-Written	Goodput (Mbps)	3.85	2.624	150	
CUBIC	Congestion window (KiB)	111	98.98	150	0.361
CUBIC	Goodput (Mbps)	7.438	3.938	150	
Reno	Congestion window (KiB)	405.3	318.2	150	0.010
Reno	Goodput (Mbps)	8.578	3.952	150	
BBR	Congestion window (KiB)	210.3	200.1	150	0.592
BBR	Goodput (Mbps)	3.762	2.624	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Smoothed RTT (ms)	0.6752	0.667	150	-0.332
Hand-Written	Goodput (Mbps)	3.85	2.624	150	
CUBIC	Smoothed RTT (ms)	0.8339	0.8045	150	-0.334
CUBIC	Goodput (Mbps)	7.438	3.938	150	
Reno	Smoothed RTT (ms)	0.8086	0.799	150	-0.032
Reno	Goodput (Mbps)	8.578	3.952	150	
BBR	Smoothed RTT (ms)	0.8711	0.8545	150	0.202
BBR	Goodput (Mbps)	3.762	2.624	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
Hand-Written	Retransmissions (packets)	0.07333	0	150	0.249
Hand-Written	Goodput (Mbps)	3.85	2.624	150	
CUBIC	Retransmissions (packets)	0.04	0	150	0.185
CUBIC	Goodput (Mbps)	7.438	3.938	150	
Reno	Retransmissions (packets)	0.08	0	150	0.138
Reno	Goodput (Mbps)	8.578	3.952	150	
BBR	Retransmissions (packets)	0.04667	0	150	0.184
BBR	Goodput (Mbps)	3.762	2.624	150	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	54.83	46.66	153	--
Reno	Congestion window (KiB)	119.5	46.66	153	--
BBR	Congestion window (KiB)	211.2	195.1	153	--
Hand-Written	Congestion window (KiB)	15.32	12.73	102	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	3.179	0.849	153	--
Reno	Smoothed RTT (ms)	3.102	0.823	153	--
BBR	Smoothed RTT (ms)	3.12	0.888	153	--
Hand-Written	Smoothed RTT (ms)	3.025	0.763	102	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.06667	0	150	--
Reno	Retransmissions (packets)	0	0	150	--
BBR	Retransmissions (packets)	0	0	150	--
Hand-Written	Retransmissions (packets)	0.03	0	100	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	2.045	0.04609	150	--
Reno	Goodput (Mbps)	1.124	0	150	--
BBR	Goodput (Mbps)	1.261	0.04862	150	--
Hand-Written	Goodput (Mbps)	1.046	0	100	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	55.65	46.66	150	0.493
CUBIC	Goodput (Mbps)	2.045	0.04609	150	
Reno	Congestion window (KiB)	121.7	46.66	150	0.426
Reno	Goodput (Mbps)	1.124	0	150	
BBR	Congestion window (KiB)	215.1	195.1	150	0.472
BBR	Goodput (Mbps)	1.261	0.04862	150	
Hand-Written	Congestion window (KiB)	15.34	12.73	100	0.400
Hand-Written	Goodput (Mbps)	1.046	0	100	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.



Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.8451	0.847	150	-0.049
CUBIC	Goodput (Mbps)	2.045	0.04609	150	
Reno	Smoothed RTT (ms)	0.8737	0.823	150	0.479
Reno	Goodput (Mbps)	1.124	0	150	
BBR	Smoothed RTT (ms)	0.9001	0.887	150	0.268
BBR	Goodput (Mbps)	1.261	0.04862	150	
Hand-Written	Smoothed RTT (ms)	0.7461	0.763	100	-0.081
Hand-Written	Goodput (Mbps)	1.046	0	100	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.



Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.06667	0	150	0.461
CUBIC	Goodput (Mbps)	2.045	0.04609	150	
Reno	Retransmissions (packets)	0	0	150	N/A (constant)
Reno	Goodput (Mbps)	1.124	0	150	
BBR	Retransmissions (packets)	0	0	150	N/A (constant)
BBR	Goodput (Mbps)	1.261	0.04862	150	
Hand-Written	Retransmissions (packets)	0.03	0	100	-0.029
Hand-Written	Goodput (Mbps)	1.046	0	100	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.