




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	40.93	35.35	122	--
Reno	Congestion window (KiB)	128.3	36.77	122	--
BBR	Congestion window (KiB)	220.8	223.4	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	2.45	0.7235	122	--
Reno	Smoothed RTT (ms)	2.367	0.747	122	--
BBR	Smoothed RTT (ms)	2.455	0.7445	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.7167	0	120	--
Reno	Retransmissions (packets)	0.4417	0	120	--
BBR	Retransmissions (packets)	1.017	1	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	14.06	15.21	120	--
Reno	Goodput (Mbps)	9.542	10.75	120	--
BBR	Goodput (Mbps)	13.45	14.16	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	41.37	35.35	120	-0.175
CUBIC	Goodput (Mbps)	14.06	15.21	120	
Reno	Congestion window (KiB)	130.2	36.77	120	-0.136
Reno	Goodput (Mbps)	9.542	10.75	120	
BBR	Congestion window (KiB)	224.2	223.4	120	0.113
BBR	Goodput (Mbps)	13.45	14.16	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7788	0.7215	120	-0.136
CUBIC	Goodput (Mbps)	14.06	15.21	120	
Reno	Smoothed RTT (ms)	0.747	0.747	120	0.037
Reno	Goodput (Mbps)	9.542	10.75	120	
BBR	Smoothed RTT (ms)	0.7729	0.7425	120	-0.155
BBR	Goodput (Mbps)	13.45	14.16	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.7167	0	120	0.216
CUBIC	Goodput (Mbps)	14.06	15.21	120	
Reno	Retransmissions (packets)	0.4417	0	120	0.450
Reno	Goodput (Mbps)	9.542	10.75	120	
BBR	Retransmissions (packets)	1.017	1	120	0.298
BBR	Goodput (Mbps)	13.45	14.16	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	55.69	35.35	183	--
Reno	Congestion window (KiB)	87.46	36.77	183	--
BBR	Congestion window (KiB)	220.4	226.2	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	2.461	0.715	183	--
Reno	Smoothed RTT (ms)	2.469	0.736	183	--
BBR	Smoothed RTT (ms)	2.45	0.733	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.6611	0	180	--
Reno	Retransmissions (packets)	0.7	1	180	--
BBR	Retransmissions (packets)	0.8611	0	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	12.96	13.37	180	--
Reno	Goodput (Mbps)	15	16.26	180	--
BBR	Goodput (Mbps)	13.76	15.2	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	56.38	35.35	180	-0.341
CUBIC	Goodput (Mbps)	12.96	13.37	180	
Reno	Congestion window (KiB)	88.68	38.18	180	-0.528
Reno	Goodput (Mbps)	15	16.26	180	
BBR	Congestion window (KiB)	223.8	226.2	180	0.136
BBR	Goodput (Mbps)	13.76	15.2	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7635	0.713	180	0.016
CUBIC	Goodput (Mbps)	12.96	13.37	180	
Reno	Smoothed RTT (ms)	0.7697	0.7335	180	-0.114
Reno	Goodput (Mbps)	15	16.26	180	
BBR	Smoothed RTT (ms)	0.7619	0.732	180	-0.189
BBR	Goodput (Mbps)	13.76	15.2	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.6611	0	180	0.308
CUBIC	Goodput (Mbps)	12.96	13.37	180	
Reno	Retransmissions (packets)	0.7	1	180	0.304
Reno	Goodput (Mbps)	15	16.26	180	
BBR	Retransmissions (packets)	0.8611	0	180	0.390
BBR	Goodput (Mbps)	13.76	15.2	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	63.32	41.01	183	--
Reno	Congestion window (KiB)	116	36.77	183	--
BBR	Congestion window (KiB)	226.1	226.2	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	3.2	0.745	183	--
Reno	Smoothed RTT (ms)	3.09	0.733	183	--
BBR	Smoothed RTT (ms)	3.04	0.734	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.5667	0	180	--
Reno	Retransmissions (packets)	0.75	0	180	--
BBR	Retransmissions (packets)	0.675	0	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	12.54	12.83	180	--
Reno	Goodput (Mbps)	13.39	14.16	180	--
BBR	Goodput (Mbps)	12.54	13.11	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	64.14	41.71	180	-0.311
CUBIC	Goodput (Mbps)	12.54	12.83	180	
Reno	Congestion window (KiB)	117.7	38.18	180	-0.416
Reno	Goodput (Mbps)	13.39	14.16	180	
BBR	Congestion window (KiB)	229.6	226.2	120	0.009
BBR	Goodput (Mbps)	12.54	13.11	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.8506	0.74	180	0.071
CUBIC	Goodput (Mbps)	12.54	12.83	180	
Reno	Smoothed RTT (ms)	0.7839	0.7305	180	0.004
Reno	Goodput (Mbps)	13.39	14.16	180	
BBR	Smoothed RTT (ms)	0.7389	0.734	120	-0.157
BBR	Goodput (Mbps)	12.54	13.11	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.5667	0	180	0.493
CUBIC	Goodput (Mbps)	12.54	12.83	180	
Reno	Retransmissions (packets)	0.75	0	180	0.327
Reno	Goodput (Mbps)	13.39	14.16	180	
BBR	Retransmissions (packets)	0.675	0	120	0.228
BBR	Goodput (Mbps)	12.54	13.11	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	44.62	35.35	183	--
BBR	Congestion window (KiB)	221	223.4	183	--
Reno	Congestion window (KiB)	88.81	38.18	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	2.571	0.729	183	--
BBR	Smoothed RTT (ms)	2.547	0.74	183	--
Reno	Smoothed RTT (ms)	2.423	0.7355	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.5944	0	180	--
BBR	Retransmissions (packets)	0.8833	1	180	--
Reno	Retransmissions (packets)	0.6917	0	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	13.44	12.84	180	--
BBR	Goodput (Mbps)	12.54	13.38	180	--
Reno	Goodput (Mbps)	12.53	13.36	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	45.12	35.35	180	0.113
CUBIC	Goodput (Mbps)	13.44	12.84	180	
BBR	Congestion window (KiB)	224.5	224.8	180	-0.001
BBR	Goodput (Mbps)	12.54	13.38	180	
Reno	Congestion window (KiB)	90.05	38.18	120	0.143
Reno	Goodput (Mbps)	12.53	13.36	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7794	0.727	180	-0.009
CUBIC	Goodput (Mbps)	13.44	12.84	180	
BBR	Smoothed RTT (ms)	0.8977	0.738	180	-0.170
BBR	Goodput (Mbps)	12.54	13.38	180	
Reno	Smoothed RTT (ms)	0.7398	0.732	120	-0.338
Reno	Goodput (Mbps)	12.53	13.36	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.5944	0	180	0.237
CUBIC	Goodput (Mbps)	13.44	12.84	180	
BBR	Retransmissions (packets)	0.8833	1	180	0.377
BBR	Goodput (Mbps)	12.54	13.38	180	
Reno	Retransmissions (packets)	0.6917	0	120	0.336
Reno	Goodput (Mbps)	12.53	13.36	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	65.67	36.77	61	--
Reno	Congestion window (KiB)	67.25	39.59	122	--
BBR	Congestion window (KiB)	212.5	214.9	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	2.286	0.638	61	--
Reno	Smoothed RTT (ms)	2.468	0.7285	122	--
BBR	Smoothed RTT (ms)	2.358	0.749	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	1.133	1	60	--
Reno	Retransmissions (packets)	0.725	0	120	--
BBR	Retransmissions (packets)	0.75	1	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	23.32	19.93	60	--
Reno	Goodput (Mbps)	15.37	15.73	120	--
BBR	Goodput (Mbps)	12.41	12.72	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	66.53	36.77	60	0.280
CUBIC	Goodput (Mbps)	23.32	19.93	60	
Reno	Congestion window (KiB)	68.13	39.59	120	0.033
Reno	Goodput (Mbps)	15.37	15.73	120	
BBR	Congestion window (KiB)	215.8	214.9	120	0.475
BBR	Goodput (Mbps)	12.41	12.72	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7111	0.638	60	-0.012
CUBIC	Goodput (Mbps)	23.32	19.93	60	
Reno	Smoothed RTT (ms)	0.8297	0.7265	120	0.199
Reno	Goodput (Mbps)	15.37	15.73	120	
BBR	Smoothed RTT (ms)	0.7611	0.749	120	-0.115
BBR	Goodput (Mbps)	12.41	12.72	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	1.133	1	60	0.064
CUBIC	Goodput (Mbps)	23.32	19.93	60	
Reno	Retransmissions (packets)	0.725	0	120	0.198
Reno	Goodput (Mbps)	15.37	15.73	120	
BBR	Retransmissions (packets)	0.75	1	120	0.195
BBR	Goodput (Mbps)	12.41	12.72	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	45.99	35.35	61	--
Reno	Congestion window (KiB)	89.32	36.77	122	--
BBR	Congestion window (KiB)	225.9	226.2	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	1.626	0.652	61	--
Reno	Smoothed RTT (ms)	1.781	0.7185	122	--
BBR	Smoothed RTT (ms)	1.797	0.737	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.6333	0	60	--
Reno	Retransmissions (packets)	0.8667	1	120	--
BBR	Retransmissions (packets)	0.6056	0	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	15.23	18.35	60	--
Reno	Goodput (Mbps)	15.27	15.73	120	--
BBR	Goodput (Mbps)	12.83	12.98	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	46.52	35.35	60	-0.475
CUBIC	Goodput (Mbps)	15.23	18.35	60	
Reno	Congestion window (KiB)	90.57	36.77	120	-0.527
Reno	Goodput (Mbps)	15.27	15.73	120	
BBR	Congestion window (KiB)	229.4	227	180	0.099
BBR	Goodput (Mbps)	12.83	12.98	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.6575	0.651	60	-0.013
CUBIC	Goodput (Mbps)	15.23	18.35	60	
Reno	Smoothed RTT (ms)	0.7316	0.7175	120	-0.190
Reno	Goodput (Mbps)	15.27	15.73	120	
BBR	Smoothed RTT (ms)	0.7609	0.7355	180	0.000
BBR	Goodput (Mbps)	12.83	12.98	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.6333	0	60	0.381
CUBIC	Goodput (Mbps)	15.23	18.35	60	
Reno	Retransmissions (packets)	0.8667	1	120	0.178
Reno	Goodput (Mbps)	15.27	15.73	120	
BBR	Retransmissions (packets)	0.6056	0	180	0.322
BBR	Goodput (Mbps)	12.83	12.98	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	49.3	35.35	122	--
BBR	Congestion window (KiB)	225.1	226.2	122	--
Reno	Congestion window (KiB)	77.97	48.08	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	3.962	0.7265	122	--
BBR	Smoothed RTT (ms)	3.945	0.742	122	--
Reno	Smoothed RTT (ms)	4.041	0.7505	122	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.6417	0	120	--
BBR	Retransmissions (packets)	0.675	0	120	--
Reno	Retransmissions (packets)	0.425	0	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	11.79	12.28	120	--
BBR	Goodput (Mbps)	11.73	13.37	120	--
Reno	Goodput (Mbps)	12.43	13.11	120	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	49.88	35.35	120	-0.102
CUBIC	Goodput (Mbps)	11.79	12.28	120	
BBR	Congestion window (KiB)	228.6	226.2	120	0.199
BBR	Goodput (Mbps)	11.73	13.37	120	
Reno	Congestion window (KiB)	79.03	48.08	120	-0.124
Reno	Goodput (Mbps)	12.43	13.11	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7564	0.726	120	-0.168
CUBIC	Goodput (Mbps)	11.79	12.28	120	
BBR	Smoothed RTT (ms)	0.7858	0.7405	120	-0.205
BBR	Goodput (Mbps)	11.73	13.37	120	
Reno	Smoothed RTT (ms)	0.7795	0.7495	120	-0.084
Reno	Goodput (Mbps)	12.43	13.11	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.6417	0	120	0.466
CUBIC	Goodput (Mbps)	11.79	12.28	120	
BBR	Retransmissions (packets)	0.675	0	120	0.414
BBR	Goodput (Mbps)	11.73	13.37	120	
Reno	Retransmissions (packets)	0.425	0	120	0.277
Reno	Goodput (Mbps)	12.43	13.11	120	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	51.88	36.77	183	--
Reno	Congestion window (KiB)	57.86	38.18	183	--
BBR	Congestion window (KiB)	225.6	229.1	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	1.986	0.725	183	--
Reno	Smoothed RTT (ms)	1.785	0.75	183	--
BBR	Smoothed RTT (ms)	1.81	0.731	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.4833	0	180	--
Reno	Retransmissions (packets)	0.6167	0	180	--
BBR	Retransmissions (packets)	0.8444	1	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	14.82	13.94	180	--
Reno	Goodput (Mbps)	14.89	16.13	180	--
BBR	Goodput (Mbps)	13.49	14.16	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	52.51	36.77	180	0.177
CUBIC	Goodput (Mbps)	14.82	13.94	180	
Reno	Congestion window (KiB)	58.59	38.18	180	-0.293
Reno	Goodput (Mbps)	14.89	16.13	180	
BBR	Congestion window (KiB)	229.1	229.1	180	0.107
BBR	Goodput (Mbps)	13.49	14.16	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7458	0.7245	180	-0.155
CUBIC	Goodput (Mbps)	14.82	13.94	180	
Reno	Smoothed RTT (ms)	0.8261	0.746	180	-0.120
Reno	Goodput (Mbps)	14.89	16.13	180	
BBR	Smoothed RTT (ms)	0.8633	0.7295	180	-0.120
BBR	Goodput (Mbps)	13.49	14.16	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.4833	0	180	0.002
CUBIC	Goodput (Mbps)	14.82	13.94	180	
Reno	Retransmissions (packets)	0.6167	0	180	0.253
Reno	Goodput (Mbps)	14.89	16.13	180	
BBR	Retransmissions (packets)	0.8444	1	180	0.273
BBR	Goodput (Mbps)	13.49	14.16	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	49.37	42.42	183	--
Reno	Congestion window (KiB)	104.2	45.25	183	--
BBR	Congestion window (KiB)	199.9	209.3	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	2.685	0.753	183	--
Reno	Smoothed RTT (ms)	2.726	0.786	183	--
BBR	Smoothed RTT (ms)	2.713	0.796	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.4556	0	180	--
Reno	Retransmissions (packets)	0.1389	0	180	--
BBR	Retransmissions (packets)	0.2111	0	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	8.693	9.967	180	--
Reno	Goodput (Mbps)	4.026	0.5249	180	--
BBR	Goodput (Mbps)	2.975	0.5244	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	49.96	42.42	180	-0.206
CUBIC	Goodput (Mbps)	8.693	9.967	180	
Reno	Congestion window (KiB)	105.7	45.25	180	0.385
Reno	Goodput (Mbps)	4.026	0.5249	180	
BBR	Congestion window (KiB)	203	210.7	180	0.219
BBR	Goodput (Mbps)	2.975	0.5244	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.7589	0.752	180	-0.266
CUBIC	Goodput (Mbps)	8.693	9.967	180	
Reno	Smoothed RTT (ms)	0.8451	0.783	180	0.107
Reno	Goodput (Mbps)	4.026	0.5249	180	
BBR	Smoothed RTT (ms)	0.8339	0.7945	180	0.051
BBR	Goodput (Mbps)	2.975	0.5244	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.4556	0	180	0.404
CUBIC	Goodput (Mbps)	8.693	9.967	180	
Reno	Retransmissions (packets)	0.1389	0	180	0.493
Reno	Goodput (Mbps)	4.026	0.5249	180	
BBR	Retransmissions (packets)	0.2111	0	180	0.428
BBR	Goodput (Mbps)	2.975	0.5244	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	62.47	43.84	122	--
Reno	Congestion window (KiB)	87.71	38.18	183	--
BBR	Congestion window (KiB)	221.8	220.6	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	2.437	0.718	122	--
Reno	Smoothed RTT (ms)	2.382	0.748	183	--
BBR	Smoothed RTT (ms)	2.415	0.743	183	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.4	0	120	--
Reno	Retransmissions (packets)	0.5944	0	180	--
BBR	Retransmissions (packets)	0.7	0	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Goodput (Mbps)	15.62	16.52	120	--
Reno	Goodput (Mbps)	14.85	16.12	180	--
BBR	Goodput (Mbps)	12.09	12.84	180	--

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.




Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Congestion window (KiB)	63.28	43.84	120	-0.045
CUBIC	Goodput (Mbps)	15.62	16.52	120	
Reno	Congestion window (KiB)	88.94	38.18	180	-0.187
Reno	Goodput (Mbps)	14.85	16.12	180	
BBR	Congestion window (KiB)	225.3	221.3	180	0.105
BBR	Goodput (Mbps)	12.09	12.84	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.



Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Smoothed RTT (ms)	0.8274	0.7145	120	-0.096
CUBIC	Goodput (Mbps)	15.62	16.52	120	
Reno	Smoothed RTT (ms)	0.7534	0.7435	180	-0.213
Reno	Goodput (Mbps)	14.85	16.12	180	
BBR	Smoothed RTT (ms)	0.7655	0.738	180	-0.022
BBR	Goodput (Mbps)	12.09	12.84	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.



Algorithm	Metric	Mean	Median	n	Pearson r
CUBIC	Retransmissions (packets)	0.4	0	120	0.351
CUBIC	Goodput (Mbps)	15.62	16.52	120	
Reno	Retransmissions (packets)	0.5944	0	180	0.253
Reno	Goodput (Mbps)	14.85	16.12	180	
BBR	Retransmissions (packets)	0.7	0	180	0.276
BBR	Goodput (Mbps)	12.09	12.84	180	

Sample-weighted; valid plotted samples pooled across repetitions. Pearson r is descriptive, not causal.