

a
BC–Alaska coast
Scandinavia
Alps
US Northwest
NE North America
Caucasus–Türkiye
Hindu Kush–
Himalaya
Change in snow-dominated
AR extremes (%)
−25 −10 0 10 25
Southern Andes
b
Below freezing
0.50 at 0 °C
0.24 at −4 °C
Landslide probability
(relative to 6 °C)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
−10 −5 0 5 10
2-day mean T_{2m} (°C)
All, 95% band
Norway
United States
Italy
Global (GLC)
Global fatal
c
Same cell, vs ≥4 °C
0 to 4 °C
−4 to 0 °C
Below −4 °C
Per inventory, <0 vs ≥0 °C
Norway
United States
Italy
Global (GLC)
Global fatal
0.1 0.3 1 2
Relative landslide probability
d
Snow-dominated AR
extremes (%)
100
80
60
40
20
0
1950 1970 1990 2010
e
1941–1970
1995–2024
NE North America
Alps
Caucasus–Türkiye
Southern Andes
US Northwest
Scandinavia
Hindu Kush–Himalaya
BC–Alaska coast
All land 25–72° N
All land 25–56° S
0 40 80
Snow-dominated land (%)
f
Change in snow-
dominated share (%)
0
−5
−10
Mountains
25–72° N
0 20 40 60 80 100
Snow share in
1971–1994 (%)