

Page 1 of 3 This information was generated by the HP KEYMARK database on 18 Mar 2022

Login

| Summary of | Yutampo II - RAW-35NHB & TAW-270NHB | Reg. No. | 041-K002-28 | |
|---------------------|--|----------|-------------|--|
| Certificate Holder | | | | |
| Name | Johnson Controls-Hitachi AirConditioning Spain | | | |
| Address | Ronda Shimizu, 1. Pol. Ind. Can Torrella | Zip | 08233 | |
| City | Vacarisses, Barcelona | Country | Spain | |
| Certification Body | BRE Global Limited | | | |
| Subtype title | Yutampo II - RAW-35NHB & TAW-270NHB | | | |
| Heat Pump Type | Heat Pump for Domestic Hot Water (DHW) | | | |
| Refrigerant | R410A | | | |
| Mass of Refrigerant | 1.2 kg | | | |



This information was generated by the HP KEYMARK database on 18 Mar 2022

Model: RAW-35NHB & TAW-270NHB

| Configure model | | | |
|-----------------------------|------------------------|--|--|
| Model name | RAW-35NHB & TAW-270NHB | | |
| Units | Indoor + Outdoor | | |
| Climate zone (for heating) | n/a | | |
| Heat Source | n/a | | |
| Any additional heat sources | n/a | | |

| General Data | | |
|------------------|-------------|--|
| Power supply | 1x230V 50Hz | |
| Off-peak product | Yes | |



This information was generated by the HP KEYMARK database on 18 Mar 2022

Domestic Hot Water (DHW)

Average Climate

| EN 12102-2 | | |
|---------------------------|----------|--|
| Sound power level indoor | 0 dB(A) | |
| Sound power level outdoor | 63 dB(A) | |

| EN 16147 | | | |
|---------------------------------|------------|--|--|
| Declared load profile | XL | | |
| Efficiency ηDHW | 125 % | | |
| СОР | 3.20 | | |
| Heating up time | 3:35 h:min | | |
| Standby power input | 20.0 W | | |
| Reference hot water temperature | 53.8 °C | | |
| Mixed water at 40°C | 356 I | | |