

This information was generated by the HP KEYMARK database on 23 Jun 2022

[Login](#)

Summary of	COMBO RSJA2-16/190S	Reg. No.	ICIM-PDC-000153
Certificate Holder			
Name	Frigicoll		
Address	Blasco de Garay, 4 6	Zip	08960
City	Sant Just Desvern	Country	Spain
Certification Body	ICIM S.p.A.		
Subtype title	COMBO RSJA2-16/190S		
Heat Pump Type	Heat Pump for Domestic Hot Water (DHW)		
Refrigerant	R134a		
Mass of Refrigerant	1.1 kg		
Certification Date	12.04.2022		
Testing basis	HP KEYMARK certification scheme rules rev. no. 4		

This information was generated by the HP KEYMARK database on 23 Jun 2022

Model: RSJA2-16/190S

Configure model	
Model name	RSJA2-16/190S
Units	Indoor
Climate zone (for heating)	n/a
Heat Source	n/a
Any additional heat sources	n/a

General Data	
Power supply	1x230V 50Hz
Off-peak product	No

Domestic Hot Water (DHW)

Average Climate

EN 12102-2	
Sound power level indoor	51 dB(A)

EN 16147	
Declared load profile	L
Efficiency η_{DHW}	115 %
COP	2.76
Heating up time	7:01 h:min
Standby power input	26.3 W
Reference hot water temperature	53.8 °C
Mixed water at 40°C	234 l

Operating test

EN 16147	
Temperature operating range	passed
Safety devices checking test	passed
Condensate draining	passed