

Page 1 of 4

This information was generated by the HP KEYMARK database on 18 Mar 2022

<u>Login</u>			
Summary of	Triple C R32 - RAM-90NYP5E & TAW-190RHC	Reg. No.	041-K002-46
Certificate Holder			
Name	Johnson Controls-Hitachi AirConditioning Spain		
Address	Ronda Shimizu, 1. Pol. Ind. Can Torrella	Zip	08233
City	Vacarisses, Barcelona	Country	Spain
Certification Body	BRE Global Limited	·	
Subtype title	Triple C R32 - RAM-90NYP5E & TAW-190RHC		
Heat Pump Type	Heat Pump for Domestic Hot Water (DHW)		
Refrigerant	R32		
Mass of Refrigerant	2.4 kg		
Certification Date	07.08.2020		
Testing basis	HP Keymark Scheme Rules Rev 07		



This information was generated by the HP KEYMARK database on 18 Mar 2022

Model: RAM-90NYP5E & TAW-190RHC

Configure model		
Model name	RAM-90NYP5E & TAW-190RHC	
Units	Indoor + Outdoor	
Climate zone (for heating)	Warmer	
Heat Source	Outdoor Air	
Any additional heat sources	n/a	

General Data	
Power supply	1x230V 50Hz
Off-peak product	Yes

Domestic Hot Water (DHW)

Operating test

EN 16147		
Temperature operating range	passed	
Safety devices checking test	passed	
Condensate draining	passed	

Average Climate

EN 12102-2	
Sound power level outdoor	65 dB(A)
Sound power level indoor	0 dB(A)



 $$\operatorname{\textit{Page}}\xspace$ 3 of 4 This information was generated by the HP KEYMARK database on 18 Mar 2022

EN 16147	
Declared load profile	L
Efficiency ηDHW	110 %
СОР	2.72
Heating up time	2:10 h:min
Standby power input	27.0 W
Reference hot water temperature	52.6 °C
Mixed water at 40°C	256 I

Warmer Climate

EN 12102-2	
Sound power level outdoor	65 dB(A)
Sound power level indoor	0 dB(A)





This information was generated by the HP KEYMARK database on 18 Mar 2022

EN 16147	
Declared load profile	L
Efficiency ηDHW	122 %
СОР	3.00
Heating up time	2:00 h:min
Standby power input	27.0 W
Reference hot water temperature	52.6 °C
Mixed water at 40°C	256 l