

1. A company is evaluating cloud storage providers for their sensitive data. Which of the following should be the PRIMARY consideration when selecting a provider?
 - A) Cost
 - B) Data center location
 - C) Availability
 - D) Encryption at rest

2. An organization has discovered unauthorized access to their internal network. Which of the following steps should be taken FIRST in the incident response process?
 - A) Containment
 - B) Identification
 - C) Eradication
 - D) Recovery

3. A security analyst is reviewing the logs from a web server and notices multiple attempts to access the server using different IP addresses. Which of the following attacks is most likely being attempted?
 - A) Phishing
 - B) DDoS
 - C) Brute force
 - D) Man-in-the-middle

4. Which of the following is a primary advantage of using role-based access control (RBAC) for managing user privileges?
 - A) It provides non-repudiation.
 - B) It simplifies administration.
 - C) It enforces separation of duties.
 - D) It improves system performance.

5. An organization is implementing an application that processes credit card data. Which of the following compliance standards must they adhere to?
 - A) HIPAA
 - B) GDPR
 - C) PCI-DSS
 - D) SOX

6. Which type of security testing involves simulating an attack on a system to discover vulnerabilities?
 - A) Penetration testing
 - B) Vulnerability scanning
 - C) Security audits
 - D) Code reviews

7. In a secure software development lifecycle (SDLC), when should security requirements be defined?
 - A) During the design phase
 - B) During the development phase
 - C) During the testing phase
 - D) During the deployment phase

8. A security analyst is asked to assess the risk of a newly discovered vulnerability. Which of the following factors should they consider?
 - A) Asset value, vulnerability severity, and threat likelihood
 - B) Attack surface, vulnerability severity, and exploitability
 - C) Asset value, attack surface, and exploitability
 - D) Vulnerability severity, threat likelihood, and exploitability

9. Which of the following is the PRIMARY purpose of a public key infrastructure (PKI)?
 - A) To establish trust between parties
 - B) To store encryption keys
 - C) To protect data at rest
 - D) To enforce access controls

10. A company is setting up a new wireless network. Which of the following encryption methods would provide the STRONGEST security?
 - A) WEP
 - B) WPA
 - C) WPA2
 - D) WPA3

11. An organization is implementing a security policy requiring employees to change their passwords every 60 days. Which security principle does this policy address?
- A) Least privilege
 - B) Separation of duties
 - C) Defense in depth
 - D) Password aging
12. Which of the following is an example of a security control that provides redundancy?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
13. In the context of the CIA triad, which of the following best describes the principle of integrity?
- A) Ensuring that data is not modified without authorization
 - B) Ensuring that data is available when needed
 - C) Ensuring that data is confidential and only accessed by authorized users
 - D) Ensuring that data is protected from unauthorized disclosure
14. What type of network segmentation should be used to separate sensitive systems from other systems on a network?
- A) VLAN
 - B) Subnet
 - C) DMZ
 - D) VPN
15. A security analyst suspects a system has been compromised by malware. Which of the following should be done FIRST to preserve evidence?
- A) Disconnect the system from the network
 - B) Reboot the system
 - C) Perform a full system scan
 - D) Create a disk image of the system
16. Which of the following is an example of a biometric authentication method?
- A) Password
 - B) Security token
 - C) Fingerprint scanner
 - D) Smart card

17. Which of the following types of cryptography relies on a single shared key for both encryption and decryption?
- A) Symmetric cryptography
 - B) Asymmetric cryptography
 - C) Hash functions
 - D) Digital signatures
18. A company wants to secure their email communications by ensuring the authenticity of the sender and the integrity of the email content. Which of the following should be implemented?
- A) S/MIME
 - B) SSH
 - C) SSL/TLS
 - D) IPSec
19. An organization has decided to use a hybrid cloud deployment model for their new application. What is the PRIMARY reason for this decision?
- A) To reduce costs
 - B) To improve performance
 - C) To provide flexibility
 - D) To increase security
20. Which type of access control model is based on the classification of information and user clearances?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
21. In a risk assessment, what is the purpose of assigning a risk score?
- A) To prioritize risks based on their potential impact
 - B) To quantify the potential financial loss of a risk
 - C) To calculate the probability of a risk occurring
 - D) To determine the effectiveness of security controls
22. What is the PRIMARY purpose of a security information and event management (SIEM) system?
- A) To provide real-time analysis of security alerts
 - B) To manage security policies across an organization
 - C) To detect and prevent network intrusions
 - D) To store and archive log files

23. Which of the following best describes the concept of defense in depth?
- A) Implementing multiple security controls to protect a single asset
 - B) Focusing security efforts on the most valuable assets
 - C) Layering security controls to achieve a desired level of protection
 - D) Applying security controls evenly across an organization's assets
24. Which type of attack involves intercepting and modifying communication between two parties without their knowledge?
- A) Man-in-the-middle
 - B) Denial of service
 - C) Phishing
 - D) Brute force
25. In a disaster recovery plan, what is the PRIMARY purpose of a hot site?
- A) To store backups of critical data
 - B) To test recovery procedures
 - C) To provide a fully operational environment in the event of a disaster
 - D) To serve as a temporary location for employees to work
26. An organization wants to implement a solution to prevent unauthorized USB devices from being used. Which of the following controls would be MOST effective?
- A) Technical
 - B) Administrative
 - C) Physical
 - D) Detective
27. Which of the following is a primary goal of security awareness training?
- A) Reduce the risk of security breaches
 - B) Improve employee productivity
 - C) Meet compliance requirements
 - D) Increase employee morale
28. Which of the following is a key component of a business continuity plan (BCP)?
- A) Vulnerability assessment
 - B) Penetration testing
 - C) Business impact analysis
 - D) Risk assessment

29. A company is deploying a new application that requires secure communication between clients and the server. Which of the following protocols would BEST meet this requirement?
- A) FTP
 - B) HTTP
 - C) HTTPS
 - D) SMTP
30. Which of the following is an example of a technical control?
- A) Security policy
 - B) Background checks
 - C) Firewalls
 - D) Locked doors
31. Which of the following access control models allows users to have full control over the data they own?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
32. What is the main difference between a vulnerability assessment and a penetration test?
- A) A vulnerability assessment is automated, while a penetration test is manual
 - B) A vulnerability assessment identifies potential weaknesses, while a penetration test exploits them
 - C) A vulnerability assessment focuses on external threats, while a penetration test focuses on internal threats
 - D) A vulnerability assessment is conducted by an internal team, while a penetration test is conducted by an external team
33. Which of the following is the PRIMARY purpose of an intrusion detection system (IDS)?
- A) To block unauthorized access
 - B) To detect potential security breaches
 - C) To provide real-time analysis of security alerts
 - D) To analyze and store log files
34. A company wants to protect sensitive data on their laptops from being accessed if the devices are lost or stolen. Which of the following would be the BEST solution?
- A) Data loss prevention (DLP) software
 - B) Full-disk encryption
 - C) Two-factor authentication
 - D) Biometric authentication

35. Which of the following risk management strategies involves transferring the risk to another party?
- A) Mitigation
 - B) Acceptance
 - C) Avoidance
 - D) Transference
36. A security analyst has discovered a vulnerability in a web application. The vulnerability allows an attacker to execute arbitrary commands on the server. Which of the following types of attacks does this vulnerability enable?
- A) Cross-site scripting (XSS)
 - B) SQL injection
 - C) Command injection
 - D) Buffer overflow
37. A company has implemented a security policy that requires all employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
38. Which of the following is an example of a physical security control?
- A) Firewalls
 - B) Security cameras
 - C) Intrusion detection systems
 - D) Encryption
39. A company is implementing a multi-factor authentication solution for remote access. Which of the following is an example of an authentication factor that could be used?
- A) Something you know
 - B) Something you have
 - C) Something you are
 - D) All of the above

40. An organization wants to ensure that sensitive data is protected from unauthorized access during transmission over the Internet. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures
41. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)
42. A security analyst has received an alert indicating a possible security breach. Which of the following steps should be taken NEXT in the incident response process?
- A) Containment
 - B) Identification
 - C) Eradication
 - D) Recovery
43. Which of the following is a key component of a secure software development lifecycle (SDLC)?
- A) Continuous monitoring
 - B) Security requirements definition
 - C) Periodic vulnerability assessments
 - D) Incident response planning
44. In a risk assessment, which of the following factors should be considered when calculating the potential impact of a risk?
- A) Asset value, vulnerability severity, and threat likelihood
 - B) Asset value, threat likelihood, and risk mitigation cost
 - C) Asset value, vulnerability severity, and risk mitigation cost
 - D) Asset value, threat likelihood, and residual risk

45. Which of the following types of firewalls inspects packets at the application layer of the OSI model?
- A) Packet filtering firewall
 - B) Stateful inspection firewall
 - C) Circuit-level gateway
 - D) Application-level gateway
46. A company is implementing a new security policy that requires employees to lock their computers when they are away from their desks. Which of the following security principles does this policy address?
- A) Least privilege
 - B) Separation of duties
 - C) Defense in depth
 - D) User accountability
47. Which of the following is an example of a detective security control?
- A) Encryption
 - B) Firewalls
 - C) Security cameras
 - D) Intrusion prevention systems
48. An organization has implemented a strict password policy to protect against brute force attacks. Which of the following additional controls would be MOST effective in preventing unauthorized access to user accounts?
- A) Intrusion detection system (IDS)
 - B) Account lockout policy
 - C) Two-factor authentication
 - D) Security awareness training
49. Which of the following is the PRIMARY purpose of a digital certificate?
- A) To prove the identity of the certificate holder
 - B) To store encryption keys
 - C) To protect data at rest
 - D) To enforce access controls
50. An organization wants to improve the security of their web application by encrypting sensitive data and ensuring the confidentiality of user sessions. Which of the following technologies should be implemented?
- A) SSL/TLS
 - B) S/MIME
 - C) IPSec
 - D) SSH

51. A company is deploying a new application that processes sensitive information. Which of the following should be considered when selecting a secure development methodology?
- A) Ease of use
 - B) Development speed
 - C) Compliance requirements
 - D) Integration with existing systems
52. An organization wants to implement a secure remote access solution for their employees. Which of the following technologies would be BEST suited for this purpose?
- A) VPN
 - B) VLAN
 - C) DMZ
 - D) WPA2
53. Which of the following is the PRIMARY purpose of a honeypot?
- A) To catch attackers before they can access the real system
 - B) To monitor and analyze attacker behavior
 - C) To block unauthorized access
 - D) To store and archive log files
54. A security analyst is reviewing the logs from a web server and notices multiple attempts to access the server using different IP addresses. Which of the following attacks is most likely being attempted?
- A) Phishing
 - B) DDoS
 - C) Brute force
 - D) Man-in-the-middle
55. An organization is implementing a solution to protect against insider threats. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication

56. Which of the following is an example of a policy violation that could lead to data leakage?
- A) Using weak passwords
 - B) Sharing confidential information with unauthorized parties
 - C) Failing to apply security patches
 - D) Connecting unsecured devices to the network
57. A company is implementing a data classification policy. Which of the following is the PRIMARY purpose of classifying data?
- A) To determine the value of data
 - B) To prioritize data protection efforts
 - C) To manage data retention
 - D) To comply with legal requirements
58. Which of the following is the PRIMARY goal of a security audit?
- A) To identify vulnerabilities and weaknesses in an organization's security posture
 - B) To test the effectiveness of security controls
 - C) To detect and prevent network intrusions
 - D) To maintain compliance with industry standards
59. Which of the following best describes the concept of separation of duties?
- A) Ensuring that no single individual has control over all aspects of a critical process
 - B) Ensuring that only authorized users can access specific resources
 - C) Ensuring that multiple security controls are in place to protect a single asset
 - D) Ensuring that users are granted the minimum necessary privileges
60. Which of the following is an example of a security control that provides availability?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption

61. A company wants to protect the integrity of their data. Which of the following cryptographic concepts should they implement?
- A) Digital signatures
 - B) Symmetric encryption
 - C) Asymmetric encryption
 - D) Secure hashing algorithms
62. Which of the following is an example of a security control that provides confidentiality?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
63. An organization is implementing a solution to ensure that their email communications cannot be intercepted and read by unauthorized parties. Which of the following should be used?
- A) Digital signatures
 - B) End-to-end encryption
 - C) Secure hashing algorithms
 - D) Public key infrastructure (PKI)
64. A company is implementing a new security policy that requires all employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
65. In the context of information security, what is the primary purpose of a gap analysis?
- A) To identify vulnerabilities in an organization's security posture
 - B) To measure the effectiveness of security controls
 - C) To compare the current security state with a desired state
 - D) To determine the potential impact of a security breach
66. Which of the following is an example of a security control that provides integrity?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Digital signatures

67. An organization wants to ensure that only authorized personnel can access certain areas of their building. Which of the following access control methods would be MOST effective?
- A) Smart cards
 - B) Biometric authentication
 - C) Passwords
 - D) Security tokens
68. Which of the following is an example of an administrative security control?
- A) Firewalls
 - B) Security cameras
 - C) Security policies
 - D) Encryption
69. Which of the following is an example of a preventive security control?
- A) Security cameras
 - B) Intrusion Detection System (IDS)
 - C) Firewalls
 - D) Data backup
70. A company has discovered that an employee has been sending sensitive information to a competitor. Which of the following incident response steps should be taken FIRST?
- A) Containment
 - B) Identification
 - C) Eradication
 - D) Recovery
71. Which of the following is the PRIMARY purpose of log management?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To provide a historical record of system activity
 - D) To analyze and store log files
72. An organization is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)

73. A security analyst is reviewing logs and notices a significant increase in the number of failed login attempts. Which of the following attacks is most likely being attempted?
- A) Phishing
 - B) DDoS
 - C) Brute force
 - D) Man-in-the-middle
74. An organization is implementing a solution to protect against data leakage. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
75. An organization wants to ensure that their email communications cannot be intercepted and read by unauthorized parties. Which of the following should be used?
- A) Digital signatures
 - B) End-to-end encryption
 - C) Secure hashing algorithms
 - D) Public key infrastructure (PKI)
76. Which of the following is a key component of a disaster recovery plan (DRP)?
- A) Business impact analysis
 - B) Security policy development
 - C) Risk assessment
 - D) Incident response planning
77. A company wants to ensure that their data remains secure in the event of a hardware failure. Which of the following would be the BEST solution?
- A) Data encryption
 - B) Intrusion prevention system (IPS)
 - C) Data backup and redundancy
 - D) Network segmentation

78. An organization is concerned about unauthorized access to their network by external attackers. Which of the following should be implemented to protect against this type of threat?
- A) Firewall
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Intrusion detection system (IDS)
79. A company is implementing a new security policy that requires employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
80. Which of the following is an example of a security control that provides non-repudiation?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Firewall
81. An organization is implementing a solution to protect against social engineering attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
82. Which of the following access control models is based on predefined roles and associated permissions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
83. Which of the following is an example of a compensating security control?
- A) Firewall
 - B) Intrusion detection system (IDS)
 - C) Security cameras
 - D) Data backup

84. A company has implemented a Bring Your Own Device (BYOD) policy. Which of the following would be the MOST effective control to prevent unauthorized access to company resources?
- A) Mobile device management (MDM) solution
 - B) Security awareness training
 - C) Network segmentation
 - D) Intrusion prevention system (IPS)
85. An organization wants to ensure the confidentiality of data stored on their servers. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures
86. A company is implementing a new security policy that requires all employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
87. Which of the following is a key component of a vulnerability management program?
- A) Continuous monitoring
 - B) Security requirements definition
 - C) Periodic vulnerability assessments
 - D) Incident response planning
88. An organization wants to implement a solution to protect against phishing attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
89. Which of the following is the PRIMARY purpose of a risk assessment?
- A) To identify vulnerabilities and weaknesses in an organization's security posture
 - B) To test the effectiveness of security controls
 - C) To detect and prevent network intrusions
 - D) To maintain compliance with industry standards

90. Which of the following is an example of a security control that provides confidentiality?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
91. An organization is concerned about the potential for unauthorized access to sensitive data stored on employees' laptops. Which of the following would be the BEST solution to address this concern?
- A) Full-disk encryption
 - B) Intrusion prevention system (IPS)
 - C) Security awareness training
 - D) Two-factor authentication
92. Which of the following is an example of a physical security control?
- A) Firewalls
 - B) Security cameras
 - C) Security policies
 - D) Encryption
93. An organization is implementing a solution to protect against unauthorized access to their network by internal users. Which of the following would be the BEST solution to address this concern?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
94. A company wants to ensure that their sensitive data is protected from unauthorized access during transmission over the Internet. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures

95. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)
96. An organization has implemented a strict password policy to protect against brute force attacks. Which of the following additional controls would be MOST effective in preventing unauthorized access to user accounts?
- A) Intrusion detection system (IDS)
 - B) Account lockout policy
 - C) Two-factor authentication
 - D) Security awareness training
97. Which of the following is an example of a detective security control?
- A) Encryption
 - B) Firewalls
 - C) Security cameras
 - D) Intrusion prevention systems
98. An organization wants to implement a secure remote access solution for their employees. Which of the following technologies would be BEST suited for this purpose?
- A) VPN
 - B) VLAN
 - C) DMZ
 - D) WPA2
99. Which of the following is the PRIMARY purpose of a digital certificate?
- A) To prove the identity of the certificate holder
 - B) To store encryption keys
 - C) To protect data at rest
 - D) To enforce access controls

100. A company is deploying a new application that processes sensitive information. Which of the following should be considered when selecting a secure development methodology?
- A) Ease of use
 - B) Development speed
 - C) Compliance requirements
 - D) Integration with existing systems
101. An organization wants to implement a secure authentication method for their users. Which of the following would provide the HIGHEST level of security?
- A) Passwords
 - B) Smart cards
 - C) Biometric authentication
 - D) Security tokens
102. A security administrator is reviewing access control lists (ACLs) to ensure that the principle of least privilege is being followed. Which of the following actions is the administrator MOST likely to take?
- A) Adding permissions for new employees
 - B) Removing permissions for terminated employees
 - C) Reducing the number of users with administrative access
 - D) Increasing the complexity of access requirements
103. Which of the following describes the primary purpose of a Security Information and Event Management (SIEM) system?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To collect, analyze, and correlate log data from multiple sources
 - D) To identify vulnerabilities and weaknesses in an organization's security posture
104. Which of the following is an example of a preventive security control?
- A) Security cameras
 - B) Intrusion Detection System (IDS)
 - C) Firewalls
 - D) Data backup

105. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)
106. Which of the following is the PRIMARY goal of a security audit?
- A) To identify vulnerabilities and weaknesses in an organization's security posture
 - B) To test the effectiveness of security controls
 - C) To detect and prevent network intrusions
 - D) To maintain compliance with industry standards
107. An organization is implementing a solution to ensure that their email communications cannot be intercepted and read by unauthorized parties. Which of the following should be used?
- A) Digital signatures
 - B) End-to-end encryption
 - C) Secure hashing algorithms
 - D) Public key infrastructure (PKI)
108. Which of the following is an example of a security control that provides availability?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
109. A company wants to protect the integrity of their data. Which of the following cryptographic concepts should they implement?
- A) Digital signatures
 - B) Symmetric encryption
 - C) Asymmetric encryption
 - D) Secure hashing algorithms

110. Which of the following is an example of a security control that provides confidentiality?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
111. In the context of information security, what is the primary purpose of a gap analysis?
- A) To identify vulnerabilities in an organization's security posture
 - B) To measure the effectiveness of security controls
 - C) To compare the current security state with a desired state
 - D) To determine the potential impact of a security breach
112. A company is implementing a data classification policy. Which of the following is the PRIMARY purpose of classifying data?
- A) To determine the value of data
 - B) To prioritize data protection efforts
 - C) To manage data retention
 - D) To comply with legal requirements
113. A company is implementing a new security policy that requires all employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
114. An organization is implementing a solution to protect against insider threats. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication

115. Which of the following is an example of a security control that provides integrity?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Digital signatures
116. An organization wants to ensure that their data remains secure in the event of a hardware failure. Which of the following would be the BEST solution?
- A) Data encryption
 - B) Intrusion prevention system (IPS)
 - C) Data backup and redundancy
 - D) Network segmentation
117. Which of the following access control models is based on user attributes and environmental conditions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
118. An organization is implementing a solution to protect against unauthorized access to their network by internal users. Which of the following would be the BEST solution to address this concern?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
119. Which of the following is the PRIMARY goal of security incident management?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To minimize the impact of security incidents
 - D) To identify vulnerabilities and weaknesses in an organization's security posture

120. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)
121. Which of the following is a key component of a business continuity plan (BCP)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident response planning
 - D) Resource prioritization
122. A company wants to ensure that their data remains secure in the event of a hardware failure. Which of the following would be the BEST solution?
- A) Data encryption
 - B) Intrusion prevention system (IPS)
 - C) Data backup and redundancy
 - D) Network segmentation
123. An organization is concerned about unauthorized access to their network by external attackers. Which of the following should be implemented to protect against this type of threat?
- A) Firewall
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Intrusion detection system (IDS)
124. A company is implementing a new security policy that requires employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability

D) Accountability

125. Which of the following is an example of a security control that provides non-repudiation?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Firewall
126. An organization is implementing a solution to protect against social engineering attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
127. Which of the following access control models is based on predefined roles and associated permissions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
128. Which of the following is an example of a compensating security control?
- A) Firewall
 - B) Intrusion detection system (IDS)
 - C) Security cameras
 - D) Data backup
129. A company has implemented a Bring Your Own Device (BYOD) policy. Which of the following would be the MOST effective control to prevent unauthorized access to company resources?
- A) Mobile device management (MDM) solution
 - B) Security awareness training
 - C) Network segmentation
 - D) Intrusion prevention system (IPS)

130. An organization wants to ensure the confidentiality of data stored on their servers. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures.
131. Which of the following is a key component of an incident response plan (IRP)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident classification
 - D) Resource prioritization
132. Which of the following security controls would be MOST effective in protecting against a distributed denial-of-service (DDoS) attack?
- A) Firewall
 - B) Intrusion prevention system (IPS)
 - C) Data loss prevention (DLP) software
 - D) Network segmentation
133. An organization is concerned about unauthorized access to their network by external attackers. Which of the following should be implemented to protect against this type of threat?
- A) Firewall
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Intrusion detection system (IDS)
134. Which of the following is an example of a security control that provides accountability?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Audit logs

135. An organization is implementing a solution to protect against man-in-the-middle (MITM) attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Public key infrastructure (PKI)
136. Which of the following access control models is based on user attributes and environmental conditions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
137. An organization is implementing a solution to protect against unauthorized access to their network by internal users. Which of the following would be the BEST solution to address this concern?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
138. Which of the following is the PRIMARY goal of a vulnerability assessment?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To minimize the impact of security incidents
 - D) To identify vulnerabilities and weaknesses in an organization's security posture
139. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)

140. An organization wants to ensure the confidentiality of data stored on their servers. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures
141. An organization is implementing a solution to protect against unauthorized access to their network by internal users. Which of the following would be the BEST solution to address this concern?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
142. Which of the following is the PRIMARY purpose of risk management in the context of information security?
- A) To eliminate all possible risks
 - B) To reduce the likelihood and impact of security incidents
 - C) To ensure compliance with industry standards
 - D) To increase the organization's security posture
143. A company is implementing a new security policy that requires employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
144. Which of the following is an example of a security control that provides non-repudiation?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Firewall

145. Which of the following would be the MOST effective control to protect against phishing attacks?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
146. An organization is implementing a solution to protect against ransomware attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data backup and redundancy
 - C) Security awareness training
 - D) Network segmentation
147. Which of the following is an example of a security control that provides integrity?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Digital signatures
148. Which of the following is a key component of a disaster recovery plan (DRP)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident response planning
 - D) Recovery point objective (RPO)
149. A company wants to protect the integrity of their data. Which of the following cryptographic concepts should they implement?
- A) Digital signatures
 - B) Symmetric encryption
 - C) Asymmetric encryption
 - D) Secure hashing algorithms
150. Which of the following access control models is based on the classification of data and user clearances?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)

151. Which of the following is a key component of a business impact analysis (BIA)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident response planning
 - D) Determining critical functions and their recovery time objectives (RTOs)
152. A company is implementing a new security policy that requires all employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
153. An organization is implementing a solution to protect against data exfiltration by malicious insiders. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
154. Which of the following is the PRIMARY purpose of a penetration test?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To identify vulnerabilities and weaknesses in an organization's security posture
 - D) To test the effectiveness of security controls
155. Which of the following is an example of a security control that provides availability?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption

156. An organization is implementing a solution to ensure that their email communications cannot be intercepted and read by unauthorized parties. Which of the following should be used?
- A) Digital signatures
 - B) End-to-end encryption
 - C) Secure hashing algorithms
 - D) Public key infrastructure (PKI)
157. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)
158. In the context of information security, what is the primary purpose of a gap analysis?
- A) To identify vulnerabilities in an organization's security posture
 - B) To measure the effectiveness of security controls
 - C) To compare the current security state with a desired state
 - D) To determine the potential impact of a security breach
159. A company is implementing a data classification policy. Which of the following is the PRIMARY purpose of classifying data?
- A) To determine the value of data
 - B) To prioritize data protection efforts
 - C) To manage data retention
 - D) To comply with legal requirements
160. An organization is implementing a solution to protect against insider threats. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
161. Which of the following is an example of a security control that provides confidentiality?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption

162. Which of the following is an example of a security control that provides integrity?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Digital signatures
163. An organization wants to ensure that their data remains secure in the event of a hardware failure. Which of the following would be the BEST solution?
- A) Data encryption
 - B) Intrusion prevention system (IPS)
 - C) Data backup and redundancy
 - D) Network segmentation
164. Which of the following access control models is based on user attributes and environmental conditions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
165. An organization is implementing a solution to protect against unauthorized access to their network by internal users. Which of the following would be the BEST solution to address this concern?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
166. Which of the following is the PRIMARY goal of security incident management?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To minimize the impact of security incidents
 - D) To identify vulnerabilities and weaknesses in an organization's security posture
167. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)

168. An organization wants to ensure the confidentiality of data stored on their servers. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures
169. Which of the following is an example of a security control that provides non-repudiation?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Firewall
170. An organization is implementing a solution to protect against social engineering attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
171. Which of the following is an example of a security control that provides availability?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
172. A company wants to ensure that their data remains secure in the event of a hardware failure. Which of the following would be the BEST solution?
- A) Data encryption
 - B) Intrusion prevention system (IPS)
 - C) Data backup and redundancy
 - D) Network segmentation

173. Which of the following access control models is based on predefined roles and associated permissions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
174. An organization is implementing a solution to protect against unauthorized access to their network by internal users. Which of the following would be the BEST solution to address this concern?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
175. Which of the following is a key component of a disaster recovery plan (DRP)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident response planning
 - D) Recovery point objective (RPO)
176. An organization wants to ensure the confidentiality of data stored on their servers. Which of the following encryption methods should be used?
- A) Symmetric key encryption
 - B) Asymmetric key encryption
 - C) Hash functions
 - D) Digital signatures
177. Which of the following is an example of a security control that provides non-repudiation?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Firewall

178. An organization is implementing a solution to protect against social engineering attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Two-factor authentication
179. Which of the following is a key component of an incident response plan (IRP)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident classification
 - D) Resource prioritization
180. A company is implementing a new security policy that requires employees to use a unique ID and a strong password to access the corporate network. Which of the following security principles does this policy address?
- A) Confidentiality
 - B) Integrity
 - C) Availability
 - D) Accountability
181. Which of the following is an example of a security control that provides integrity?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Digital signatures
182. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)

183. Which of the following is the PRIMARY purpose of a vulnerability assessment?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To minimize the impact of security incidents
 - D) To identify vulnerabilities and weaknesses in an organization's security posture
184. An organization is implementing a solution to protect against ransomware attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data backup and redundancy
 - C) Security awareness training
 - D) Network segmentation
185. Which of the following access control models is based on the classification of data and user clearances?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
186. Which of the following is an example of a security control that provides accountability?
- A) Encryption
 - B) Digital signatures
 - C) Data backup
 - D) Audit logs
187. An organization is implementing a solution to protect against man-in-the-middle (MITM) attacks. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Public key infrastructure (PKI)

188. A company is implementing a data classification policy. Which of the following is the PRIMARY purpose of classifying data?
- A) To determine the value of data
 - B) To prioritize data protection efforts
 - C) To manage data retention
 - D) To comply with legal requirements
189. An organization wants to ensure that their data remains secure in the event of a hardware failure. Which of the following would be the BEST solution?
- A) Data encryption
 - B) Intrusion prevention system (IPS)
 - C) Data backup and redundancy
 - D) Network segmentation
190. Which of the following is a key component of a business impact analysis (BIA)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident response planning
 - D) Determining critical functions and their recovery time objectives (RTOs)
191. An organization is implementing a solution to ensure that their email communications cannot be intercepted and read by unauthorized parties. Which of the following should be used?
- E) Digital signatures
 - F) End-to-end encryption
 - G) Secure hashing algorithms
 - H) Public key infrastructure (PKI)
192. Which of the following is the PRIMARY goal of security incident management?
- A) To detect and prevent network intrusions
 - B) To maintain compliance with industry standards
 - C) To minimize the impact of security incidents
 - D) To identify vulnerabilities and weaknesses in an organization's security posture
193. A company is concerned about the risk of unauthorized access to their network from employees' personal devices. Which of the following would be the BEST solution to address this concern?
- A) Implement a mobile device management (MDM) solution
 - B) Require all employees to use company-owned devices
 - C) Implement a strict password policy
 - D) Implement an intrusion prevention system (IPS)

194. Which of the following is an example of a security control that provides availability?
- A) Firewall
 - B) Intrusion Detection System (IDS)
 - C) Data backup
 - D) Encryption
195. An organization is implementing a solution to protect against data exfiltration by malicious insiders. Which of the following controls would be MOST effective?
- A) Intrusion prevention system (IPS)
 - B) Data loss prevention (DLP) software
 - C) Security awareness training
 - D) Network segmentation
196. Which of the following is a key component of a disaster recovery plan (DRP)?
- A) Risk assessment
 - B) Security policy development
 - C) Incident response planning
 - D) Recovery point objective (RPO)
197. Which of the following access control models is based on user attributes and environmental conditions?
- A) Discretionary Access Control (DAC)
 - B) Mandatory Access Control (MAC)
 - C) Role-Based Access Control (RBAC)
 - D) Attribute-Based Access Control (ABAC)
198. An organization wants to ensure the integrity of data stored on their servers. Which of the following cryptographic concepts should they implement?
- A) Digital signatures
 - B) Symmetric encryption
 - C) Asymmetric encryption
 - D) Secure hashing algorithms
199. In the context of information security, what is the primary purpose of a gap analysis?
- A) To identify vulnerabilities in an organization's security posture
 - B) To measure the effectiveness of security controls
 - C) To compare the current security state with a desired state
 - D) To determine the potential impact of a security breach

200. A company wants to protect the integrity of their data. Which of the following cryptographic concepts should they implement?
- A) Digital signatures
 - B) Symmetric encryption
 - C) Asymmetric encryption
 - D) Secure hashing algorithms

Ron Sharon (www.ronsharon.com)
200 CISSP LIKE QUESTIONS AND ANSWERS

1. C	51. A	101.C	151.D
2. B	52. D	102.B	152.D
3. A	53. C	103.A	153.B
4. D	54. B	104.D	154.D
5. C	55. A	105.C	155.C
6. B	56. D	106.B	156.B
7. A	57. C	107.A	157.A
8. D	58. B	108.D	158.C
9. C	59. A	109.C	159.B
10. B	60. D	110.B	160.C
11. A	61. C	111.A	161.D
12. D	62. B	112.D	162.D
13. C	63. A	113.C	163.C
14. B	64. D	114.B	164.D
15. A	65. C	115.A	165.D
16. D	66. B	116.D	166.C
17. C	67. A	117.C	167.A
18. B	68. D	118.B	168.A
19. A	69. C	119.A	169.B
20. D	70. B	120.D	170.C
21. C	71. A	121.C	171.C
22. B	72. D	122.B	172.C
23. A	73. C	123.A	173.C
24. D	74. B	124.D	174.D
25. C	75. A	125.C	175.D
26. B	76. D	126.B	176.A
27. A	77. C	127.A	177.B
28. D	78. B	128.D	178.C
29. C	79. A	129.C	179.C
30. B	80. D	130.B	180.D
31. A	81. C	131.A	181.D
32. D	82. B	132.D	182.A
33. C	83. A	133.C	183.D
34. B	84. D	134.B	184.B
35. A	85. C	135.A	185.B
36. D	86. B	136.D	186.D
37. C	87. A	137.C	187.D
38. B	88. D	138.B	188.B
39. A	89. C	139.A	189.C
40. D	90. B	140.D	190.D
41. C	91. A	141.C	191.B
42. B	92. D	142.B	192.C
43. A	93. C	143.A	193.A
44. D	94. B	144.D	194.C
45. C	95. A	145.C	195.B
46. B	96. D	146.B	196.D
47. A	97. C	147.A	197.D
48. D	98. B	148.D	198.D
49. C	99. A	149.C	199.C
50. B	100.D	150.B	200.D