

Senarai penuh skill dalam Hermes

447 skill dalam 61 kategori — dikumpul dari folder skill pada 8 Okt 2026.

data-analytics 88

ab-test-analysis

Rigorous A/B test statistical analysis. Use when analyzing experiment results, calculating statistical significance, checking for sample ratio mismatch, or validating test design before laun

ad-beat-deconstruction

Use when reading an ad's beats from its own frames.

ad-library-research

"Use when researching competitor ads before creating."

ads-account-health

"Use when an ad account or ad is rejected or limited."

ads-advantage-plus

"Use when Meta automated campaign types come up."

ads-anomaly-watch

"Use when watching ad accounts for problems daily."

ads-audience-analysis

"Use when reading audience or placement breakdowns."

ads-audience-build

"Use when building ad audiences and targeting."

ads-budget-allocation

"Use when deciding where the next ad budget goes."

ads-budget-pacing

"Use when checking monthly ad budget pacing."

ads-campaign-structure

"Use when reviewing or changing campaign structure."

ads-creative-brief

"Use when briefing a designer or video editor."

ads-creative-testing

"Use when deciding which ad creative wins."

ads-data-pull

"Use when pulling ad and channel data for a report."

ads-experiment-design

"Use when designing an ad test before spending."

ads-forecast

"Use when forecasting spend, results, or budget needs."

ads-history

"Use when keeping a daily history of ad results."

ads-message-funnel

"Use when ads lead to Messenger or WhatsApp."

ads-objective-metrics

"Use when choosing which metrics judge a campaign."

ads-objective-selection

"Use when choosing or changing a campaign objective."

ads-payment-hygiene

"Use when ad accounts need payment or billing fixes."

ads-pixel-event-health

"Use when checking whether pixel events really fire."

ads-placements

"Use when checking ad placements and frequency."

ads-portfolio-rollup

"Use when summarising all ad accounts at once."

ads-retargeting

"Use when retargeting people who already engaged."

ads-roas-attribution

"Use when judging profit against ad spend."

ads-scale-up

"Use when raising ad budget without breaking results."

ads-sheet-reports

"Use when filling or auditing his ads report sheets."

ads-spend-reconciliation

"Use when matching ad spend to invoices."

ads-weekly-review

"Use when running the weekly ad account review."

analysis-assumptions-log

Track and document analytical assumptions and decisions. Use when making analytical choices, documenting trade-offs, ensuring transparency, or creating audit trails for analytical work.

analysis-documentation

Structured, reproducible analysis documentation. Use when documenting analysis findings, creating analysis notebooks, ensuring reproducibility, or building analysis archives for future refer

analysis-planning

Structure analysis approach before starting work. Use when receiving new analysis requests, breaking down complex questions into steps, or planning iterative analysis workflows.

analysis-qa-checklist

Pre-delivery quality assurance for analysis work. Use when reviewing analysis before sharing with stakeholders, checking for completeness, validating assumptions, or ensuring clarity of reco

analysis-retrospective

Post-analysis learning and process improvement. Use when completing major analysis projects, documenting lessons learned, or improving team analytical practices.

business-metrics-calculator

Standard business metric calculation with industry benchmarks. Use when calculating SaaS metrics (MRR, churn, LTV,

CAC), e-commerce KPIs, or product analytics metrics with proper definitions

campaign-strategy

"Use when planning a campaign from goal to creative."

client-communication

"Use when writing to a client or the boss."

client-onboarding

"Use when onboarding a new ad client or brand."

client-report-pack

"Use when producing a client report on a schedule."

cohort-analysis

Time-based cohort analysis with retention and behaviour tracking. Activate when you need to measure how groups of users/customers behave over time — retention rates, revenue by cohort, or fe

context-packager

Efficiently package context for AI-assisted analysis. Use when preparing to work with Claude on analysis, organizing context documents, or structuring prompts for complex analytical tasks.

creative-performance-diagnosis

"Use when a creative stops performing and needs diagnosis."

crisis-runbook

"Use when an ad account breaks suddenly."

customer-journey-funnel

"Use when mapping a customer journey or full funnel."

dashboard-specification

Design specifications for effective dashboards. Use when planning new dashboards, improving existing ones, or documenting dashboard requirements before development starts.

data-catalog-entry

Create standardized metadata for data assets. Use when documenting new datasets, building data catalogs, improving data discoverability, or creating data dictionaries for teams.

data-narrative-builder

Build compelling data-driven narratives. Use when presenting analysis results, creating stakeholder reports, or transforming a set of findings into a story that drives a specific decision or

data-quality-audit

Comprehensive data quality assessment against business rules, schema constraints, and freshness expectations. Activate when validating data pipeline outputs before production use, auditing a

executive-summary-generator

Create concise executive summaries from detailed analysis. Use when preparing board decks, executive briefings, or condensing complex analysis into decision-ready formats for senior audience

funnel-analysis

Conversion funnel analysis with drop-off investigation. Use when analyzing multi-step processes, identifying conversion bottlenecks, comparing segments through a funnel, or optimizing user j

ga4-analytics

"Use when setting up or reading GA4 data."

google-ads

"Use when working in Google Ads accounts."

impact-quantification

Estimate and communicate business impact of insights. Use when sizing opportunities discovered in analysis, calculating ROI of recommended actions, or prioritizing initiatives by potential i

insight-synthesis

Transform data findings into compelling insights. Use when converting analysis results into actionable insights, connecting findings to business impact, or preparing insights for stakeholder

keyword-research

"Use when researching keywords for ads or SEO."

landing-page-audit

"Use when checking a landing page before scaling."

landing-page-cro-execution

"Use when audit findings must become tested page changes."

leads-privacy

"Use when handling lead or member data."

link-utm-tracking

"Use when building or reading tracking links."

marketing-incrementality-testing

"Use when proving ads add lift, not just claiming credit."

marketing-insight

"Use when five research inputs must become one insight."

marketing-operations

"Use when running ads work end to end."

meta-ad-preflight

"Use before submitting an ad for review."

meta-marketing-api-operations

Use when mutating Meta ads through the Graph API.

meta-metrics-glossary

"Use when reading Meta ad metrics and reports."

meta-pixel-capi-implementation

"Use when setting up Meta Pixel + CAPI tracking."

meta-product-catalog

"Use when running catalogue or shopping ads on Meta."

methodology-explainer

Explain analysis methodology to diverse audiences. Use when documenting 'how we did this' sections, building trust through transparency, or teaching analytical approaches to stakeholders.

metric-reconciliation

Trace and resolve discrepancies when the same metric shows different values in two or more sources. Use before reporting, after pipeline changes, or when stakeholders question a number.

paid-social-market-localisation-qa

"Use when QA-ing MY/PH/VN ad creative before launch."

peer-review-template

Structured peer review for analytical work. Use when reviewing teammates' analysis, providing constructive feedback, or establishing analysis quality standards.

platform-adaptation

"Use when one creative must work on every platform."

programmatic-eda

Systematic exploratory data analysis. Activate when a dataset needs profiling — structure check, nulls, outliers, distributions, correlations — before deeper analysis begins.

query-validation

SQL query review for correctness, performance, and best practices. Activate when a query needs review before production use, shows unexpected results, or runs too slowly.

root-cause-investigation

Systematic investigation of metric changes and anomalies. Use when a metric unexpectedly changes, investigating business metric drops, explaining performance variations, or drilling into agg

schema-mapper

Document column-level mappings between source and target schemas. Use when integrating data from multiple systems, designing ETL transformations, or documenting how raw fields become analyti

segmentation-analysis

Customer/user segmentation with actionable insights. Use when identifying distinct customer groups, analyzing segment-specific behavior, profiling high-value segments, or testing segmentatio

semantic-model-builder

Build structured semantic layer documentation for metrics, dimensions, and entities. Activate when you need to define a business metric, document a data model, or create YAML definitions com

sql-to-business-logic

Translate SQL queries into plain language business logic. Use when documenting queries, explaining analysis to non-technical stakeholders, code reviewing for correctness, or building a query

stakeholder-requirements-gathering

Structured requirements elicitation for analysis requests. Use when scoping new analysis projects, clarifying ambiguous business questions, or documenting analysis acceptance criteria with s

technical-to-business-translator

Translate technical analysis into business language. Use when explaining statistical concepts to non-analysts, simplifying technical findings, or bridging communication between data teams an

time-series-analysis

Temporal pattern detection and forecasting. Use when analyzing trends over time, detecting seasonality, identifying anomalies in time series, or building simple forecasting models for planni

trend-research

"Use when researching trends and visual references."

visualization-builder

Create effective, publication-ready data visualizations. Use when choosing chart types, designing presentation visuals, building dashboard charts, or applying visual design best practices to

voice-of-customer

"Use when mining reviews and comments for copy."

website-health

"Use when checking whether a site is healthy."

whatsapp-business

"Use when ads and funnels hand off to WhatsApp."

ad-audio-direction

"Use when a video ad needs music and a finished soundtrack."

ads-manager-ui

"Use when navigating the Meta Ads Manager interface."

airtable

Airtable REST API via curl. Records CRUD, filters, upserts.

asset-index-fingerprints

"Use when indexing or deduping media assets."

audio-delivery-mastering

"Use when mastering audio to delivery specs."

backup-restore

"Use when protecting or restoring your work data."

box

Box manages cloud files, sharing, search, and metadata.

canvas

Fetch Canvas LMS courses and assignments via API token.

chatgpt-codex-surfaces

Use when locating ChatGPT/Codex chats, quota, or sessions.

creative-ops

"Use when managing creative assets and versions."

decision-questionnaire

"Turn an unanswerable decision into a questionnaire doc."

document-deliverables

"Use when handing him a built document (PDF, sheet, deck)."

document-to-action-items

"Extract cited obligations, deadlines, tasks from documents."

docx

Create, read, edit, template, and review Word .docx files.

email-secure-credentials

Use when storing or using an email password securely.

fairuz-communication

"Use when wording a reply to Fairuz."

file-folder-management

Use when measuring, organizing or deleting files/folders.

google-workspace

"Gmail, Calendar, Drive, Docs, Sheets via gws CLI or Python."

here-now

Publish sites to {slug}.here.now and store files in Drives.

kanban-work-tracking

"Use when several lanes stall on him; kanban tracking."

live-dashboard

"Build self-updating dashboards from live sources."

maps

"Geocode, POIs, routes, timezones via OpenStreetMap/OSRM."

meeting-action-items

"Turn meeting notes into cited decisions, owners, tickets."

memento-flashcards

"Spaced-repetition flashcards: create, review, quiz, export."

meta-ads-guided-work

Use when running Meta/Facebook ads work for his clients.

mistake-register

"Use before acting on his Mac or trusting a prior step."

motion-graphic-render

"Use when a video needs words on screen."

nano-pdf

"Edit text in existing PDFs via natural-language prompts."

notion

"Notion API + ntn CLI: pages, databases, markdown, Workers."

ocr-and-documents

"Extract text from PDFs/scans (pymupdf, marker-pdf)."

pdf

"PDF files: create, read, merge, fill, OCR, edit text."

powerpoint

Create, read, edit .pptx decks with python-pptx.

product-price-monitor

"Watch product, flight, or listing prices; alert on target."

property-listings

Present property and rental listings as desktop cards.

search-console-seo

"Use when reading Search Console data to fix a site."

session-librarian

"Organize sessions by prompt: find, rename, archive, prune."

shop

"Shop catalog search, checkout, order tracking, returns."

shopee-seller

"Use when selling or running ads on Shopee."

shopify

Query Shopify Admin/Storefront GraphQL APIs via curl.

siyuan

Query and edit a SiYuan knowledge base via its API.

teams-meeting-pipeline

Teams meeting summaries, job replay, Graph subscriptions.

telegram-channel-stats

"Use when pulling Telegram channel stats via MTProto."

telegram-user-api

"Use when a task needs Telegram's user API (MTProto)."

telephony

Provision Twilio numbers, SMS/MMS, and AI outbound calls.

tiktok-shop

"Use when selling on TikTok Shop."

toolchain-inventory

Use when auditing, documenting or rebuilding the toolchain.

weekly-review-planning

"Weekly reset: commitments, stalled work, next-week plan."

woocommerce-meta-integration

"Use when syncing WooCommerce products and orders to Meta."

woocommerce-ops

"Use when running a WooCommerce store day to day."

wordpress-publishing

"Use when drafting or publishing a WordPress post."

work-orchestration

"Use when deciding to delegate, schedule or queue work."

xlsx

Create, read, edit Excel .xlsx workbooks and CSVs.

creative 51

ai-presenter-video

"Make a verified AI presenter video from script + image."

archify

"Create polished, validated architecture, workflow, sequence, data-flow, and lifecycle/state diagrams as explorable standalone HTML with inline SVG, dark/light themes, optional trace motion,

architecture-diagram

"Dark-themed SVG architecture/cloud/infra diagrams as HTML."

art-direction

"Use when setting the visual direction for a campaign."

ascii-art

"ASCII art: pyfiglet, cowsay, boxes, image-to-ascii."

ascii-video

"ASCII video: convert video/audio to colored ASCII MP4/GIF."

asset-qa

"Use before publishing any designed asset."

audiocraft-audio-generation

"AudioCraft: MusicGen text-to-music, AudioGen text-to-sound."

auteur

Design and build cinematic, award-level web pages.

baoyu-article-illustrator

"Article illustrations: type x style x palette consistency."

baoyu-comic

"Knowledge comics (知识漫画): educational, biography, tutorial."

baoyu-infographic

"Infographics: 21 layouts x 21 styles (信息图, 可视化)."

brag

Turn the current project website into a short, polished, shareable launch video using Hyperframes. Use when someone says "/brag", "let's brag about this", "make a launch video", "turn this i

brag-slim

Turn a project directory or a website URL into a short, shareable launch video with music, motion, and share copy. One file, no bundled assets — built entirely by the model with the tools al

claude-design

Design one-off HTML artifacts (landing, deck, prototype).

code-rendered-video-production

"Use when ad video is rendered by code (Remotion/ffmpeg)."

comfyui

Generate images, video, and audio via diffusion workflows.

concept-diagrams

Generate flat, minimal educational SVG visuals as HTML.

creative-department

"Use when a creative job needs the full studio chain."

creative-ideation

"Generate ideas via named methods from creative practice."

design-assets

"Use when producing ad, print or social assets."

design-md

Author/validate/export Google's DESIGN.md token spec files.

draw-your-font

"Turn a handwriting photo into an installable TTF font."

dream-loop

"Build stunning 3D scenes via a concept-art fidelity loop."

excalidraw

"Hand-drawn Excalidraw JSON diagrams (arch, flow, seq)."

heartmula

"HeartMuLa: Suno-like song generation from lyrics + tags."

higgsfield-production

"Use when generating ad video or images in Higgsfield."

humanizer

"Humanize text: strip AI-isms and add real voice."

hyperframes

Render MP4/WebM videos from HTML compositions.

image-editing

"Use when editing, masking or retouching images."

impeccable

Use when the user wants to design, redesign, shape, critique, audit, polish, clarify, distill, harden, optimize, adapt, animate, colorize, extract, or otherwise improve a frontend interface.

ip-as-logo

"Design minimal cute IP mascot marks readable at 32px."

kanban-video-orchestrator

Plan and run multi-agent video production pipelines.

logo-mark-design

"Use when designing a logo or brand mark."

manim-video

"Manim CE animations: 3Blue1Brown math/algo videos."

meme-generation

Create meme PNGs from templates with Pillow text overlay.

mono-color

"Generate one- or two-ink editorial print poster images."

p5js

"p5.js sketches: gen art, shaders, interactive, 3D."

pixel-art

"Pixel art w/ era palettes (NES, Game Boy, PICO-8)."

popular-web-designs

54 real design systems (Stripe, Linear, Vercel) as HTML/CSS.

pretext

Build creative browser demos with DOM-free text layout.

product-photography

"Use when shooting product images for ads."

simple-english

"Rewrite text to ASD-STE100 Simplified Technical English."

sketch

"Throwaway HTML mockups: 2-3 design variants to compare."

social-media-content-calendar

"Plan multi-platform social campaigns: briefs to posting."

songwriting-and-ai-music

"Songwriting craft and Suno AI music prompts."

static-ad-render

Use when rendering static ad images at exact sizes.

svg-to-png-render

"Use when rendering SVG/HTML visuals to PNG."

system-atlas

"Build explorable isometric architecture atlases as HTML."

tlldraw-offline

Drive and script tldraw offline canvases with an agent.

unreal-mcp

Automate Unreal Engine editor scenes, actors, and renders.

mlops ³⁶**accelerate**

Run PyTorch training across GPUs with minimal changes.

chroma

Embedding database for RAG and semantic search.

clip

Zero-shot image classification and image-text search.

evaluating-llms-harness

"lm-eval-harness: benchmark LLMs (MMLU, GSM8K, etc.)."

weights-and-biases

"W&B: log ML experiments, sweeps, model registry, dashboards."

faiss

Fast vector similarity search at billion scale.

flash-attention

Speed up long-sequence transformer training and inference.

guidance

Constrain LLM output with grammars; guarantee valid JSON.

huggingface-tokenizers

Fast BPE/WordPiece tokenization and custom vocab training.

llama-cpp

llama.cpp local GGUF inference + HF Hub model discovery.

outlines

"Outlines: structured JSON/regex/Pydantic LLM generation."

serving-llms-vllm

"vLLM: high-throughput LLM serving, OpenAI API, quantization."

instructor

Structured LLM outputs validated with Pydantic.

lambda-labs

On-demand GPU cloud instances for ML training.

llava

"Vision-language chat: VQA, captioning, image dialogue."

modal

Serverless GPU cloud for ML jobs and model APIs.

huggingface-hub

"HuggingFace hf CLI: search/download/upload models, datasets."

segment-anything-model

"SAM: zero-shot image segmentation via points, boxes, masks."

nemo-curator

"Curate LLM training data: dedupe, filter, PII redaction."

obliteratus

"OBLITERATUS: obliterate LLM refusals (diff-in-means)."

peft

Fine-tune large LLMs with LoRA on limited GPU memory.

pinecone

Managed vector DB for production RAG and search.

pytorch-fsdp

Fully sharded data-parallel training for large models.

pytorch-lightning

Clean training loops with built-in distributed support.

qdrant

Vector search engine for production RAG systems.

dspy

"DSPy: declarative LM programs, auto-optimize prompts, RAG."

saelens

Train sparse autoencoders to interpret model features.

simpo

Reference-free preference alignment, simpler than DPO.

slime

RL post-training for LLMs with Megatron and SGLang.

stable-diffusion

Text-to-image generation, inpainting, and img2img.

tensorrt-llm

High-throughput LLM inference on NVIDIA GPUs.

torchtitan

Pretrain LLMs at scale with PyTorch 4D parallelism.

axolotl

"Axolotl: YAML LLM fine-tuning (LoRA, DPO, GRPO)."

trl-fine-tuning

"TRL: SFT, DPO, GRPO, RLOO reward modeling for LLM RLHF."

unsloth

"Unsloth: 2-5x faster LoRA/QLoRA fine-tuning, less VRAM."

whisper

Transcribe and translate speech in 99 languages.

software-development 25**ast-grep**

"AST-aware structural code search and rewrite via ast-grep."

chatgpt-app-control

Use when driving the ChatGPT macOS app's own chat UI.

checker-design

Use when building a checker, gate or watcher.

code-wiki

"Generate wiki docs + Mermaid diagrams for any codebase."

codebase-inspection

"Inspect codebases w/ pygount: LOC, languages, ratios."

dogfood

"Exploratory QA of web apps: find bugs, evidence, reports."

fullstack-web-development

Use when building fullstack web apps end to end.

github

"GitHub via gh CLI: PRs, issues, reviews, repos, auth."

grill-me

"Adversarial plan interview before implementation."

hermes-agent-skill-authoring

"Author in-repo SKILL.md files: frontmatter and structure."

inspecting-hermes-desktop-dom

"Read the live Hermes desktop DOM/CSS over CDP."

media-tool-suite

"Use when building his local media tool suite."

node-inspect-debugger

"Debug Node.js via --inspect + Chrome DevTools Protocol CLI."

plan

Write a markdown plan to .hermes/plans/; no execution.

pr-lens

"Draw code changes as animated architecture/data-flow SVGs."

python-debugpy

"Debug Python: pdb REPL + debugpy remote (DAP)."

requesting-code-review

"Pre-commit review: security scan, quality gates, auto-fix."

rest-graphql-debug

"Debug REST/GraphQL APIs: status codes, auth, schemas, repro."

simplify-code

"Parallel 4-agent cleanup of recent code changes."

skill-library-maintenance

"Use when asked to find or build missing skills."

spec-driven-pipeline

"Use when you keep rewriting the same generator script."

spike

"Throwaway experiments to validate an idea before build."

subagent-driven-development

"Execute plans via delegate_task subagents (2-stage review)."

systematic-debugging

"4-phase root cause debugging: understand bugs before fixing."

test-driven-development

"TDD: enforce RED-GREEN-REFACTOR, tests before code."

automation 22

cdp-app-automation

"Use when driving a local Chromium app over CDP."

computer-use-action-notes

"Use when a computer_use action fails or returns nothing."

connect-service-oauth-mcp

"Use when connecting his services over MCP OAuth."

gateway-restart-lifecycle

Use when restarting the gateway or hooks look dead.

gui-engine-lifecycle

"Use when switching or restarting a GUI automation engine."

hermes-dashboard-behind-proxy

Use when exposing a dashboard at a public URL with login.

hermes-dashboard-plugin

Use when adding a tab or page to the Hermes dashboard.

hermes-shell-hooks

"Use when installing or debugging Hermes shell hooks."

human-use-recovery

"Use when human_use or human_use misreports input."

human-use-web-driving

"Use when human_use misclicks or cannot type."

macos-app-state-inspection

Use when asked where an app's data or chat went on macOS.

macos-automation

"Use when operating this MacBook M1 with tools."

macos-background-services

"Use when a local app/daemon must stay up on macOS."

macos-chrome-control

"Drive the user's own Chrome tab on macOS via JS or CDP."

macos-gui-driving

"Use when a Mac app ignores clicks, keys or panels."

macos-machine-state

"Use when setting Mac hardware state like brightness."

macos-remote-screen-access

Use when driving this Mac's screen, locally or remotely.

macos-system-audit

Use when auditing a Mac's storage, memory, and health.

macos-tool-install

"Use when installing a CLI tool on this Mac (brew broken)."

safe-teardown

Use when removing a whole tool, tree or system on order.

self-hosted-observability-stack

"Use when self-hosting Grafana, Prometheus or Langfuse."

selfhost-observability

Use when self-hosting Grafana/Prometheus/Langfuse.

autonomous-ai-agents ²²

agent-merge-conflict-arbiter

"Neutral arbiter for merge conflicts between two agents."

agent-operations

"Use before any action that changes real state."

agentic-creative-production

"Use when an agent must produce creative assets."

antigravity-cli

"Operate the Antigravity CLI (agy): plugins, auth, sandbox."

blackbox

Delegate coding tasks to the Blackbox AI multi-model CLI.

claude-code

"Delegate coding to Claude Code CLI (features, PRs)."

codex

"Delegate coding to OpenAI Codex CLI (features, PRs)."

computer-use

"Drive the desktop background-first; escalate on signal."

dynamic-workflow

Plan-in-code fan-outs, adversarial verification, waves.

grok

"Delegate coding to xAI Grok Build CLI (features, PRs)."

hermes-agent

"Use, configure, theme, extend, and orchestrate Hermes Agent."

hermes-memory-provider-plugin

Use when building a local Hermes memory provider plugin.

hermes-peer-connect

"Use when linking a remote Hermes agent as a peer."

hermes-plugin-health-check

Use when checking whether a Hermes plugin really loaded.

hermes-runtime-failure-diagnosis

"Use when the agent's own reply leaks, loops or is empty."

hermes-self-audit

"Use when auditing a Hermes install the official way."

honcho

Configure and troubleshoot Honcho memory for Hermes.

human-use

"Drive the desktop background-first; escalate on signal."

llm-model-selection

"Use when choosing or benchmarking the agent's model."

merge-reconciler

"Neutral third-party resolution of agent merge conflicts."

opencode

"Delegate coding to OpenCode CLI (features, PR review)."

openhands

Delegate coding to OpenHands CLI (model-agnostic, LiteLLM).

research 20

arxiv

"Search arXiv papers by keyword, author, category, or ID."

bioinformatics

Gateway to 400+ genomics and computational biology skills.

blogwatcher

"Monitor blogs and RSS/Atom feeds via blogwatcher-cli tool."

competitor-news-monitor

"Watch named companies for material news; cited digests."

darwinian-evolver

Evolve prompts/regex/SQL/code with Imbue's evolution loop.

domain-intel

Passive recon of subdomains, SSL certs, WHOIS, and DNS.

drug-discovery

"Drug discovery: ChEMBL search, drug-likeness, interactions."

duckduckgo-search

Free keyless web, news, and image search via ddgs.

gitnexus-explorer

Serve an interactive codebase knowledge graph web UI.

grounded-citations

"Ground answers and documents in cited, verifiable sources."

llm-wiki

"Karpathy's LLM Wiki: build/query interlinked markdown KB."

negative-claim-gate

"Use when about to say something is impossible, absent, or 'the best option'."

osint-investigation

Follow the money via public records and sanctions data.

parallel-cli

Agent-native web search, deep research, and enrichment.

pinecone-research

Agent RAG and long-term memory with Pinecone.

qmd

Hybrid local search over notes, docs, and transcripts.

research-paper-writing

"Write ML papers for NeurIPS/ICML/ICLR: design→submit."

rss-feeds

"Read RSS, Atom, JSON feeds; discover feeds behind a page."

scrapling

Scrape sites with stealth browsing and Cloudflare bypass.

searxng-search

Free keyless meta-search aggregating 70+ engines.

security 18

1password

Set up op CLI, sign in, and read or inject secrets.

account-access-review

"Use when reviewing who can access ad accounts."

assisted-login

"Use when a task needs the user's own login."

audit-trail

"Use when recording what the agent changed here."

browser-extension-audit

"Use when auditing browser extension permissions."

differential-review

"Performs security-focused differential review of code changes. Adapts analysis depth to codebase size, uses git blame for context, calculates blast radius by counting callers, checks test c

fp-check

"Systematically verifies suspected security bugs to eliminate false positives, producing a TRUE POSITIVE or FALSE POSITIVE verdict with documented evidence for each. Use when asked whether a

godmode

"Jailbreak LLMs: Parseltongue, GODMODE, ULTRAPLINIAN."

macos-security-posture

"Use when checking if this Mac is exposed to attack."

multi-angle-verdict

"Use when a claim or action carries real impact."

oss-forensics

"GitHub supply-chain forensics: recovery, IOCs, reporting."

secrets-leak-scan

"Use when hunting leaked secrets on this Mac."

security-guardrails

"Use when installing or auditing untrusted code."

sharp-edges

"Identifies error-prone APIs, dangerous configurations, and footgun designs that enable security mistakes. Use when reviewing API designs, configuration schemas, cryptographic library ergono

sherlock

Find accounts for a username across 400+ platforms.

supply-chain-risk-auditor

"Audits a project's dependencies for supply-chain risk: version-matched advisories for direct dependencies and the full lockfile tree, abandoned or archived upstreams, npm publisher concentr

unbroker

Autonomously remove your info from data-broker sites.

web-pentest

"Authorized web pentest: recon, proof-based exploits, report."

psychology 16

audience-psychology

"Use when working out how a target audience thinks."

big-idea

"Use when an angle needs a campaign idea."

brand-identity

"Use when a brand needs consistent visuals."

content-strategy

"Use when planning organic content that feeds ads."

copywriting

"Use when writing ad or landing page copy."

creative-strategy

"Use when planning ad creative angles and hooks."

marketing-mental-models

"Use when applying psychology or mental models to marketing."

marketing-psychology

>

nurture-sequences

"Use when planning follow-up after a signup or join."

offer-design

"Use when building or fixing an offer."

page-publishing

"Use when posting to a Facebook Page or Instagram."

retention-community

"Use when members or buyers go quiet."

target-market-research

"Use when picking or sizing a target market."

ugc-influencer

"Use when briefing creators or gathering UGC."

ux-psychology

"Use when designing or reviewing a landing page or form."

video-ads

"Use when briefing or judging video ad creative."

devops 10

actual-setup

Set up Actual Computer (actual.inc) inference in Hermes.

docker-management

Manage Docker containers, images, volumes, and Compose.

hermes-s6-container-supervision

Modify or debug s6 services in the Hermes Docker image.

inference-sh-cli

Run 150+ AI apps (image, video, LLM) via inference.sh CLI.

macos-lima-selfhost

Use when self-hosting a stack in a Linux VM on this Mac.

orchestration-workflows

"Use when chaining tool runs into workflows."

pinggy-tunnel

Zero-install localhost tunnels over SSH via Pinggy.

sdic-review

Review Kanban handoffs and route verified outcomes.

setup-wizard-generator

"Generate a bash wizard guiding a human through manual setup."

watchers

Poll RSS, JSON APIs, and GitHub with watermark dedup.

finance 9

3-statement-model

Build integrated IS/BS/CF financial workbooks in Excel.

comps-analysis

Build comparable-company valuation workbooks in Excel.

dcf-model

Build discounted cash flow valuation workbooks in Excel.

excel-author

Build auditable financial workbooks headless via openpyxl.

lbo-model

Build leveraged buyout workbooks with IRR/MOIC in Excel.

merger-model

Build M&A accretion/dilution workbooks in Excel.

polymarket

"Query Polymarket: markets, prices, orderbooks, history."

pptx-author

Build PowerPoint decks headless with python-pptx.

stocks

Stock quotes, history, search, compare, crypto via Yahoo.

github 6

github-auth

"GitHub auth setup: HTTPS tokens, SSH keys, gh CLI login."

github-code-review

"Review PRs: diffs, inline comments via gh or REST."

github-issue-to-pr

"Carry a GitHub issue to a verified PR with honest CI state."

github-issues

"Create, triage, label, assign GitHub issues via gh or REST."

github-pr-workflow

"GitHub PR lifecycle: branch, commit, open, CI, merge."

github-repo-management

"Clone/create/fork repos; manage remotes, releases."

media 6

gif-search

"Search/download GIFs from Tenor via curl + jq."

motion-graphics

"Use when animating text, graphics or transitions."

songsee

"Audio spectrograms/features (mel, chroma, MFCC) via CLI."

video-audio

"Use when adding voice-over, music or subtitles."

video-production

"Use when shooting or generating ad video."

youtube-content

"YouTube transcripts to summaries, threads, blogs."

web-development 5

cloudflare-temporary-deploy

Deploy a Worker live, no account, via wrangler --temporary.

har-derived-api-client

Record a site's XHR into a HAR, derive an HTTP client.

page-agent

Embed an in-page natural-language GUI copilot in web apps.

publish-site

Versioned site deploys to GitHub/Cloudflare/Netlify Pages.

scrollcraft

"Premium scroll-driven landing pages; scroll = timeline."

apple ⁴

apple-notes

"Manage Apple Notes via memo CLI: create, search, edit."

apple-reminders

"Apple Reminders via remindctl: add, list, complete."

findmy

"Track Apple devices/AirTags via FindMy.app on macOS."

imessage

Send and receive iMessages/SMS via the imsg CLI on macOS.

mcp ⁴

fastmcp

Build, test, and deploy Python MCP servers.

mcp-account-connections

"Use when connecting his accounts to Hermes (MCP/OAuth)."

mcp-oauth-remote-gateway

Manual OAuth for remote MCP servers on headless gateways.

mcpporter

List, auth, and call MCP servers/tools from the terminal.

blockchain ³

evm

"Read-only EVM client: wallets, tokens, gas across 8 chains."

hyperliquid

Hyperliquid market data, account history, trade review.

solana

Query Solana wallets, tokens, txs, and NFTs in USD.

email ³

agentmail

Use when an agent needs AgentMail CLI email inboxes.

email-inbox-triage

"Triage an inbox: prioritize threads, draft replies safely."

himalaya

"Himalaya CLI: IMAP/SMTP email from terminal."

payments ³

mpp-agent

Pay HTTP 402 APIs via Machine Payments Protocol (MPP).

stripe-link-cli

Agent payments via Stripe Link — cards, SPT, approvals.

stripe-projects

Provision SaaS services + sync creds via Stripe Projects.

gaming ²

minecraft-modpack-server

"Host modded Minecraft servers (CurseForge, Modrinth)."

pokemon-player

"Play Pokemon via headless emulator + RAM reads."

health ²

fitness-nutrition

"Workout planning, macros, and body metrics via wger/USDA."

neuroskill-bci

"Use live BCI cognitive and mood state from NeuroSkill."

social-media ²

reddit-reading

"Read Reddit: subreddits, search, threads, users. No browser."

xurl

"X/Twitter via xurl CLI: raw post search, posting, DM, media."

analytics-and-reporting ¹

analytics-and-reporting

>

audience-research ¹

audience-research

>

brand-profile ¹

brand-profile



capcut ¹

capcut



caption-writer ¹

caption-writer



captions-and-clipping ¹

captions-and-clipping



carousel-writer ¹

carousel-writer



communication ¹

one-three-one-rule

"1-3-1 decision briefs: problem, three options, one pick."

content-calendar ¹

content-calendar



content-pillars ¹

content-pillars



conversion-copywriting ¹

conversion-copywriting

"Write copy that gets a \"yes\" using Joanna Wiebe's research-first, Voice of Customer methodology Use when:
Writing landing pages, emails, or sales pages that need measurable conversion

data-science 1

jupyter-notebook

"Iterative Python via live Jupyter kernel (hamelnb)."

design-trends-2026 1

design-trends-2026

"Apply 2026's top graphic design trends to any creative brief. Based on Kittl x Savee's 2026 Design Trends Report (10 trends + 2 honorable mentions), backed by Adobe, Figma, and Pinterest da

dogfood 1

adversarial-ux-test

Roleplay a hostile user to find and triage UX pain points.

film-lighting-bible 1

film-lighting-bible

影视级灯光圣经 — AI生成画面的灯光设计参考手册。触发场景：打光、光影、侧光、逆光、灯光设计、影视灯光、柔光、硬光、轮廓光、戏剧光、伦勃朗光、日出日落光、金色时刻、蓝色时刻、体积光、丁达尔效应。用于AI生图/生视频时的灯光方向、色温、阴影逻辑提示词构建。

headline-formulas 1

headline-formulas

"25+ proven headline formulas that stop the scroll, capture attention, and drive clicks. Templates and examples for every situation. Use when: Writing headlines for landing pages, ads, or ar

hook-writer 1

hook-writer

>

image-to-video 1

image-to-video

"Still-to-video conversion guide: model selection, motion prompting, and camera movement. Covers Wan 2.5 i2v, Seedance, Fabric, Grok Video with when to use each. Use for: animating images, c

instagram-growth 1

instagram-growth

>

migration ¹

openclaw-migration

Import an OpenClaw setup (memories, skills) into Hermes.

note-taking ¹

obsidian

Read, search, create, and edit notes in the Obsidian vault.

persuasion-principles ¹

persuasion-principles

"Master Robert Cialdini's 6 (+1) Principles of Persuasion from \"Influence: The Psychology of Persuasion\" (1984). Ethically apply the psychology of compliance to marketing. Use when: Design

procedural-visual-generation ¹

procedural-visual-generation

"Use when imagery must be generated in code."

product-photography ¹

product-photography

"AI product photography with studio lighting, lifestyle shots, and packshot conventions. Covers angles, backgrounds, shadow types, hero shots, and e-commerce image requirements. Use for: pro

reels-script ¹

reels-script

>

self-hosted-observability ¹

self-hosted-observability

"Use when self-hosting Grafana/Prometheus/Langfuse here."

service-account-connections ¹

service-account-connections

"Use when connecting one of his service accounts."

short-form-video-script ¹

short-form-video-script

>

smart-home 1

openhue

"Control Philips Hue lights, scenes, rooms via OpenHue CLI."

sound-design-film 1

sound-design-film

"Apply Walter Murch's legendary film sound principles to marketing video, creating emotionally resonant audio that audiences feel without consciously noticing. Use when: Designing sound for

static-landing-site 1

static-landing-site

"Use when building, publishing or improving a landing page."

storyboard-creation 1

storyboard-creation

"Film and video storyboarding with shot vocabulary, continuity rules, and panel layout. Covers shot types, camera angles, movement, 180-degree rule, and annotation format. Use for: video pla

tiktok-script 1

tiktok-script

>

ugc 1

UGC

Create viral user-generated content for marketing with effective hooks, formats, and creator strategies.

verification-harness 1

verification-harness

"Use when verifying a whole tool suite or your own work."

video-ad-specs 1

video-ad-specs

"Video ad creation with exact platform-specific specs for TikTok, Instagram, YouTube, Facebook, LinkedIn. Covers dimensions, duration limits, AIDA framework, and caption requirements. Use fo

web ¹

blocked-page-recovery

"Use when a fetch fails: 403/429, paywall, WAF, bot wall."

web-qa-multidevice ¹

web-qa-multidevice

Use when QA-ing a web page across device widths.