

Skill Hermes: mana asli, mana dari luar

447 skill, dipisah ikut sumber sebenar pada 8 Okt 2026. Asas: folder skill rasmi Hermes (58 nama), daftar hub (.hub/lock.json, 176 nama), dan metadata dalam kepala fail.

Hermes sendiri 58

apple-notes [apple]

"Manage Apple Notes via memo CLI: create, search, edit."

apple/apple-notes

apple-reminders [apple]

"Apple Reminders via remindctl: add, list, complete."

apple/apple-reminders

findmy [apple]

"Track Apple devices/AirTags via FindMy.app on macOS."

apple/findmy

imessage [apple]

Send and receive iMessages/SMS via the imsg CLI on macOS.

apple/imessage

claude-code [autonomous-ai-agents]

"Delegate coding to Claude Code CLI (features, PRs)."

autonomous-ai-agents/claude-code

codex [autonomous-ai-agents]

"Delegate coding to OpenAI Codex CLI (features, PRs)."

autonomous-ai-agents/codex

computer-use [autonomous-ai-agents]

"Drive the desktop background-first; escalate on signal."

autonomous-ai-agents/computer-use

hermes-agent [autonomous-ai-agents]

"Use, configure, theme, extend, and orchestrate Hermes Agent."

autonomous-ai-agents/hermes-agent

opencode [autonomous-ai-agents]

"Delegate coding to OpenCode CLI (features, PR review)."

autonomous-ai-agents/opencode

architecture-diagram [creative]

"Dark-themed SVG architecture/cloud/infra diagrams as HTML."

creative/architecture-diagram

ascii-video [creative]

"ASCII video: convert video/audio to colored ASCII MP4/GIF."

creative/ascii-video

baoyu-infographic [creative]

"Infographics: 21 layouts x 21 styles (信息图, 可视化)."

creative/baoyu-infographic

claude-design [creative]

Design one-off HTML artifacts (landing, deck, prototype).

[creative/claude-design](#)

design-md [creative]

Author/validate/export Google's DESIGN.md token spec files.

[creative/design-md](#)

humanizer [creative]

"Humanize text: strip AI-isms and add real voice."

[creative/humanizer](#)

manim-video [creative]

"Manim CE animations: 3Blue1Brown math/algo videos."

[creative/manim-video](#)

p5js [creative]

"p5.js sketches: gen art, shaders, interactive, 3D."

[creative/p5js](#)

popular-web-designs [creative]

54 real design systems (Stripe, Linear, Vercel) as HTML/CSS.

[creative/popular-web-designs](#)

songwriting-and-ai-music [creative]

"Songwriting craft and Suno AI music prompts."

[creative/songwriting-and-ai-music](#)

sdic-review [devops]

Review Kanban handoffs and route verified outcomes.

[devops/sdic-review](#)

email-inbox-triage [email]

"Triage an inbox: prioritize threads, draft replies safely."

[email/email-inbox-triage](#)

himalaya [email]

"Himalaya CLI: IMAP/SMTP email from terminal."

[email/himalaya](#)

gif-search [media]

"Search/download GIFs from Tenor via curl + jq."

[media/gif-search](#)

songsee [media]

"Audio spectrograms/features (mel, chroma, MFCC) via CLI."

[media/songsee](#)

youtube-content [media]

"YouTube transcripts to summaries, threads, blogs."

[media/youtube-content](#)

obsidian [note-taking]

Read, search, create, and edit notes in the Obsidian vault.

[note-taking/obsidian](#)

airtable [productivity]

Airtable REST API via curl. Records CRUD, filters, upserts.

[productivity/airtable](#)

box [productivity]

Box manages cloud files, sharing, search, and metadata.

productivity/box

document-to-action-items [productivity]

"Extract cited obligations, deadlines, tasks from documents."

productivity/document-to-action-items

docx [productivity]

Create, read, edit, template, and review Word .docx files.

productivity/docx

google-workspace [productivity]

"Gmail, Calendar, Drive, Docs, Sheets via gws CLI or Python."

productivity/google-workspace

maps [productivity]

"Geocode, POIs, routes, timezones via OpenStreetMap/OSRM."

productivity/maps

meeting-action-items [productivity]

"Turn meeting notes into cited decisions, owners, tickets."

productivity/meeting-action-items

notion [productivity]

"Notion API + ntn CLI: pages, databases, markdown, Workers."

productivity/notion

pdf [productivity]

"PDF files: create, read, merge, fill, OCR, edit text."

productivity/pdf

powerpoint [productivity]

Create, read, edit .pptx decks with python-pptx.

productivity/powerpoint

product-price-monitor [productivity]

"Watch product, flight, or listing prices; alert on target."

productivity/product-price-monitor

teams-meeting-pipeline [productivity]

Teams meeting summaries, job replay, Graph subscriptions.

productivity/teams-meeting-pipeline

weekly-review-planning [productivity]

"Weekly reset: commitments, stalled work, next-week plan."

productivity/weekly-review-planning

xlsx [productivity]

Create, read, edit Excel .xlsx workbooks and CSVs.

productivity/xlsx

arxiv [research]

"Search arXiv papers by keyword, author, category, or ID."

research/arxiv

competitor-news-monitor [research]

"Watch named companies for material news; cited digests."

research/competitor-news-monitor

grounded-citations [research]

"Ground answers and documents in cited, verifiable sources."

research/grounded-citations

llm-wiki [research]

"Karpathy's LLM Wiki: build/query interlinked markdown KB."

research/llm-wiki

xurl [social-media]

"X/Twitter via xurl CLI: raw post search, posting, DM, media."

social-media/xurl

codebase-inspection [software-development]

"Inspect codebases w/ pygount: LOC, languages, ratios."

software-development/codebase-inspection

dogfood [software-development]

"Exploratory QA of web apps: find bugs, evidence, reports."

software-development/dogfood

github [software-development]

"GitHub via gh CLI: PRs, issues, reviews, repos, auth."

software-development/github

hermes-agent-skill-authoring [software-development]

"Author in-repo SKILL.md files: frontmatter and structure."

software-development/hermes-agent-skill-authoring

inspecting-hermes-desktop-dom [software-development]

"Read the live Hermes desktop DOM/CSS over CDP."

software-development/inspecting-hermes-desktop-dom

node-inspect-debugger [software-development]

"Debug Node.js via --inspect + Chrome DevTools Protocol CLI."

software-development/node-inspect-debugger

python-debugpy [software-development]

"Debug Python: pdb REPL + debugpy remote (DAP)."

software-development/python-debugpy

requesting-code-review [software-development]

"Pre-commit review: security scan, quality gates, auto-fix."

software-development/requesting-code-review

simplify-code [software-development]

"Parallel 4-agent cleanup of recent code changes."

software-development/simplify-code

spike [software-development]

"Throwaway experiments to validate an idea before build."

software-development/spike

systematic-debugging [software-development]

"4-phase root cause debugging: understand bugs before fixing."

software-development/systematic-debugging

test-driven-development [software-development]

"TDD: enforce RED-GREEN-REFACTOR, tests before code."

software-development/test-driven-development

blocked-page-recovery [web]

"Use when a fetch fails: 403/429, paywall, WAF, bot wall."

web/blocked-page-recovery

Dari hub 177

analytics-and-reporting [analytics-and-reporting]

>

analytics-and-reporting

audience-research [audience-research]

>

audience-research

agent-merge-conflict-arbiter [autonomous-ai-agents]

"Neutral arbiter for merge conflicts between two agents."

autonomous-ai-agents/agent-merge-conflict-arbiter

antigravity-cli [autonomous-ai-agents]

"Operate the Antigravity CLI (agy): plugins, auth, sandbox."

autonomous-ai-agents/antigravity-cli

blackbox [autonomous-ai-agents]

Delegate coding tasks to the Blackbox AI multi-model CLI.

autonomous-ai-agents/blackbox

dynamic-workflow [autonomous-ai-agents]

Plan-in-code fan-outs, adversarial verification, waves.

autonomous-ai-agents/dynamic-workflow

grok [autonomous-ai-agents]

"Delegate coding to xAI Grok Build CLI (features, PRs)."

autonomous-ai-agents/grok

honcho [autonomous-ai-agents]

Configure and troubleshoot Honcho memory for Hermes.

autonomous-ai-agents/honcho

openhands [autonomous-ai-agents]

Delegate coding to OpenHands CLI (model-agnostic, LiteLLM).

autonomous-ai-agents/openhands

evm [blockchain]

"Read-only EVM client: wallets, tokens, gas across 8 chains."

blockchain/evm

hyperliquid [blockchain]

Hyperliquid market data, account history, trade review.

blockchain/hyperliquid

solana [blockchain]

Query Solana wallets, tokens, txs, and NFTs in USD.

blockchain/solana

brand-profile [brand-profile]

>

brand-profile

capcut [capcut]

>

capcut

caption-writer [caption-writer]

>

caption-writer

captions-and-clipping [captions-and-clipping]

>

captions-and-clipping

carousel-writer [carousel-writer]

>

carousel-writer

one-three-one-rule [communication]

"1-3-1 decision briefs: problem, three options, one pick."

communication/one-three-one-rule

content-calendar [content-calendar]

>

content-calendar

content-pillars [content-pillars]

>

content-pillars

conversion-copywriting [conversion-copywriting]

"Write copy that gets a \"yes!\" using Joanna Wiebe's research-first, Voice of Customer methodology Use when: **Writing landing pages, emails, or sales pages** that need m

conversion-copywriting

ai-presenter-video [creative]

"Make a verified AI presenter video from script + image."

creative/ai-presenter-video

archify [creative]

"Create polished, validated architecture, workflow, sequence, data-flow, and lifecycle/state diagrams as explorable standalone HTML with inline SVG, dark/light themes, op

creative/archify

ascii-art [creative]

"ASCII art: pyfiglet, cowsay, boxes, image-to-ascii."

creative/ascii-art

audiocraft-audio-generation [creative]

"AudioCraft: MusicGen text-to-music, AudioGen text-to-sound."

creative/audiocraft-audio-generation

auteur [creative]

Design and build cinematic, award-level web pages.

creative/auteur

baoyu-article-illustrator [creative]

"Article illustrations: type x style x palette consistency."

creative/baoyu-article-illustrator

baoyu-comic [creative]

"Knowledge comics (知识漫画): educational, biography, tutorial."

[creative/baoyu-comic](#)

brag [creative]

Turn the current project website into a short, polished, shareable launch video using Hyperframes. Use when someone says "/brag", "let's brag about this", "make a launch

[creative/brag](#)

brag-slim [creative]

Turn a project directory or a website URL into a short, shareable launch video with music, motion, and share copy. One file, no bundled assets — built entirely by the mod

[creative/brag-slim](#)

comfyui [creative]

Generate images, video, and audio via diffusion workflows.

[creative/comfyui](#)

concept-diagrams [creative]

Generate flat, minimal educational SVG visuals as HTML.

[creative/concept-diagrams](#)

creative-ideation [creative]

"Generate ideas via named methods from creative practice."

[creative/creative-ideation](#)

draw-your-font [creative]

"Turn a handwriting photo into an installable TTF font."

[creative/draw-your-font](#)

dream-loop [creative]

"Build stunning 3D scenes via a concept-art fidelity loop."

[creative/dream-loop](#)

excalidraw [creative]

"Hand-drawn Excalidraw JSON diagrams (arch, flow, seq)."

[creative/excalidraw](#)

heartmula [creative]

"HeartMuLa: Suno-like song generation from lyrics + tags."

[creative/heartmula](#)

hyperframes [creative]

Render MP4/WebM videos from HTML compositions.

[creative/hyperframes](#)

impeccable [creative]

Use when the user wants to design, redesign, shape, critique, audit, polish, clarify, distill, harden, optimize, adapt, animate, colorize, extract, or otherwise improve a

[creative/impeccable](#)

ip-as-logo [creative]

"Design minimal cute IP mascot marks readable at 32px."

[creative/ip-as-logo](#)

kanban-video-orchestrator [creative]

Plan and run multi-agent video production pipelines.

[creative/kanban-video-orchestrator](#)

meme-generation [creative]

Create meme PNGs from templates with Pillow text overlay.

[creative/meme-generation](#)

mono-color [creative]

"Generate one- or two-ink editorial print poster images."

creative/mono-color

pixel-art [creative]

"Pixel art w/ era palettes (NES, Game Boy, PICO-8)."

creative/pixel-art

pretext [creative]

Build creative browser demos with DOM-free text layout.

creative/pretext

product-photography [creative]

"Use when shooting product images for ads."

creative/product-photography

simple-english [creative]

"Rewrite text to ASD-STE100 Simplified Technical English."

creative/simple-english

sketch [creative]

"Throwaway HTML mockups: 2-3 design variants to compare."

creative/sketch

social-media-content-calendar [creative]

"Plan multi-platform social campaigns: briefs to posting."

creative/social-media-content-calendar

system-atlas [creative]

"Build explorable isometric architecture atlases as HTML."

creative/system-atlas

tldraw-offline [creative]

Drive and script tldraw offline canvases with an agent.

creative/tldraw-offline

unreal-mcp [creative]

Automate Unreal Engine editor scenes, actors, and renders.

creative/unreal-mcp

jupyter-notebook [data-science]

"Iterative Python via live Jupyter kernel (hamelnb)."

data-science/jupyter-notebook

design-trends-2026 [design-trends-2026]

"Apply 2026's top graphic design trends to any creative brief. Based on Kittl x Savee's 2026 Design Trends Report (10 trends + 2 honorable mentions), backed by Adobe, Fig

design-trends-2026

actual-setup [devops]

Set up Actual Computer (actual.inc) inference in Hermes.

devops/actual-setup

docker-management [devops]

Manage Docker containers, images, volumes, and Compose.

devops/docker-management

hermes-s6-container-supervision [devops]

Modify or debug s6 services in the Hermes Docker image.

devops/hermes-s6-container-supervision

inference-sh-cli [devops]

Run 150+ AI apps (image, video, LLM) via inference.sh CLI.

[devops/inference-sh-cli](#)

pinggy-tunnel [devops]

Zero-install localhost tunnels over SSH via Pinggy.

[devops/pinggy-tunnel](#)

setup-wizard-generator [devops]

"Generate a bash wizard guiding a human through manual setup."

[devops/setup-wizard-generator](#)

watchers [devops]

Poll RSS, JSON APIs, and GitHub with watermark dedup.

[devops/watchers](#)

adversarial-ux-test [dogfood]

Roleplay a hostile user to find and triage UX pain points.

[dogfood/adversarial-ux-test](#)

agentmail [email]

Use when an agent needs AgentMail CLI email inboxes.

[email/agentmail](#)

film-lighting-bible [film-lighting-bible]

影视级灯光圣经 — AI生成画面的灯光设计参考手册。触发场景：打光、光影、侧光、逆光、灯光设计、影视灯光、柔光、硬光、轮廓光、戏剧光、伦勃朗光、日出日落光、金色时刻、蓝色时刻、体积光、丁达尔效应。用于AI生图/生视频时的灯光方向、色温、阴影逻辑提示词构建。

[film-lighting-bible](#)

3-statement-model [finance]

Build integrated IS/BS/CF financial workbooks in Excel.

[finance/3-statement-model](#)

comps-analysis [finance]

Build comparable-company valuation workbooks in Excel.

[finance/comps-analysis](#)

dcf-model [finance]

Build discounted cash flow valuation workbooks in Excel.

[finance/dcf-model](#)

excel-author [finance]

Build auditable financial workbooks headless via openpyxl.

[finance/excel-author](#)

lbo-model [finance]

Build leveraged buyout workbooks with IRR/MOIC in Excel.

[finance/lbo-model](#)

merger-model [finance]

Build M&A accretion/dilution workbooks in Excel.

[finance/merger-model](#)

polymarket [finance]

"Query Polymarket: markets, prices, orderbooks, history."

[finance/polymarket](#)

pptx-author [finance]

Build PowerPoint decks headless with python-pptx.

finance/pptx-author

stocks [finance]

Stock quotes, history, search, compare, crypto via Yahoo.

finance/stocks

minecraft-modpack-server [gaming]

"Host modded Minecraft servers (CurseForge, Modrinth)."

gaming/minecraft-modpack-server

pokemon-player [gaming]

"Play Pokemon via headless emulator + RAM reads."

gaming/pokemon-player

headline-formulas [headline-formulas]

"25+ proven headline formulas that stop the scroll, capture attention, and drive clicks. Templates and examples for every situation. Use when: Writing headlines for landi

headline-formulas

fitness-nutrition [health]

"Workout planning, macros, and body metrics via wger/USDA."

health/fitness-nutrition

neuroskill-bci [health]

"Use live BCI cognitive and mood state from NeuroSkill."

health/neuroskill-bci

hook-writer [hook-writer]

>

hook-writer

image-to-video [image-to-video]

"Still-to-video conversion guide: model selection, motion prompting, and camera movement. Covers Wan 2.5 i2v, Seedance, Fabric, Grok Video with when to use each. Use for:

image-to-video

instagram-growth [instagram-growth]

>

instagram-growth

fastmcp [mcp]

Build, test, and deploy Python MCP servers.

mcp/fastmcp

mcp-oauth-remote-gateway [mcp]

Manual OAuth for remote MCP servers on headless gateways.

mcp/mcp-oauth-remote-gateway

mcporter [mcp]

List, auth, and call MCP servers/tools from the terminal.

mcp/mcporter

openclaw-migration [migration]

Import an OpenClaw setup (memories, skills) into Hermes.

migration/openclaw-migration

accelerate [mlops]

Run PyTorch training across GPUs with minimal changes.

mlops/accelerate

chroma [mlops]

Embedding database for RAG and semantic search.

[mlops/chroma](#)

clip [mlops]

Zero-shot image classification and image-text search.

[mlops/clip](#)

evaluating-llms-harness [mlops]

"lm-eval-harness: benchmark LLMs (MMLU, GSM8K, etc.)."

[mlops/evaluation/evaluating-llms-harness](#)

weights-and-biases [mlops]

"W&B: log ML experiments, sweeps, model registry, dashboards."

[mlops/evaluation/weights-and-biases](#)

faiss [mlops]

Fast vector similarity search at billion scale.

[mlops/faiss](#)

flash-attention [mlops]

Speed up long-sequence transformer training and inference.

[mlops/flash-attention](#)

guidance [mlops]

Constrain LLM output with grammars; guarantee valid JSON.

[mlops/guidance](#)

huggingface-tokenizers [mlops]

Fast BPE/WordPiece tokenization and custom vocab training.

[mlops/huggingface-tokenizers](#)

llama-cpp [mlops]

llama.cpp local GGUF inference + HF Hub model discovery.

[mlops/inference/llama-cpp](#)

outlines [mlops]

"Outlines: structured JSON/regex/Pydantic LLM generation."

[mlops/inference/outlines](#)

serving-llms-vllm [mlops]

"vLLM: high-throughput LLM serving, OpenAI API, quantization."

[mlops/inference/serving-llms-vllm](#)

instructor [mlops]

Structured LLM outputs validated with Pydantic.

[mlops/instructor](#)

lambda-labs [mlops]

On-demand GPU cloud instances for ML training.

[mlops/lambda-labs](#)

llava [mlops]

"Vision-language chat: VQA, captioning, image dialogue."

[mlops/llava](#)

modal [mlops]

Serverless GPU cloud for ML jobs and model APIs.

[mlops/modal](#)

huggingface-hub [mlops]

"HuggingFace hf CLI: search/download/upload models, datasets."

mlops/models/huggingface-hub

segment-anything-model [mlops]

"SAM: zero-shot image segmentation via points, boxes, masks."

mlops/models/segment-anything-model

nemo-curator [mlops]

"Curate LLM training data: dedupe, filter, PII redaction."

mlops/nemo-curator

obliteratus [mlops]

"OBLITERATUS: obliterate LLM refusals (diff-in-means)."

mlops/obliteratus

peft [mlops]

Fine-tune large LLMs with LoRA on limited GPU memory.

mlops/peft

pinecone [mlops]

Managed vector DB for production RAG and search.

mlops/pinecone

pytorch-fsdp [mlops]

Fully sharded data-parallel training for large models.

mlops/pytorch-fsdp

pytorch-lightning [mlops]

Clean training loops with built-in distributed support.

mlops/pytorch-lightning

qdrant [mlops]

Vector search engine for production RAG systems.

mlops/qdrant

dspy [mlops]

"DSPy: declarative LM programs, auto-optimize prompts, RAG."

mlops/research/dspy

saelens [mlops]

Train sparse autoencoders to interpret model features.

mlops/saelens

simpo [mlops]

Reference-free preference alignment, simpler than DPO.

mlops/simpo

slime [mlops]

RL post-training for LLMs with Megatron and SGLang.

mlops/slime

stable-diffusion [mlops]

Text-to-image generation, inpainting, and img2img.

mlops/stable-diffusion

tensorrt-llm [mlops]

High-throughput LLM inference on NVIDIA GPUs.

mlops/tensorrt-llm

torch titan [mlops]

Pretrain LLMs at scale with PyTorch 4D parallelism.

mlops/torch titan

axolotl [mlops]

"Axolotl: YAML LLM fine-tuning (LoRA, DPO, GRPO)."

mlops/training/axolotl

trl-fine-tuning [mlops]

"TRL: SFT, DPO, GRPO, RLOO reward modeling for LLM RLHF."

mlops/training/trl-fine-tuning

unsloth [mlops]

"Unsloth: 2-5x faster LoRA/QLoRA fine-tuning, less VRAM."

mlops/training/unsloth

whisper [mlops]

Transcribe and translate speech in 99 languages.

mlops/whisper

mpp-agent [payments]

Pay HTTP 402 APIs via Machine Payments Protocol (MPP).

payments/mpp-agent

stripe-link-cli [payments]

Agent payments via Stripe Link — cards, SPT, approvals.

payments/stripe-link-cli

stripe-projects [payments]

Provision SaaS services + sync creds via Stripe Projects.

payments/stripe-projects

persuasion-principles [persuasion-principles]

"Master Robert Cialdini's 6 (+1) Principles of Persuasion from \"Influence: The Psychology of Persuasion\" (1984). Ethically apply the psychology of compliance to marketi

persuasion-principles

product-photography [product-photography]

"AI product photography with studio lighting, lifestyle shots, and packshot conventions. Covers angles, backgrounds, shadow types, hero shots, and e-commerce image requir

product-photography

canvas [productivity]

Fetch Canvas LMS courses and assignments via API token.

productivity/canvas

decision-questionnaire [productivity]

"Turn an unanswerable decision into a questionnaire doc."

productivity/decision-questionnaire

here-now [productivity]

Publish sites to {slug}.here.now and store files in Drives.

productivity/here-now

live-dashboard [productivity]

"Build self-updating dashboards from live sources."

productivity/live-dashboard

memento-flashcards [productivity]

"Spaced-repetition flashcards: create, review, quiz, export."

[productivity/memento-flashcards](#)

property-listings [productivity]

Present property and rental listings as desktop cards.

[productivity/property-listings](#)

shop [productivity]

"Shop catalog search, checkout, order tracking, returns."

[productivity/shop](#)

shopify [productivity]

Query Shopify Admin/Storefront GraphQL APIs via curl.

[productivity/shopify](#)

siyuan [productivity]

Query and edit a SiYuan knowledge base via its API.

[productivity/siyuan](#)

telephony [productivity]

Provision Twilio numbers, SMS/MMS, and AI outbound calls.

[productivity/telephony](#)

reels-script [reels-script]

>

[reels-script](#)

bioinformatics [research]

Gateway to 400+ genomics and computational biology skills.

[research/bioinformatics](#)

blogwatcher [research]

"Monitor blogs and RSS/Atom feeds via blogwatcher-cli tool."

[research/blogwatcher](#)

darwinian-evolver [research]

Evolve prompts/regex/SQL/code with Imbue's evolution loop.

[research/darwinian-evolver](#)

domain-intel [research]

Passive recon of subdomains, SSL certs, WHOIS, and DNS.

[research/domain-intel](#)

drug-discovery [research]

"Drug discovery: ChEMBL search, drug-likeness, interactions."

[research/drug-discovery](#)

duckduckgo-search [research]

Free keyless web, news, and image search via ddgs.

[research/duckduckgo-search](#)

gitnexus-explorer [research]

Serve an interactive codebase knowledge graph web UI.

[research/gitnexus-explorer](#)

osint-investigation [research]

Follow the money via public records and sanctions data.

[research/osint-investigation](#)

parallel-cli [research]

Agent-native web search, deep research, and enrichment.

[research/parallel-cli](#)

pinecone-research [research]

Agent RAG and long-term memory with Pinecone.

[research/pinecone-research](#)

qmd [research]

Hybrid local search over notes, docs, and transcripts.

[research/qmd](#)

research-paper-writing [research]

"Write ML papers for NeurIPS/ICML/ICLR: design→submit."

[research/research-paper-writing](#)

rss-feeds [research]

"Read RSS, Atom, JSON feeds; discover feeds behind a page."

[research/rss-feeds](#)

scrapling [research]

Scrape sites with stealth browsing and Cloudflare bypass.

[research/scrapling](#)

searxng-search [research]

Free keyless meta-search aggregating 70+ engines.

[research/searxng-search](#)

1password [security]

Set up op CLI, sign in, and read or inject secrets.

[security/1password](#)

godmode [security]

"Jailbreak LLMs: Parseltongue, GODMODE, ULTRAPLINIAN."

[security/godmode](#)

oss-forensics [security]

"GitHub supply-chain forensics: recovery, IOCs, reporting."

[security/oss-forensics](#)

sherlock [security]

Find accounts for a username across 400+ platforms.

[security/sherlock](#)

unbroker [security]

Autonomously remove your info from data-broker sites.

[security/unbroker](#)

web-pentest [security]

"Authorized web pentest: recon, proof-based exploits, report."

[security/web-pentest](#)

short-form-video-script [short-form-video-script]

>

[short-form-video-script](#)

openhue [smart-home]

"Control Philips Hue lights, scenes, rooms via OpenHue CLI."

[smart-home/openhue](#)

reddit-reading [social-media]

"Read Reddit: subreddits, search, threads, users. No browser."

social-media/reddit-reading

ast-grep [software-development]

"AST-aware structural code search and rewrite via ast-grep."

software-development/ast-grep

code-wiki [software-development]

"Generate wiki docs + Mermaid diagrams for any codebase."

software-development/code-wiki

grill-me [software-development]

"Adversarial plan interview before implementation."

software-development/grill-me

pr-lens [software-development]

"Draw code changes as animated architecture/data-flow SVGs."

software-development/pr-lens

rest-graphql-debug [software-development]

"Debug REST/GraphQL APIs: status codes, auth, schemas, repro."

software-development/rest-graphql-debug

subagent-driven-development [software-development]

"Execute plans via delegate_task subagents (2-stage review)."

software-development/subagent-driven-development

sound-design-film [sound-design-film]

"Apply Walter Murch's legendary film sound principles to marketing video, creating emotionally resonant audio that audiences feel without consciously noticing. Use when:

sound-design-film

storyboard-creation [storyboard-creation]

"Film and video storyboarding with shot vocabulary, continuity rules, and panel layout. Covers shot types, camera angles, movement, 180-degree rule, and annotation format

storyboard-creation

tiktok-script [tiktok-script]

>

tiktok-script

UGC [ugc]

Create viral user-generated content for marketing with effective hooks, formats, and creator strategies.

ugc

video-ad-specs [video-ad-specs]

"Video ad creation with exact platform-specific specs for TikTok, Instagram, YouTube, Facebook, LinkedIn. Covers dimensions, duration limits, AIDA framework, and caption

video-ad-specs

cloudflare-temporary-deploy [web-development]

Deploy a Worker live, no account, via wrangler --temporary.

web-development/cloudflare-temporary-deploy

har-derived-api-client [web-development]

Record a site's XHR into a HAR, derive an HTTP client.

web-development/har-derived-api-client

page-agent [web-development]

Embed an in-page natural-language GUI copilot in web apps.

web-development/page-agent

publish-site [web-development]

Versioned site deploys to GitHub/Cloudflare/Netlify Pages.

[web-development/publish-site](#)

scrollcraft [web-development]

"Premium scroll-driven landing pages; scroll = timeline."

[web-development/scrollcraft](#)

Dari luar (skill pihak ketiga) ²⁰⁷

cdp-app-automation [automation]

"Use when driving a local Chromium app over CDP."

[automation/cdp-app-automation](#)

computer-use-action-notes [automation]

"Use when a computer_use action fails or returns nothing."

[automation/computer-use-action-notes](#)

connect-service-oauth-mcp [automation]

"Use when connecting his services over MCP OAuth."

[automation/connect-service-oauth-mcp](#)

gui-engine-lifecycle [automation]

"Use when switching or restarting a GUI automation engine."

[automation/gui-engine-lifecycle](#)

hermes-dashboard-behind-proxy [automation]

Use when exposing a dashboard at a public URL with login.

[automation/hermes-dashboard-behind-proxy](#)

hermes-dashboard-plugin [automation]

Use when adding a tab or page to the Hermes dashboard.

[automation/hermes-dashboard-plugin](#)

hermes-shell-hooks [automation]

"Use when installing or debugging Hermes shell hooks."

[automation/hermes-shell-hooks](#)

human-use-recovery [automation]

"Use when human_use or human_use misreports input."

[automation/human-use-recovery](#)

human-use-web-driving [automation]

"Use when human_use misclicks or cannot type."

[automation/human-use-web-driving](#)

macos-app-state-inspection [automation]

Use when asked where an app's data or chat went on macOS.

[automation/macOS-app-state-inspection](#)

macos-automation [automation]

"Use when operating this MacBook M1 with tools."

[automation/macOS-automation](#)

macos-background-services [automation]

"Use when a local app/daemon must stay up on macOS."

[automation/macOS-background-services](#)

macos-chrome-control [automation]

"Drive the user's own Chrome tab on macOS via JS or CDP."

[automation/macos-chrome-control](#)

macos-gui-driving [automation]

"Use when a Mac app ignores clicks, keys or panels."

[automation/macos-gui-driving](#)

macos-machine-state [automation]

"Use when setting Mac hardware state like brightness."

[automation/macos-machine-state](#)

macos-remote-screen-access [automation]

Use when driving this Mac's screen, locally or remotely.

[automation/macos-remote-screen-access](#)

macos-system-audit [automation]

Use when auditing a Mac's storage, memory, and health.

[automation/macos-system-audit](#)

macos-tool-install [automation]

"Use when installing a CLI tool on this Mac (brew broken)."

[automation/macos-tool-install](#)

safe-teardown [automation]

Use when removing a whole tool, tree or system on order.

[automation/safe-teardown](#)

self-hosted-observability-stack [automation]

"Use when self-hosting Grafana, Prometheus or Langfuse."

[automation/self-hosted-observability-stack](#)

selfhost-observability [automation]

Use when self-hosting Grafana/Prometheus/Langfuse.

[automation/selfhost-observability](#)

agent-operations [autonomous-ai-agents]

"Use before any action that changes real state."

[autonomous-ai-agents/agent-operations](#)

agentic-creative-production [autonomous-ai-agents]

"Use when an agent must produce creative assets."

[autonomous-ai-agents/agentic-creative-production](#)

hermes-memory-provider-plugin [autonomous-ai-agents]

Use when building a local Hermes memory provider plugin.

[autonomous-ai-agents/hermes-memory-provider-plugin](#)

hermes-peer-connect [autonomous-ai-agents]

"Use when linking a remote Hermes agent as a peer."

[autonomous-ai-agents/hermes-peer-connect](#)

hermes-plugin-health-check [autonomous-ai-agents]

Use when checking whether a Hermes plugin really loaded.

[autonomous-ai-agents/hermes-plugin-health-check](#)

hermes-runtime-failure-diagnosis [autonomous-ai-agents]

"Use when the agent's own reply leaks, loops or is empty."

[autonomous-ai-agents/hermes-runtime-failure-diagnosis](#)

hermes-self-audit [autonomous-ai-agents]

"Use when auditing a Hermes install the official way."

autonomous-ai-agents/hermes-self-audit

human-use [autonomous-ai-agents]

"Drive the desktop background-first; escalate on signal."

autonomous-ai-agents/human-use

llm-model-selection [autonomous-ai-agents]

"Use when choosing or benchmarking the agent's model."

autonomous-ai-agents/llm-model-selection

merge-reconciler [autonomous-ai-agents]

"Neutral third-party resolution of agent merge conflicts."

autonomous-ai-agents/merge-reconciler

art-direction [creative]

"Use when setting the visual direction for a campaign."

creative/art-direction

asset-qa [creative]

"Use before publishing any designed asset."

creative/asset-qa

code-rendered-video-production [creative]

"Use when ad video is rendered by code (Remotion/ffmpeg)."

creative/code-rendered-video-production

creative-department [creative]

"Use when a creative job needs the full studio chain."

creative/creative-department

design-assets [creative]

"Use when producing ad, print or social assets."

creative/design-assets

higgsfield-production [creative]

"Use when generating ad video or images in Higgsfield."

creative/higgsfield-production

image-editing [creative]

"Use when editing, masking or retouching images."

creative/image-editing

logo-mark-design [creative]

"Use when designing a logo or brand mark."

creative/logo-mark-design

static-ad-render [creative]

Use when rendering static ad images at exact sizes.

creative/static-ad-render

svg-to-png-render [creative]

"Use when rendering SVG/HTML visuals to PNG."

creative/svg-to-png-render

ab-test-analysis [data-analytics]

Rigorous A/B test statistical analysis. Use when analyzing experiment results, calculating statistical significance, checking for sample ratio mismatch, or validating tes

data-analytics/ab-test-analysis

ad-beat-deconstruction [data-analytics]

Use when reading an ad's beats from its own frames.

[data-analytics/ad-beat-deconstruction](#)

ad-library-research [data-analytics]

"Use when researching competitor ads before creating."

[data-analytics/ad-library-research](#)

ads-account-health [data-analytics]

"Use when an ad account or ad is rejected or limited."

[data-analytics/ads-account-health](#)

ads-advantage-plus [data-analytics]

"Use when Meta automated campaign types come up."

[data-analytics/ads-advantage-plus](#)

ads-anomaly-watch [data-analytics]

"Use when watching ad accounts for problems daily."

[data-analytics/ads-anomaly-watch](#)

ads-audience-analysis [data-analytics]

"Use when reading audience or placement breakdowns."

[data-analytics/ads-audience-analysis](#)

ads-audience-build [data-analytics]

"Use when building ad audiences and targeting."

[data-analytics/ads-audience-build](#)

ads-budget-allocation [data-analytics]

"Use when deciding where the next ad budget goes."

[data-analytics/ads-budget-allocation](#)

ads-budget-pacing [data-analytics]

"Use when checking monthly ad budget pacing."

[data-analytics/ads-budget-pacing](#)

ads-campaign-structure [data-analytics]

"Use when reviewing or changing campaign structure."

[data-analytics/ads-campaign-structure](#)

ads-creative-brief [data-analytics]

"Use when briefing a designer or video editor."

[data-analytics/ads-creative-brief](#)

ads-creative-testing [data-analytics]

"Use when deciding which ad creative wins."

[data-analytics/ads-creative-testing](#)

ads-data-pull [data-analytics]

"Use when pulling ad and channel data for a report."

[data-analytics/ads-data-pull](#)

ads-experiment-design [data-analytics]

"Use when designing an ad test before spending."

[data-analytics/ads-experiment-design](#)

ads-forecast [data-analytics]

"Use when forecasting spend, results, or budget needs."

[data-analytics/ads-forecast](#)

ads-history [data-analytics]

"Use when keeping a daily history of ad results."

[data-analytics/ads-history](#)

ads-message-funnel [data-analytics]

"Use when ads lead to Messenger or WhatsApp."

[data-analytics/ads-message-funnel](#)

ads-objective-metrics [data-analytics]

"Use when choosing which metrics judge a campaign."

[data-analytics/ads-objective-metrics](#)

ads-objective-selection [data-analytics]

"Use when choosing or changing a campaign objective."

[data-analytics/ads-objective-selection](#)

ads-payment-hygiene [data-analytics]

"Use when ad accounts need payment or billing fixes."

[data-analytics/ads-payment-hygiene](#)

ads-pixel-event-health [data-analytics]

"Use when checking whether pixel events really fire."

[data-analytics/ads-pixel-event-health](#)

ads-placements [data-analytics]

"Use when checking ad placements and frequency."

[data-analytics/ads-placements](#)

ads-portfolio-rollup [data-analytics]

"Use when summarising all ad accounts at once."

[data-analytics/ads-portfolio-rollup](#)

ads-retargeting [data-analytics]

"Use when retargeting people who already engaged."

[data-analytics/ads-retargeting](#)

ads-roas-attribution [data-analytics]

"Use when judging profit against ad spend."

[data-analytics/ads-roas-attribution](#)

ads-scale-up [data-analytics]

"Use when raising ad budget without breaking results."

[data-analytics/ads-scale-up](#)

ads-sheet-reports [data-analytics]

"Use when filling or auditing his ads report sheets."

[data-analytics/ads-sheet-reports](#)

ads-spend-reconciliation [data-analytics]

"Use when matching ad spend to invoices."

[data-analytics/ads-spend-reconciliation](#)

ads-weekly-review [data-analytics]

"Use when running the weekly ad account review."

[data-analytics/ads-weekly-review](#)

analysis-assumptions-log [data-analytics]

Track and document analytical assumptions and decisions. Use when making analytical choices, documenting trade-offs, ensuring transparency, or creating audit trails for a

[data-analytics/analysis-assumptions-log](#)

analysis-documentation [data-analytics]

Structured, reproducible analysis documentation. Use when documenting analysis findings, creating analysis notebooks, ensuring reproducibility, or building analysis archi

[data-analytics/analysis-documentation](#)

analysis-planning [data-analytics]

Structure analysis approach before starting work. Use when receiving new analysis requests, breaking down complex questions into steps, or planning iterative analysis wor

[data-analytics/analysis-planning](#)

analysis-qa-checklist [data-analytics]

Pre-delivery quality assurance for analysis work. Use when reviewing analysis before sharing with stakeholders, checking for completeness, validating assumptions, or ensu

[data-analytics/analysis-qa-checklist](#)

analysis-retrospective [data-analytics]

Post-analysis learning and process improvement. Use when completing major analysis projects, documenting lessons learned, or improving team analytical practices.

[data-analytics/analysis-retrospective](#)

business-metrics-calculator [data-analytics]

Standard business metric calculation with industry benchmarks. Use when calculating SaaS metrics (MRR, churn, LTV, CAC), e-commerce KPIs, or product analytics metrics wit

[data-analytics/business-metrics-calculator](#)

campaign-strategy [data-analytics]

"Use when planning a campaign from goal to creative."

[data-analytics/campaign-strategy](#)

client-communication [data-analytics]

"Use when writing to a client or the boss."

[data-analytics/client-communication](#)

client-onboarding [data-analytics]

"Use when onboarding a new ad client or brand."

[data-analytics/client-onboarding](#)

client-report-pack [data-analytics]

"Use when producing a client report on a schedule."

[data-analytics/client-report-pack](#)

cohort-analysis [data-analytics]

Time-based cohort analysis with retention and behaviour tracking. Activate when you need to measure how groups of users/customers behave over time — retention rates, reve

[data-analytics/cohort-analysis](#)

context-packager [data-analytics]

Efficiently package context for AI-assisted analysis. Use when preparing to work with Claude on analysis, organizing context documents, or structuring prompts for complex

[data-analytics/context-packager](#)

creative-performance-diagnosis [data-analytics]

"Use when a creative stops performing and needs diagnosis."

[data-analytics/creative-performance-diagnosis](#)

crisis-runbook [data-analytics]

"Use when an ad account breaks suddenly."

[data-analytics/crisis-runbook](#)

customer-journey-funnel [data-analytics]

"Use when mapping a customer journey or full funnel."

[data-analytics/customer-journey-funnel](#)

dashboard-specification [data-analytics]

Design specifications for effective dashboards. Use when planning new dashboards, improving existing ones, or documenting dashboard requirements before development starts

[data-analytics/dashboard-specification](#)

data-catalog-entry [data-analytics]

Create standardized metadata for data assets. Use when documenting new datasets, building data catalogs, improving data discoverability, or creating data dictionaries for

[data-analytics/data-catalog-entry](#)

data-narrative-builder [data-analytics]

Build compelling data-driven narratives. Use when presenting analysis results, creating stakeholder reports, or transforming a set of findings into a story that drives a

[data-analytics/data-narrative-builder](#)

data-quality-audit [data-analytics]

Comprehensive data quality assessment against business rules, schema constraints, and freshness expectations. Activate when validating data pipeline outputs before produc

[data-analytics/data-quality-audit](#)

executive-summary-generator [data-analytics]

Create concise executive summaries from detailed analysis. Use when preparing board decks, executive briefings, or condensing complex analysis into decision-ready formats

[data-analytics/executive-summary-generator](#)

funnel-analysis [data-analytics]

Conversion funnel analysis with drop-off investigation. Use when analyzing multi-step processes, identifying conversion bottlenecks, comparing segments through a funnel,

[data-analytics/funnel-analysis](#)

ga4-analytics [data-analytics]

"Use when setting up or reading GA4 data."

[data-analytics/ga4-analytics](#)

google-ads [data-analytics]

"Use when working in Google Ads accounts."

[data-analytics/google-ads](#)

impact-quantification [data-analytics]

Estimate and communicate business impact of insights. Use when sizing opportunities discovered in analysis, calculating ROI of recommended actions, or prioritizing initia

[data-analytics/impact-quantification](#)

insight-synthesis [data-analytics]

Transform data findings into compelling insights. Use when converting analysis results into actionable insights, connecting findings to business impact, or preparing insi

[data-analytics/insight-synthesis](#)

keyword-research [data-analytics]

"Use when researching keywords for ads or SEO."

[data-analytics/keyword-research](#)

landing-page-audit [data-analytics]

"Use when checking a landing page before scaling."

[data-analytics/landing-page-audit](#)

landing-page-cro-execution [data-analytics]

"Use when audit findings must become tested page changes."

[data-analytics/landing-page-cro-execution](#)

leads-privacy [data-analytics]

"Use when handling lead or member data."

[data-analytics/leads-privacy](#)

link-utm-tracking [data-analytics]

"Use when building or reading tracking links."

[data-analytics/link-utm-tracking](#)

marketing-incrementality-testing [data-analytics]

"Use when proving ads add lift, not just claiming credit."

[data-analytics/marketing-incrementality-testing](#)

marketing-insight [data-analytics]

"Use when five research inputs must become one insight."

[data-analytics/marketing-insight](#)

marketing-operations [data-analytics]

"Use when running ads work end to end."

[data-analytics/marketing-operations](#)

meta-ad-preflight [data-analytics]

"Use before submitting an ad for review."

[data-analytics/meta-ad-preflight](#)

meta-marketing-api-operations [data-analytics]

Use when mutating Meta ads through the Graph API.

[data-analytics/meta-marketing-api-operations](#)

meta-metrics-glossary [data-analytics]

"Use when reading Meta ad metrics and reports."

[data-analytics/meta-metrics-glossary](#)

meta-pixel-capi-implementation [data-analytics]

"Use when setting up Meta Pixel + CAPI tracking."

[data-analytics/meta-pixel-capi-implementation](#)

meta-product-catalog [data-analytics]

"Use when running catalogue or shopping ads on Meta."

[data-analytics/meta-product-catalog](#)

methodology-explainer [data-analytics]

Explain analysis methodology to diverse audiences. Use when documenting 'how we did this' sections, building trust through transparency, or teaching analytical approaches

[data-analytics/methodology-explainer](#)

metric-reconciliation [data-analytics]

Trace and resolve discrepancies when the same metric shows different values in two or more sources. Use before reporting, after pipeline changes, or when stakeholders que

[data-analytics/metric-reconciliation](#)

paid-social-market-localisation-qa [data-analytics]

"Use when QA-ing MY/PH/VN ad creative before launch."

[data-analytics/paid-social-market-localisation-qa](#)

peer-review-template [data-analytics]

Structured peer review for analytical work. Use when reviewing teammates' analysis, providing constructive feedback, or

establishing analysis quality standards.

[data-analytics/peer-review-template](#)

platform-adaptation [data-analytics]

"Use when one creative must work on every platform."

[data-analytics/platform-adaptation](#)

programmatic-eda [data-analytics]

Systematic exploratory data analysis. Activate when a dataset needs profiling — structure check, nulls, outliers, distributions, correlations — before deeper analysis begins

[data-analytics/programmatic-eda](#)

query-validation [data-analytics]

SQL query review for correctness, performance, and best practices. Activate when a query needs review before production use, shows unexpected results, or runs too slowly.

[data-analytics/query-validation](#)

root-cause-investigation [data-analytics]

Systematic investigation of metric changes and anomalies. Use when a metric unexpectedly changes, investigating business metric drops, explaining performance variations,

[data-analytics/root-cause-investigation](#)

schema-mapper [data-analytics]

Document column-level mappings between source and target schemas. Use when integrating data from multiple systems, designing ETL transformations, or documenting how raw data is transformed

[data-analytics/schema-mapper](#)

segmentation-analysis [data-analytics]

Customer/user segmentation with actionable insights. Use when identifying distinct customer groups, analyzing segment-specific behavior, profiling high-value segments, or

[data-analytics/segmentation-analysis](#)

semantic-model-builder [data-analytics]

Build structured semantic layer documentation for metrics, dimensions, and entities. Activate when you need to define a business metric, document a data model, or create

[data-analytics/semantic-model-builder](#)

sql-to-business-logic [data-analytics]

Translate SQL queries into plain language business logic. Use when documenting queries, explaining analysis to non-technical stakeholders, code reviewing for correctness,

[data-analytics/sql-to-business-logic](#)

stakeholder-requirements-gathering [data-analytics]

Structured requirements elicitation for analysis requests. Use when scoping new analysis projects, clarifying ambiguous business questions, or documenting analysis acceptance

[data-analytics/stakeholder-requirements-gathering](#)

technical-to-business-translator [data-analytics]

Translate technical analysis into business language. Use when explaining statistical concepts to non-analysts, simplifying technical findings, or bridging communication between

[data-analytics/technical-to-business-translator](#)

time-series-analysis [data-analytics]

Temporal pattern detection and forecasting. Use when analyzing trends over time, detecting seasonality, identifying anomalies in time series, or building simple forecasts

[data-analytics/time-series-analysis](#)

trend-research [data-analytics]

"Use when researching trends and visual references."

[data-analytics/trend-research](#)

visualization-builder [data-analytics]

Create effective, publication-ready data visualizations. Use when choosing chart types, designing presentation visuals, building dashboard charts, or applying visual desi

[data-analytics/visualization-builder](#)

voice-of-customer [data-analytics]

"Use when mining reviews and comments for copy."

[data-analytics/voice-of-customer](#)

website-health [data-analytics]

"Use when checking whether a site is healthy."

[data-analytics/website-health](#)

whatsapp-business [data-analytics]

"Use when ads and funnels hand off to WhatsApp."

[data-analytics/whatsapp-business](#)

macos-lima-selfhost [devops]

Use when self-hosting a stack in a Linux VM on this Mac.

[devops/macOS-lima-selfhost](#)

github-auth [github]

"GitHub auth setup: HTTPS tokens, SSH keys, gh CLI login."

[github/github-auth](#)

github-code-review [github]

"Review PRs: diffs, inline comments via gh or REST."

[github/github-code-review](#)

github-issue-to-pr [github]

"Carry a GitHub issue to a verified PR with honest CI state."

[github/github-issue-to-pr](#)

github-issues [github]

"Create, triage, label, assign GitHub issues via gh or REST."

[github/github-issues](#)

github-pr-workflow [github]

"GitHub PR lifecycle: branch, commit, open, CI, merge."

[github/github-pr-workflow](#)

github-repo-management [github]

"Clone/create/fork repos; manage remotes, releases."

[github/github-repo-management](#)

mcp-account-connections [mcp]

"Use when connecting his accounts to Hermes (MCP/OAuth)."

[mcp/mcp-account-connections](#)

motion-graphics [media]

"Use when animating text, graphics or transitions."

[media/motion-graphics](#)

video-audio [media]

"Use when adding voice-over, music or subtitles."

[media/video-audio](#)

video-production [media]

"Use when shooting or generating ad video."

media/video-production

procedural-visual-generation [procedural-visual-generation]

"Use when imagery must be generated in code."

procedural-visual-generation

ad-audio-direction [productivity]

"Use when a video ad needs music and a finished soundtrack."

productivity/ad-audio-direction

ads-manager-ui [productivity]

"Use when navigating the Meta Ads Manager interface."

productivity/ads-manager-ui

audio-delivery-mastering [productivity]

"Use when mastering audio to delivery specs."

productivity/audio-delivery-mastering

backup-restore [productivity]

"Use when protecting or restoring your work data."

productivity/backup-restore

chatgpt-codex-surfaces [productivity]

Use when locating ChatGPT/Codex chats, quota, or sessions.

productivity/chatgpt-codex-surfaces

creative-ops [productivity]

"Use when managing creative assets and versions."

productivity/creative-ops

document-deliverables [productivity]

"Use when handing him a built document (PDF, sheet, deck)."

productivity/document-deliverables

fairuz-communication [productivity]

"Use when wording a reply to Fairuz."

productivity/fairuz-communication

file-folder-management [productivity]

Use when measuring, organizing or deleting files/folders.

productivity/file-folder-management

kanban-work-tracking [productivity]

"Use when several lanes stall on him; kanban tracking."

productivity/kanban-work-tracking

meta-ads-guided-work [productivity]

Use when running Meta/Facebook ads work for his clients.

productivity/meta-ads-guided-work

mistake-register [productivity]

"Use before acting on his Mac or trusting a prior step."

productivity/mistake-register

motion-graphic-render [productivity]

"Use when a video needs words on screen."

productivity/motion-graphic-render

nano-pdf [productivity]

"Edit text in existing PDFs via natural-language prompts."

[productivity/nano-pdf](#)

ocr-and-documents [productivity]

"Extract text from PDFs/scans (pymupdf, marker-pdf)."

[productivity/ocr-and-documents](#)

search-console-seo [productivity]

"Use when reading Search Console data to fix a site."

[productivity/search-console-seo](#)

session-librarian [productivity]

"Organize sessions by prompt: find, rename, archive, prune."

[productivity/session-librarian](#)

shopee-seller [productivity]

"Use when selling or running ads on Shopee."

[productivity/shopee-seller](#)

telegram-channel-stats [productivity]

"Use when pulling Telegram channel stats via MTProto."

[productivity/telegram-channel-stats](#)

telegram-user-api [productivity]

"Use when a task needs Telegram's user API (MTProto)."

[productivity/telegram-user-api](#)

tiktok-shop [productivity]

"Use when selling on TikTok Shop."

[productivity/tiktok-shop](#)

toolchain-inventory [productivity]

Use when auditing, documenting or rebuilding the toolchain.

[productivity/toolchain-inventory](#)

woocommerce-meta-integration [productivity]

"Use when syncing WooCommerce products and orders to Meta."

[productivity/woocommerce-meta-integration](#)

woocommerce-ops [productivity]

"Use when running a WooCommerce store day to day."

[productivity/woocommerce-ops](#)

wordpress-publishing [productivity]

"Use when drafting or publishing a WordPress post."

[productivity/wordpress-publishing](#)

work-orchestration [productivity]

"Use when deciding to delegate, schedule or queue work."

[productivity/work-orchestration](#)

audience-psychology [psychology]

"Use when working out how a target audience thinks."

[psychology/audience-psychology](#)

big-idea [psychology]

"Use when an angle needs a campaign idea."

[psychology/big-idea](#)

brand-identity [psychology]

"Use when a brand needs consistent visuals."

[psychology/brand-identity](#)

content-strategy [psychology]

"Use when planning organic content that feeds ads."

[psychology/content-strategy](#)

copywriting [psychology]

"Use when writing ad or landing page copy."

[psychology/copywriting](#)

creative-strategy [psychology]

"Use when planning ad creative angles and hooks."

[psychology/creative-strategy](#)

marketing-mental-models [psychology]

"Use when applying psychology or mental models to marketing."

[psychology/marketing-mental-models](#)

marketing-psychology [psychology]

>

[psychology/marketing-psychology](#)

nurture-sequences [psychology]

"Use when planning follow-up after a signup or join."

[psychology/nurture-sequences](#)

offer-design [psychology]

"Use when building or fixing an offer."

[psychology/offer-design](#)

page-publishing [psychology]

"Use when posting to a Facebook Page or Instagram."

[psychology/page-publishing](#)

retention-community [psychology]

"Use when members or buyers go quiet."

[psychology/retention-community](#)

target-market-research [psychology]

"Use when picking or sizing a target market."

[psychology/target-market-research](#)

ugc-influencer [psychology]

"Use when briefing creators or gathering UGC."

[psychology/ugc-influencer](#)

ux-psychology [psychology]

"Use when designing or reviewing a landing page or form."

[psychology/ux-psychology](#)

video-ads [psychology]

"Use when briefing or judging video ad creative."

[psychology/video-ads](#)

negative-claim-gate [research]

"Use when about to say something is impossible, absent, or 'the best option'."

[research/negative-claim-gate](#)

account-access-review [security]

"Use when reviewing who can access ad accounts."

[security/account-access-review](#)

assisted-login [security]

"Use when a task needs the user's own login."

[security/assisted-login](#)

audit-trail [security]

"Use when recording what the agent changed here."

[security/audit-trail](#)

browser-extension-audit [security]

"Use when auditing browser extension permissions."

[security/browser-extension-audit](#)

differential-review [security]

"Performs security-focused differential review of code changes. Adapts analysis depth to codebase size, uses git blame for context, calculates blast radius by counting ca

[security/differential-review](#)

fp-check [security]

"Systematically verifies suspected security bugs to eliminate false positives, producing a TRUE POSITIVE or FALSE POSITIVE verdict with documented evidence for each. Use

[security/fp-check](#)

macos-security-posture [security]

"Use when checking if this Mac is exposed to attack."

[security/macos-security-posture](#)

multi-angle-verdict [security]

"Use when a claim or action carries real impact."

[security/multi-angle-verdict](#)

secrets-leak-scan [security]

"Use when hunting leaked secrets on this Mac."

[security/secrets-leak-scan](#)

security-guardrails [security]

"Use when installing or auditing untrusted code."

[security/security-guardrails](#)

sharp-edges [security]

"Identifies error-prone APIs, dangerous configurations, and footgun designs that enable security mistakes. Use when reviewing API designs, configuration schemas, cryptogr

[security/sharp-edges](#)

supply-chain-risk-auditor [security]

"Audits a project's dependencies for supply-chain risk: version-matched advisories for direct dependencies and the full lockfile tree, abandoned or archived upstreams, np

[security/supply-chain-risk-auditor](#)

self-hosted-observability [self-hosted-observability]

"Use when self-hosting Grafana/Prometheus/Langfuse here."

[self-hosted-observability](#)

service-account-connections [service-account-connections]

"Use when connecting one of his service accounts."

[service-account-connections](#)

chatgpt-app-control [software-development]

Use when driving the ChatGPT macOS app's own chat UI.

[software-development/chatgpt-app-control](#)

checker-design [software-development]

Use when building a checker, gate or watcher.

[software-development/checker-design](#)

fullstack-web-development [software-development]

Use when building fullstack web apps end to end.

[software-development/fullstack-web-development](#)

media-tool-suite [software-development]

"Use when building his local media tool suite."

[software-development/media-tool-suite](#)

plan [software-development]

Write a markdown plan to .hermes/plans/; no execution.

[software-development/plan](#)

skill-library-maintenance [software-development]

"Use when asked to find or build missing skills."

[software-development/skill-library-maintenance](#)

spec-driven-pipeline [software-development]

"Use when you keep rewriting the same generator script."

[software-development/spec-driven-pipeline](#)

static-landing-site [static-landing-site]

"Use when building, publishing or improving a landing page."

[static-landing-site](#)

web-qa-multidevice [web-qa-multidevice]

Use when QA-ing a web page across device widths.

[web-qa-multidevice](#)

Tempatan / tak pasti 5

gateway-restart-lifecycle [automation]

Use when restarting the gateway or hooks look dead.

[automation/gateway-restart-lifecycle](#)

orchestration-workflows [devops]

"Use when chaining tool runs into workflows."

[devops/orchestration-workflows](#)

asset-index-fingerprints [productivity]

"Use when indexing or deduping media assets."

[productivity/asset-index-fingerprints](#)

email-secure-credentials [productivity]

Use when storing or using an email password securely.

[productivity/email-secure-credentials](#)

verification-harness [verification-harness]

"Use when verifying a whole tool suite or your own work."

[verification-harness](#)