

# Title of Document

Sub-Title of Document (if you have one)

Your Name

The Date (if blank then today's date)

# Overview

- 1 Section 1: Title of my first section
- 2 Section 2: Title of my second section
- 3 Section 3: Title of my third section

# Title of my slide (Section 1, Slide 1)

# Title of my slide (Section 1, Slide 1)

Some text that doesn't have a bullet

# Title of my slide (Section 1, Slide 1)

Some text that doesn't have a bullet

More text without a bullet to set up a list:

# Title of my slide (Section 1, Slide 1)

Some text that doesn't have a bullet

More text without a bullet to set up a list:

- Bullet 1

# Title of my slide (Section 1, Slide 1)

Some text that doesn't have a bullet

More text without a bullet to set up a list:

- Bullet 1
- Bullet 2

## Title of my slide (Section 1, Slide 2)

This slide has no pauses, so everything appears all at the same time:

- Bullet 1
- Bullet 2

You can have two lists on a page:

- Bullet 1
- Bullet 2



# Title of my slide (Section 2, Slide 1)

# Title of my slide (Section 2, Slide 1)

You can put in equations and math like you would normally do.

# Title of my slide (Section 2, Slide 1)

You can put in equations and math like you would normally do.

Proposal parameter:  $g_p = \mathbf{g}'\mathbf{w}_{gp} + \zeta_p$

## Title of my slide (Section 2, Slide 1)

You can put in equations and math like you would normally do.

Proposal parameter:  $g_p = \mathbf{g}'\mathbf{w}_{gp} + \zeta_p$

Consensus parameter:  $b_p^* = -\mathbf{b}'\mathbf{w}_{bp} - \omega_p^*$

## Title of my slide (Section 2, Slide 1)

You can put in equations and math like you would normally do.

Proposal parameter:  $g_p = \mathbf{g}'\mathbf{w}_{gp} + \zeta_p$

Consensus parameter:  $b_p^* = -\mathbf{b}'\mathbf{w}_{bp} - \omega_p^*$

Voter parameter:  $x_v = \mathbf{x}'\mathbf{w}_{xv}$

## Title of my slide (Section 2, Slide 1)

You can put in equations and math like you would normally do.

Proposal parameter:  $g_p = \mathbf{g}'\mathbf{w}_{gp} + \zeta_p$

Consensus parameter:  $b_p^* = -\mathbf{b}'\mathbf{w}_{bp} - \omega_p^*$

Voter parameter:  $x_v = \mathbf{x}'\mathbf{w}_{xv}$

Shock parameter:  $c_v = \mathbf{c}'\mathbf{w}_{cv}$ , where  $c_v = -E\{\epsilon_{vp}\}$

# Title of my slide (Section 2, Slide 2)

## Title of my slide (Section 2, Slide 2)

More math

$$\epsilon_{vp} < g_p x_v - b_p^*$$



## Title of my slide (Section 2, Slide 2)

More math

$$\epsilon_{vp} < g_p x_v - b_p^*$$

More:

$$\eta_{vp} < (\mathbf{g}'\mathbf{w}_{gp})(\mathbf{x}'\mathbf{w}_{xv}) + (\mathbf{b}'\mathbf{w}_{bp}) + (\mathbf{c}'\mathbf{w}_{cv}) + \zeta_p(\mathbf{x}'\mathbf{w}_{xv}) + \omega_p^*$$

# Title of my slide (Section 3, Slide 1)

That's it!

To do more fancy things with timing and transitions, check out:

- <http://www.uncg.edu/cmp/reu/presentations/CharlesBatts-BeamerTutorial.pdf>
- [http://faq.ktug.or.kr/wiki/uploads/beamer\\_guide.pdf](http://faq.ktug.or.kr/wiki/uploads/beamer_guide.pdf)