Jaime Fabián Nieto Castellanos

September 2, 2021

High precision results

The following results were obtained through several simulations on lattices of size 64×10, 64×12 and 64×16 with the parameters shown in Table 1

Ntime	64
Ntherm	1000
Nmeasure	10000
Trajectory Steps	10
Nsteps	120
β	4

Table 1: All the simulations were performed with this parameters.

64x10

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 1: Comparison of $(m^2g)^{1/3}$ vs. m_π for different number of points used to fit the mass plateau of the pion.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 2: Comparison of m vs. m_π for different number of points used to fit the mass plateau of the pion.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 3: Comparison of m vs. m_η for different number of points used to fit the mass plateau of the pion.

Figure 4: All the results in one plot.

64x12

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 5: Comparison of $(m^2 g)^{1/3}$ vs. m_π for different number of points used to fit the mass plateau of the pion.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 6: Comparison of m vs. m_π for different number of points used to fit the mass plateau of the pion.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 7: Comparison of m vs. m_η for different number of points used to fit the mass plateau of the pion.

Figure 8: All the results in one plot.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 9: Comparison of $(m^2g)^{1/3}$ vs. m_π for different number of points used to fit the mass plateau of the pion.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 10: Comparison of m vs. m_π for different number of points used to fit the mass plateau of the pion.

(a) Number of points used to fit the plateau: 2

(b) Number of points used to fit the plateau: 3

(c) Number of points used to fit the plateau: 4

Figure 11: Comparison of m vs. m_η for different number of points used to fit the mass plateau of the pion.

Figure 12: All the results in one plot.