



beamerouterthemetubs – beamer-Aussenschema für *tubslatex**

Enrico Jörns
e dot joerns at tu minus bs dot de

22. Februar 2024

Zusammenfassung

Diese Datei stellt das outer-Theme für latex-beamer-Präsentationen im Corporate Design bereit.

1 Template-Einbindung

Farben Die Farben der palette primary werden genutzt, um die Titelleiste etc. darzustellen. Die Farben der palette secondary werden genutzt, um die Elemente der Titelseite darzustellen. Ist die Option colorheads gewählt, wird palette primary.bg auf 40% der Farbe palette secondary.bg gesetzt.

2 Implementierung

```
1 \outertheme
2 \ProvidesPackage{beamerouterthemetubs}[\tubslatexVersion\space TU Braunschweig (beamer) outer
```

Lade benötigte Pakete

```
3 \RequirePackage{ifthen}
4 \RequirePackage{calc}
5 \RequirePackage{tubslogo}
6 \PassOptionsToPackage{ngerman}{babel}
7 \RequirePackage{babel}
8 \RequirePackage{tubsbeamersizes}
```

Horizontaler Abstand in running toc

```
9 \newdimen\beamer@tohorizontal space
10 \beamer@tohorizontal space=0.15em
```

Boolean-Variablen für Optionen

*This document corresponds to beamerouterthemetubs ?, dated ?.

```

11 \newboolean{tubs@nopagenum}\setboolean{tubs@nopagenum}{false}
12 \newboolean{tubs@nodate}\setboolean{tubs@nodate}{false}
13 \newboolean{tubs@noauthor}\setboolean{tubs@noauthor}{false}
14 \newboolean{tubs@totalpages}\setboolean{tubs@totalpages}{false}
15 \newboolean{tocinheader}\setboolean{tocinheader}{false}
16 \newboolean{nosubsectionsinheader}\setboolean{nosubsectionsinheader}{false}
17 \newboolean{nologoinfoot}\setboolean{nologoinfoot}{false}
18 \newboolean{colorhead}\setboolean{colorhead}{false}
19 \newboolean{colorfoot}\setboolean{colorfoot}{false}

```

2.1 Optionen

‘nopagenum’

```
20 \DeclareOptionBeamer{nopagenum}{\setboolean{tubs@nopagenum}{true}}
```

‘nodate’

```
21 \DeclareOptionBeamer{nodate}{\setboolean{tubs@nodate}{true}}
```

‘noauthor’

```
22 \DeclareOptionBeamer{noauthor}{\setboolean{tubs@noauthor}{true}}
```

‘totalpages’

```
23 \DeclareOptionBeamer{totalpages}{\setboolean{tubs@totalpages}{true}}
```

‘tocinheader’

```
24 \DeclareOptionBeamer{tocinheader}{\setboolean{tocinheader}{true}}
```

‘tinytocinheader’

```
25 \DeclareOptionBeamer{tinytocinheader}{\setboolean{tocinheader}{true}}
```

‘nosubsectionsintoc’

```

26 \DeclareOptionBeamer{nosubsectionsintoc}{%
27   \setboolean{nosubsectionsinheader}{true}%
28 }
29 \DeclareOptionBeamer{nosubsectionsinheader}{%
30   \setboolean{nosubsectionsinheader}{true}%
31 }

```

‘nologoinfoot’

```
32 \DeclareOptionBeamer{nologoinfoot}{\setboolean{nologoinfoot}{true}}
```

‘widetoc’

```
33 \DeclareOptionBeamer{widetoc}{\beamer@tochizontalspace=0.3em}
```

‘narrowtoc’

```
34 \DeclareOptionBeamer{narrowtoc}{\beamer@tochizontalspace=0.em}
```

Kopf-/Fuß-Darstellung

‘colorhead’

```
35 \DeclareOptionBeamer{colorhead}{
36   \setbeamercolor{palette primary}{use=palette secondary,bg=palette secondary.bg!40}
37 }
```

‘colorfoot’ Darstellung des Kopf- bzw. Fußbereichs in Farbe.

```
38 \DeclareOptionBeamer{colorfoot}{\setboolean{colorfoot}{true}}
```

Optionen verarbeiten

```
39 \ProcessOptionsBeamer\relax
```

2.2 Implementierung

Only sections and subsections in toc

```
40 \setcounter{tocdepth}{2}% TODO: check

41 \newboolean{highlighttitle}\setboolean{highlighttitle}{false}
42 \newboolean{notitle}\setboolean{notitle}{false}
```

Textränder links/rechts

```
43 \setbeamerfont{text margin left}=\beamer@leftmarginwidth}
44 \setbeamerfont{text margin right}=\beamer@leftmarginwidth}
45 \reset@font% TODO
```

Präsentations-Modus

```
46 \mode<presentation>

47 % \newcommand<>\insertsource{null}
48 % \newcommand<>\source[1]{%
49 %   \gdef\insertsource{
50 %     \only#2{\renewcommand<>\insertsource{#1}}}%
51 %   \insertsource is: \insertsource
52 % }
```

Titlepage-Farbzurordnung

```
53 \setbeamerfont{titlepage}{use={palette secondary}, parent=palette secondary}
54 \setbeamerfont{titlebarfirst}{use={titlepage}, parent=titlepage, bg=titlepage.bg!80}
55 \setbeamerfont{titlebarsecond}{use={titlepage}, parent=titlepage, bg=titlepage.bg!40}
56 \ifthenelse{\boolean{colorfoot}}{%
57   \setbeamerfont{titlebarlow}{use={titlepage}, parent=titlepage, bg=titlepage.bg!80}
58 }{%
59   \setbeamerfont{titlebarlow}{parent=separation line}
60 }
```

Head/Foot-Farbzuordnung

```
61 \setbeamercolor{titlehead}{parent=palette primary}
62 \setbeamercolor{titlelike}{parent=titlehead}
63 \setbeamercolor{section in head/foot}{parent=titlehead,fg=alerted text.fg}
64 \setbeamercolor{section in head/foot shaded}{parent=titlehead}
65 \setbeamercolor{subsection in head/foot}{parent=section in head/foot}
66 \setbeamercolor{subsection in head/foot shaded}{use=titlehead,parent=titlehead,fg=titlehead.fg}
67 \setbeamercolor{title in head/foot}{parent=palette tertiary}
68 \setbeamercolor{date in head/foot}{parent=title in head/foot}
69 \setbeamercolor{author in head/foot}{parent=title in head/foot}
70 \setbeamercolor{pagenum in head/foot}{parent=title in head/foot}
```

sidebar right (*env.*) Sidebar löschen

```
71 \defbeamertemplate*{sidebar right}{tubs}{{}}
```

headline Kopfzeile wird gesetzt, wenn 'tocinheader' gewählt wurde

```
72 \ifthenelse{\boolean{tocinheader}}{%
73   \defbeamertemplate*{headline}{tubs}{%
74     \usebeamerfont{frametitle}% TODO
75     \def\@headtemplate{titlelike}
76     % toc-Text-Farben für highlighttitle ändern
77     \ifthenelse{\boolean{highlighttitle}}{%
78       \setbeamercolor*{section in head/foot}{parent=highlight}
79       \setbeamercolor{palette tertiary}{fg=white}% TODO: use from another
80     }{}
81     \begin{beamercolorbox}[dp=0mm, ht=0.45\beamer@headheight]{section in head/foot}%
82       \parbox[b][0.45\beamer@headheight-\depth-.05\beamer@headheight]{\textwidth}{%
83         \ifthenelse{\boolean{tocinheader}}{%
84           {\usebeamerfont{section in head/foot}%
85             \insertsectionnavigationhorizontal{\textwidth}%
86               {\hskip20pt plus1filll}{\quad}%
87             \ifthenelse{\boolean{nosubsectionsinheader}}{}{}%
88             \vspace*{-0.5mm}%
89             \insertsubsectionnavigationhorizontal{\textwidth}%
90               {\hskip20pt plus1filll}{\quad}%
91           }{}%
92         }{}%
93         \vfill%
94       }%
95     \end{beamercolorbox}%
96   }%
97 }{}%
98 \defbeamertemplate*{headline}{tubs}{}%
99 }
```

frametitle (*env.*) Frame-Titel

```
100 \defbeamertemplate*{frametitle}{tubs}{%
101   % Breite und hoehe berechnen
102   \setlength{\tubs@outer@tempwidtha}{\textwidth+2\beamer@leftmarginwidth}
103   \ifthenelse{\boolean{tocinheader}}{%
```

```

104 \setlength{\tubs@outer@tempwidthb}{0.55\beamer@headheight}%
105 }{%
106 \setlength{\tubs@outer@tempwidthb}{\beamer@headheight}%
107 }%
108 \vskip-1.5pt% TODO: check why needed...
109 \ifthenelse{\boolean{highlighttitle}}{%
110 \addtolength{\tubs@outer@tempwidthb}{0.5\beamer@headheight}%
111 \begin{beamercolorbox}{%
112     wd=\tubs@outer@tempwidtha,%
113     dp=0mm,%
114     ht=\tubs@outer@tempwidthb}{highlight}%
115 \vspace*{1em}\par%
116 \hspace*{\beamer@leftmarginwidth}\parbox{\tubs@outer@tempwidtha-2\beamer@leftmarginwidth}{%
117 \vspace*{0.5em}%
118 \end{beamercolorbox}%
119 }{%
120 \begin{beamercolorbox}{%
121     wd=\tubs@outer@tempwidtha,%
122     dp=0mm,%
123     ht=\tubs@outer@tempwidthb}{titlelike}%
124 \hspace*{\beamer@leftmarginwidth}\parbox{\tubs@outer@tempwidtha-2\beamer@leftmarginwidth}{%
125 \vfill%
126 \end{beamercolorbox}%
127 }
128 }%

```

section in head/foot (*env.*)

```

129 \defbeamertemplate*{section in head/foot}{tubs}{%
130 \usebeamercolor[fg]{section in head/foot}%
131 {\insertsectionhead}\hspace{\beamer@tochizontalspace}%
132 }

```

section in head/foot shaded (*env.*)

```

133 \defbeamertemplate*{section in head/foot shaded}{tubs}{%
134 \usebeamercolor[fg]{section in head/foot shaded}%
135 {\insertsectionhead}\hspace{\beamer@tochizontalspace}%
136 }

```

subsection in head/foot (*env.*)

```

137 \defbeamertemplate*{subsection in head/foot}{tubs}{%
138 \usebeamercolor[fg]{subsection in head/foot}%
139 {\insertsubsectionhead}\hspace{\beamer@tochizontalspace}%
140 }

```

subsection in head/foot shaded (*env.*)

```

141 \defbeamertemplate*{subsection in head/foot shaded}{tubs}{%
142 \usebeamercolor[fg]{subsection in head/foot shaded}%
143 {\insertsubsectionhead}\hspace{\beamer@tochizontalspace}%
144 }

```

Lösche nicht benötigte Sidebar-Inhalte

```
section in sidebar(env.)
section in sidebar shaded(env.)
subsection in sidebar(env.)
section in sidebar shaded(env.)
subsubsection in sidebar(env.)
section in sidebar shaded(env.)
145 \defbeamertemplate*{section in sidebar}{tubs}{}
146 \defbeamertemplate*{section in sidebar shaded}{tubs}{}
147 \defbeamertemplate*{subsection in sidebar}{tubs}{}
148 \defbeamertemplate*{subsection in sidebar shaded}{tubs}{}
149 \defbeamertemplate*{subsubsection in sidebar}{tubs}{}
150 \defbeamertemplate*{subsubsection in sidebar shaded}{tubs}{}

```

Breite tubslogo: 24.7mm

footline(env.)

```
151 \newlength{\tubs@outer@tempwidtha}% used for settowidth
152 \newlength{\tubs@outer@tempwidthb}% used for settowidth
153 \defbeamertemplate*{footline}{tubs}{%
154   % Kommandos deklarieren
155   \def\@footsepline{\rule[-0.1em]{0.09em}{1em}}%
156   % Trennwort zwischen Seitenzahl und Gesamtseitenzahl
157   \def\pageof{%
158     \iflanguage{ngerman}{von}{of}%
159   }%
160   % Datum + Trennstrich einfügen, Optionen beachten
161   \def\tubs@insertdate{%
162     \ifthenelse{\boolean{tubs@nodate}}{}{%
163       \usebeamerfont{date in head/foot}%
164       \usebeamercolor{date in head/foot}%
165       \textcolor{fg}{\insertdate}%
166     }%
167   }%
168   % Trennstrich + Seite einfügen, Optionen beachten
169   \def\tubs@insertpage{%
170     \ifthenelse{\boolean{tubs@nopagenum}}{}{%
171       \usebeamerfont{page in head/foot}%
172       \usebeamercolor{page in head/foot}%
173       \ifthenelse{\boolean{tubs@totalpages}}{%
174         ~\@footsepline~\textcolor{fg}{\pagename~\insertframenumber~\pageof~\inserttotalframenumber}%
175       }{%
176         ~\@footsepline~\textcolor{fg}{\pagename~\insertframenumber}%
177       }%
178     }%
179   }%
180   %
181   \def\tubs@insertauthor{%
182     \ifthenelse{\boolean{tubs@noauthor}}{}{%
183       \usebeamerfont{author in head/foot}%
184       \usebeamercolor{author in head/foot}%
185       \textcolor{fg}{\insertshortauthor}%
186     }%
187   }%
188   %

```

```

189 \newcommand\tubs@inserttitle[1][\%
190   {\%
191     \usebeamerfont{title in head/foot}%
192     \usebeamercolor[fg]{title in head/foot}%
193     \insertshorttitle[####1]\%
194   }%
195 }%
196 %% Additional space needed to increase the calculated height of the footline
197 \vspace*{0.25cm}
198 % TU-Logo und Sekundärlogo
199 \begin{minipage}{\paperwidth}
200   \logoheight=20.7pt% Höhe des Logos in Fußzeile
201   %Linie zeichnen
202   {\usebeamercolor[bg]{separation line}\rule{\paperwidth}{0.4pt}}%
203   % Logo-Dimensionen (manuell)
204   \newdimen\beamer@CDlogowidth%
205   \newdimen\beamer@CDlogoheight%
206   \newdimen\@footline@textwidth%
207   \beamer@CDlogowidth=24.7mm%
208   \beamer@CDlogoheight=9.17mm%
209   %
210   \hspace*{-\textwidth}\hspace{\beamer@CDlogowidth}\hspace{5pt}%
211   \raisebox{3pt}{\parbox[b]{\textwidth-\beamer@CDlogowidth-5pt-\beamer@CDborderwidth}{\ra
212 % Wieder auf Zeilenanfang
213 \hspace*{-\paperwidth}%
214 % Siegelbandlogo
215 \raisebox{-0.75\beamer@CDlogoheight}{\%
216   \tubslogoAbs{\beamer@CDlogowidth}%
217 }%
218 %
219 \hspace*{5pt}% Abstand Logo<->Text
220 %
221 \raisebox{-9pt}{\% Abstand Linie/Text
222 % Breite von Textbereich (abhängig von Option 'nologoinfoot') berechnen
223 \setlength\@footline@textwidth{\%
224   \paperwidth-5pt-\beamer@CDlogowidth-\beamer@CDborderwidth}%
225 \ifthenelse{\boolean{nologoinfoot}}{\%
226   \addtolength\@footline@textwidth{-3.5\logoheight}% Logo-Breite abziehen
227 }%
228 % Textbereich setzen
229 \parbox[t][26pt]{\@footline@textwidth}{\% Höhe und Breite Textbereich
230   % Prüfe, ob Inhalt in einzelne Zeile passt
231   \settowidth{\tubs@outer@tempwidtha}{\%
232     \tubs@insertdate\tubs@insertauthor~\@footsepline~\tubs@inserttitle\tubs@insertpage}
233   \ifthenelse{\lengthtest{\tubs@outer@tempwidtha<\@footline@textwidth}}{\% passt...
234     \strut\tubs@insertdate
235     \ifthenelse{\boolean{\tubs@nodate}}{\%}{~\@footsepline~}%
236     \tubs@insertauthor%
237     \ifthenelse{\boolean{\tubs@noauthor}}{\%}{~\@footsepline~}%
238     \tubs@inserttitle%
239     \tubs@insertpage%
240   }{\% passt nicht...
241     \strut\tubs@insertdate%
242     \ifthenelse{\boolean{\tubs@nodate}}{\%}{~\@footsepline~}%

```

```

243         \ifthenelse{\boolean{tubs@noauthor}}{}{%
244             ~\@footsepline~}%
245         \tubs@insertauthor\tubs@insertpage\hfill\%
246         \tubs@inserttitle[width=\@footline@textwidth]%
247     }%
248 }%
249 }%
250 %
251 \hspace*{0.5\beamer@CDborderwidth}% Abstand Text<->Logo
252 %
253 \raisebox{-\logoheight-4pt}{%
254     \parbox[t]{3.5\logoheight}{%
255         \vbox to\logoheight{%
256             \vfill%
257             % Logo einfügen, wenn nicht 'nologoinfoot'-Option gewählt wurde
258             \ifthenelse{\boolean{nologoinfoot}}{}{%
259                 \usebeamerfont{footline\logo}%
260                 \raggedleft\insertlogo%
261             }%
262             \vfill%
263         }%
264     }%
265 }%
266 \end{minipage}
267 }

```

navigation symbols (*env.*) Ausblenden der Navigations-Symboleiste

```

268 \setbeamertemplate{navigation symbols}{}

```

2.3 Zusätzliche frame-Optionen

‘notitle’

```

269 \define@boolkey{beamerframe}{notitle}[true]{%
270 %     \ifKV@beamerframe@notitle
271 %     \setboolean{notitle}{true}
272 %     \else
273 %     \setboolean{notitle}{false}
274 %     \fi
275 }

```

‘highlight’

```

276 \define@boolkey{beamerframe}{highlight}[true]{%
277 %     \ifKV@beamerframe@highlight
278 %     \setboolean{highlighttitle}{true}
279 %     \else
280 %     \setboolean{highlighttitle}{false}
281 %     \fi
282 }

```

Setze Standardwerte für zusätzliche Keys.

```

283 \presetkeys{beamerframe}{notitle=false, highlight=false}{}

```


2.3.1 Veraltete Umgebungs-Alternative

Umgebungen sind nicht weiter dokumentiert und sollten nicht verwendet werden. Sie sind nur aus Kompatibilitätsgründen erhalten.

```
284 \newenvironment{highlightframe}[1]{%
285   \begin{frame}[highlight]{#1}%
286 }{%
287   \end{frame}%
288 }

289 \newenvironment{notitleframe}[1]{%
290   \setboolean{notitle}{true}%
291   \begin{frame}{#1}%
292 }{%
293   \end{frame}%
294   \setboolean{notitle}{false}%
295 }

296 \mode
297 <all>

298 </outertheme>
```