

tubshhead – Kopfzeilen-Definitionen für *tubslatex**

Enrico Jörns

e dot joerns at tu minus bs dot de

February 22, 2024

1 Implementation

```
1 <*option>
'sender'
2 \newif\iftubs@bottomsender\tubs@bottomsenderfalse
3 <class>\define@choicekey{\tubsClassName.cls}{sender}[\val\nr]{top,bottom}{%
4 <package>\define@choicekey{tubsdoc.sty}{sender}[\val\nr]{top,bottom}{%
5   \ifcase\nr\relax
6     \tubs@bottomsenderfalse
7   \or
8     \tubs@bottomsendertrue
9   \fi
10 }
11 </option>
12 <*body>
    Setzt das Standard-Aussehen der Kopfzeile fuer Pagestyle scrheadings
13 % \PassOptionsToPackage{headsepline}{scrlayer-scrpage}
14 \PassOptionsToPackage{olines}{scrlayer-scrpage}
15 \RequirePackage{scrlayer-scrpage}
16 %
17 \AtBeginDocument{\pagestyle{scrheadings}}
```

1.1 Benutzerbefehle

```
\headsepline
18 \newcommand\headsepline{\rule{25pt}{1pt}}

\innerhead [[<right>]][<left>] Umdefinierte Makros zur Darstellung von Inhalten in Kopf- bzw.
Fußzeile.
19 \providecommand*\Ifthispageodd{\ifthispageodd}%
20 \newcommand{\innerhead}[2][]{%
21   % Benutze optionale Einstellung für linke Seite, falls vorhanden
22   \def\@tubs@linnerh{#2}%
23   \ifx#1\relax%
```

*This document corresponds to tubshhead ?, dated ?.

```

24 \let\@tubs@rinnerh\@tubs@linnerh%
25 \else%
26 \def\@tubs@rinnerh{#1}%
27 \fi%
28 %
29 \ifthenelse{\equal{#2}{}}{%
30 \let\@iheadsepline\relax%
31 }{%
32 \let\@iheadsepline\headsepline%
33 }%
34 \iftubs@bottomsender\else%
35 \newdimen\@tubs@headheight%
36 \setlength\@tubs@headheight{\headheight}%
37 \addtolength\@tubs@headheight{-2pt}%
38 % Set left inner head
39 \lohead{%
40 \vtop to\@tubs@headheight{%
41 \boxmaxdepth=0pt%
42 \strut{\vbox to 4ex{}}%
43 \@tubs@linnerh%
44 \vfil%
45 }%
46 }%
47 % Set right inner head
48 \rehead{%
49 \vtop to\@tubs@headheight{%
50 \boxmaxdepth=0pt%
51 \strut{\vbox to 4ex{}}%
52 \@tubs@rinnerh%
53 \vfil%
54 }%
55 }
56 \fi%
57 }

```

\innerfoot [*right*]{*left*}

```

58 \newcommand{\innerfoot}[2][{}]{%
59 % Benutze optionale Einstellung für linke Seite, falls vorhanden
60 \def\@tubs@linnerf{#2}%
61 \ifx#1\relax%
62 \let\@tubs@rinnerf\@tubs@linnerf%
63 \else%
64 \def\@tubs@rinnerf{#1}%
65 \fi%
66 %
67 \ifthenelse{\equal{#2}{}}{%
68 \let\@iheadsepline\relax%
69 }{%
70 \let\@iheadsepline\headsepline%
71 }%
72 \iftubs@bottomsender%
73 % Set left inner foot
74 \lofoot{%
75 \raisebox{\tubspage@headheight+\depth}{%

```

```

76         \vbox to\tubspage@headheight{%
77             \vfill\vspace*{1ex}\strut%
78             \@tubs@linnerf
79             \vspace*{-1.5ex}\linebreak%
80             \@iheadsepline\vspace*{1ex}%
81         }%
82     }%
83 }%
84 % Set right inner foot
85 \refoot{%
86     \raisebox{\tubspage@headheight+\depth}{%
87         \vbox to\tubspage@headheight{%
88             \vfill\vspace*{1ex}\strut%
89             \@tubs@rinnerf
90             \vspace*{-1.5ex}\linebreak%
91             \@iheadsepline\vspace*{1ex}%
92         }%
93     }%
94 }%
95 \else\fi%
96 }

\innersender [[\right]]{\left)}
97 \newcommand{\innersender}[2][\relax]{%
98     \iftubs@bottomsender%
99     \innerfoot[#1]{#2}%
100 \else%
101     \innerhead[#1]{#2}%
102 \fi%
103 }

\outerhead [[\left]]{\right)}
104 \newcommand{\outerhead}[2][\relax]{%
105     % Benutze optionale Einstellung für linke Seite, falls vorhanden
106     \def\@tubs@routerh{#2}%
107     \ifx#1\relax%
108         \let\@tubs@louterh\@tubs@routerh%
109     \else%
110         \def\@tubs@louterh{#1}%
111     \fi%
112     %
113     \ifthenelse{\equal{#2}{}}{}{%
114         \let\@oheadsepline\relax%
115     }%
116     \let\@oheadsepline\headsepline%
117 }%
118 \iftubs@bottomsender\else%
119     \newdimen\@tubs@headheight%
120     \setlength\@tubs@headheight{\headheight}%
121     \addtolength\@tubs@headheight{-\sls@headabove@linethickness}%
122     \addtolength\@tubs@headheight{-1pt}%
123     % Set left outer head
124     \lehead{%
125         \vtop to\@tubs@headheight{%

```

```

126         \boxmaxdepth=0pt%
127         \strut{\vbox to 4ex{}}%
128         \@tubs@louterh
129         \vfil%
130     }%
131 }
132 % Set right outer head
133 \rohead{%
134     \vtop to \@tubs@headheight{%
135         \boxmaxdepth=0pt%
136         \strut{\vbox to 4ex{}}%
137         \@tubs@routerh
138         \vfil%
139     }%
140 }
141 \fi%
142 }%

\outerfoot [[\left)]{\right)}

143 \newcommand{\outerfoot}[2][{}]{%
144     % Benutze optionale Einstellung für linke Seite, falls vorhanden
145     \def\@tubs@routerf{#2}%
146     \ifx#1\relax%
147         \let\@tubs@louterf\@tubs@routerf%
148     \else%
149         \def\@tubs@louterf{#1}%
150     \fi%
151     %
152     \ifthenelse{\equal{#2}{}}{%
153         \let\@oheadsepline\relax%
154     }{%
155         \let\@oheadsepline\headsepline%
156     }%
157     \iftubs@bottomsender%
158     % Set left outer foot
159     \lefoot{%
160         \raisebox{\tubspage@headheight+\depth}{%
161             \vbox to \tubspage@headheight{%
162                 \vfill\vspace*{\baselineskip}\strut%
163                 \@tubs@louterf
164                 \vspace*{-1.5ex}\linebreak%
165                 \@oheadsepline\vspace*{1ex}%
166             }%
167         }%
168     }%
169     % Set right outer foot
170     \rofoot{%
171         \raisebox{\tubspage@headheight+\depth}{%
172             \vbox to \tubspage@headheight{%
173                 \vfill\vspace*{\baselineskip}\strut%
174                 \@tubs@routerf
175                 \vspace*{-1.5ex}\linebreak%
176                 \@oheadsepline\vspace*{1ex}%
177             }%

```

```

178     }%
179 }%
180 \else\fi%
181 }

\outersender [⟨left⟩]{⟨right⟩}
182 \newcommand{\outersender}[2][]{%
183   \iftubs@bottomsender%
184     \outerfoot[#1]{#2}%
185   \else%
186     \outerhead[#1]{#2}%
187   \fi%
188 }

```

1.2 Darstellung

Lösche Headings und footer bei Stilen scrheadings und plain

```

189 \clearscrheadings
190 \clearscrplain

```

Breite des Kopfbereiches einstellen

```

191 \setheadwidth[-1in-\hoffset-\oddsidemargin+\tubspage@bcor+2\tubsborderwidth]{\paperwidth-4\tubsborderwidth}

```

Liniendarstellung und Font-Einstellungen

```

192 \iftubs@bottomsender\else%
193   \ifthenelse{\isundefined{\KOMAOPTIONS}}{%
194     \setheadtopline[\tubsborderwidth]{1pt}[]
195   }{%
196     \KOMAOPTIONS{headtopline=1pt:\tubsborderwidth}
197   }
198 \fi%
199 %

```

Inhalt der Kopf-/Fußzeilen festlegen

```

200 ⟨report | book⟩\automark[section]{chapter}
201 ⟨article⟩\automark[subsection]{section}
202 \if@twoside % begin twoside
203   \innersender[\leftmark]{\rightmark}
204 \else % end twoside / begin oneside
205   \innersender[\leftmark]{\leftmark}
206 \fi % end oneside
207 \outersender[\pagemark]{\pagemark}

```

\cleartubsheadings

```

208 \newcommand{\cleartubsheadings}{%
209   \innersender{}\innerfoot{}\outerhead{}\outerfoot{}%
210 }

```

NOTE: wird noch nicht verwendet!

```

211 \newpagestyle{@tubsheadings}
212 {%
213   %
214   \rlap{\parbox{\@headwidth}{\raggedright
215     \strut\tubsheadings@even@left@head\strut}}%

```

```

216 \hfill
217 \llap{\parbox{\@headwidth}{\raggedleft%
218 \strut\tubsheadings@even@right@head\strut}}}%
219 {%
220 \rlap{\parbox{\@headwidth}{\raggedright
221 \strut\tubsheadings@odd@left@head\strut}}}%
222 \hfill
223 \llap{\parbox{\@headwidth}{\raggedleft%
224 \strut\tubsheadings@odd@right@head\strut}}}%
225 {%
226 \rlap{\parbox{\@headwidth}{\raggedright
227 \strut\tubsheadings@odd@left@head\strut}}}%
228 \hfill
229 \llap{\parbox{\@headwidth}{\raggedleft
230 \strut\tubsheadings@odd@right@head\strut}}}%
231 {%
232 {%
233 \rlap{\parbox{\@footwidth}{\raggedright
234 \strut\tubsheadings@even@left@foot\strut}}}%
235 \hfill
236 \parbox{\@footwidth}{\centering
237 \strut\tubsheadings@even@middle@foot\strut}%
238 \hfill
239 \llap{\parbox{\@footwidth}{\raggedleft
240 \strut\tubsheadings@even@right@foot\strut}}}%
241 {%
242 \rlap{\parbox{\@footwidth}{\raggedright
243 \strut\tubsheadings@odd@left@foot\strut}}}%
244 \hfill
245 \parbox{\@footwidth}{\centering
246 \strut\tubsheadings@odd@middle@foot\strut}%
247 \hfill
248 \llap{\parbox{\@footwidth}{\raggedleft
249 \strut\tubsheadings@odd@right@foot\strut}}}%
250 {%
251 \rlap{\parbox{\@footwidth}{\raggedright
252 \strut\tubsheadings@odd@left@foot\strut}}}%
253 \hfill
254 \parbox{\@footwidth}{\centering
255 \strut\tubsheadings@odd@middle@foot\strut}%
256 \hfill
257 \llap{\parbox{\@footwidth}{\raggedleft
258 \strut\tubsheadings@odd@right@foot\strut}}}%
259 }%
260 }
261 </body>

```