

The `tubsthesis` class*

Philip Hönnecke

p dot hoennecke at tu minus braunschweig dot de

February 22, 2024

Abstract

Document class for writing a thesis.

1 Introduction

This class uses the `tubsbook` document class to create an interface for writing a bachelor, master or project thesis and their exposé as well as dissertations.

2 TODO

This section lists parts where changes are needed.

- Add `tubsthesis@` prefix to internal macros/commands.

2.1 Enhancements

- Maybe the usage of `proposal` and `expose` should be standardized.
- Check whether the `major` commands needs renaming.

3 Implementation

```
1 <*head>
  Identification
2 \NeedsTeXFormat{LaTeX2e}[1999/12/01]
3 \ProvidesClass{tubsthesis}[\tubslatexVersion tubs thesis class]
  Preliminary declarations
4 \LoadClass[%
5 a4paper,           % DIN A4
6 twoside,           % doublesided document
7 cmyk,              % use CMYK colors
8 bcor=15mm,         % extra space for book binding
9 bibliography=totoc, % bibliography gets unnumbered entry
10 nexus,             % corporate design font
```

*This document corresponds to `tubsthesis ?`, dated `?`.

```

11 lnum,                % use "Versalziffern" instead of
12                      % "Mediaevalziffern"
13 extramargin,          % override corporate design margin
14                      % to give more space for one-column text
15 ]{%
16 tubsbook%
17 }

    Packages
18 \RequirePackage{xkeyval}
19 \usepackage{csquotes}
20 \usepackage[backend=biber]{biblatex}
21 \PassOptionsToPackage{hyphens}{url}
22 \usepackage[hidelinks]{hyperref}
23 \usepackage{xparse} % for \NewDocumentCommand only
24 \usepackage{pdfpages} % for including proposal in thesis
25 \</head>

```

Option section

```
26 <*option>
```

3.1 Class options

‘**german**’ The option **german** sets the used language to german.

```

27 \define@boolkey{%
28 tubsthesis.cls%
29 }[cls]{german}[true]{}

```

‘**english**’ The option **english** sets the used language to english. If both **german** and **english** are set to true, the option used last will take effect.

```

30 \define@boolkey{%
31 tubsthesis.cls%
32 }[cls]{english}[true]{}
33 \setkeys{tubsthesis.cls}{german=false}
34 }

```

‘**proposal**’ The option **proposal** is used to write a proposal / exposé.

```

35 \define@boolkey{%
36 tubsthesis.cls%
37 }[cls]{proposal}[true]{}

```

‘**nolistoffigures**’ The option **nolistoffigures** prevents the creation of a list of figures.

```

38 \define@boolkey{%
39 tubsthesis.cls%
40 }[cls]{nolistoffigures}[true]{}

```

‘**nolistoftables**’ The option **nolistoftables** prevents the creation of a list of tables.

```

41 \define@boolkey{%
42 tubsthesis.cls%
43 }[cls]{nolistoftables}[true]{}

```

‘**noabstract**’ The option **noabstract** prevents the printing of an abstract.

```

44 \define@boolkey{%
45 tubsthesis.cls%
46 }[cls]{noabstract}[true]{}

```

‘noappendix’ The option noappendix stops the creation of the appendix.

```
47 \define@boolkey{%  
48 tubsthesis.cls%  
49 }[cls]{noappendix}[true]{}
```

‘nodate’ The option nodate is used if no dates should be printed.
This has no effect for dissertations.

```
50 \define@boolkey{%  
51 tubsthesis.cls%  
52 }[cls]{nodate}[true]{}
```

‘thesistype’ The option thesistype sets the type of thesis that should be created. Possible values are:

- bachelor - Corresponds to Bachelor’s Thesis
- master - Corresponds to Master’s Thesis
- project - Corresponds to Project Thesis
- dissertation - Corresponds to Dissertation

```
53 \newcommand{\thesistype}{default}  
54 \newif\iftubsthesis@diss  
55 \tubsthesis@dissfalse  
56 \newif\iftubsthesis@customtype  
57 \tubsthesis@customtypefalse  
58 \DeclareOptionX{thesistype}{  
59   \def\temp{#1}  
60   \def\bachelor{bachelor}  
61   \def\master{master}  
62   \def\project{project}  
63   \def\diss{dissertation}  
64   \ifclsgerman % begin german  
65     \ifx\temp\bachelor  
66       \def\thesistype{Bachelorarbeit}  
67     \else  
68       \ifx\temp\master  
69         \def\thesistype{Masterarbeit}  
70       \else  
71         \ifx\temp\project  
72           \def\thesistype{Projektarbeit}  
73         \else  
74           \ifx\temp\diss  
75             \def\thesistype{Dissertation}  
76             \unless\ifclsproposal  
77               \tubsthesis@disstrue  
78               \subtitle{Research Proposal}  
79             \fi  
80           \else  
81             % unknown type  
82             \def\thesistype{#1}  
83             \tubsthesis@customtypetrue  
84           \fi  
85         \fi
```

```

86         \fi
87     \fi
88     \else % end german / begin english
89         \ifx\temp\bachelor
90             \def\thesistype{Bachelor's Thesis}
91         \else
92             \ifx\temp\master
93                 \def\thesistype{Master's Thesis}
94             \else
95                 \ifx\temp\project
96                     \def\thesistype{Project Thesis}
97                 \else
98                     \ifx\temp\diss
99                         \def\thesistype{Dissertation}
100                        \unless\ifclsproposal
101                            \tubsthesis@disstrue
102                            \subtitle{Research Proposal}
103                        \fi
104                    \else
105                        % unknown type
106                        \def\thesistype{#1}
107                        \tubsthesis@customtypetrue
108                    \fi
109                \fi
110            \fi
111        \fi
112    \fi % end english
113 }

114 </option>
115 <*exexception>

    Process options
116 \ExecuteOptionsX{
117     german=false,
118     nolistoffigures=false,
119     nolistoftables=false,
120     noabstract=false,
121     noappendix=false,
122     nodate=false,
123     thesistype=bachelor}
124 \ProcessOptionsX*\relax

    Set the language
125 \ifclsgerman
126     % english is main language, german is alternative
127     \usepackage[english,ngerman]{babel}
128 \else
129     % german is main language, english is alternative
130     \usepackage[ngerman,english]{babel}
131 \fi
132 % datetime2 needs the babel package to be loaded before
133 \usepackage[useregional]{datetime2}

    Add packages depending on type

```

```

134 \ifclsproposal
135     \usepackage{tabularx}
136 \fi
137 \end{execption}
138 \end{command}

```

3.2 Commands

3.2.1 Configuration commands

‘thesisname’ The command `\thesisname{<name>}` is used to set the authors name.

```

139 \newcommand{\name}{%
140     \ClassWarningNoLine{tubsthesis}{%
141         No name set.\MessageBreak
142         Use \protect\thesisname\space to set it
143     }
144 }
145 \newcommand{\thesisname}[1]{%
146     \author{#1}
147     \renewcommand{\name}{#1}
148 }

```

‘thesistypeoverwrite’ The command `\thesistypeoverwrite{<name>}` is used to overwrite the thesis type (like ‘Bachelorarbeit’ with ‘Studienarbeit’).

```

149 \newcommand{\thesistypeoverwrite}[1]{%
150     \def\thesistype{#1}
151     \tubsthesis@customtypetrue
152 }

```

‘thesissupervisors’ The command `\thesissupervisors{<supervisor1>}{<supervisor2>}{<supervisor3>}` sets the supervisors of the thesis. The 2nd and 3rd supervisors can be left blank since it is possible to have only one.

This command has no effect for dissertations.

```

153 \newcommand{\thesissupervisors}[3]{%
154 \newcounter{SupervisorsCounter}
155 \def\temp{#1}\ifx\temp\empty
156     \newcommand{\supervisorone}{}
157 \newcommand{\supervisoronesign}{}
158 \else
159 \newcommand{\supervisorone}{#1\}
160 \newcommand{\supervisoronesign}{%
161     #1 & \rule[-0.5ex]{\linewidth}{1pt}
162     \newline\itshape(\signature)\}[5ex]
163 }
164 \stepcounter{SupervisorsCounter}
165 \fi
166
167 \def\temp{#2}\ifx\temp\empty
168 \newcommand{\supervisortwo}{}
169 \newcommand{\supervisortwosign}{}
170 \else

```

```

171 \newcommand{\supervisortwo}{#2\\}
172 \newcommand{\supervisortwosign}{%
173     #2          & \rule[-0.5ex]{\linewidth}{1pt}
174     \newline\itshape(\signature)\}[5ex]
175 }
176 \stepcounter{SupervisorsCounter}
177 \fi
178
179 \def\temp{#3}\ifx\temp\empty
180 \newcommand{\supervisorthree}{%
181 \newcommand{\supervisorthreesign}{%
182 \else
183 \newcommand{\supervisorthree}{#3\\}
184 \newcommand{\supervisorthreesign}{%
185     #3          & \rule[-0.5ex]{\linewidth}{1pt}
186     \newline\itshape(\signature)\}[5ex]
187 }
188 \stepcounter{SupervisorsCounter}
189 \fi
190
191 \ifnum\theSupervisorsCounter=1
192 \newcommand{\supervisorstring}{Supervisor:}
193 \else
194 \newcommand{\supervisorstring}{Supervisors:}
195 \fi
196 }

```

‘thesisprofessor’ The command `\thesisprofessor[<prof2>]{<prof>}` sets the professor of the thesis. The `prof2` value is only needed for dissertations.

```

197 \newcommand{\tubsthesis@professor}{%
198     \ClassWarningNoLine{tubsthesis}{%
199         No professor set.\MessageBreak
200         Use \protect\thesisprofessor\space to set one
201     }
202 }
203 \newcommand{\tubsthesis@professortwo}{%
204     \ClassWarningNoLine{tubsthesis}{%
205         No second professor set.\MessageBreak
206         Use \protect\thesisprofessor\space to set one
207     }
208 }
209 \newcommand{\thesisprofessor}[2][{}]{%
210     \renewcommand{\tubsthesis@professor}{#2}
211     \ifthenelse{\equal{#1}{}}{%
212         % No second professor given
213     }{%
214         \renewcommand{\tubsthesis@professortwo}{#1}
215     }
216 }

```

‘thesistitle’ The command `\thesistitle{<german title>}{<english title>}` sets the english and german title of the thesis.

The extra title isn’t used in the thesis and can therefore be left empty. In the proposal the additional title is displayed in the titlepage’s table. If the extra title

is left empty in the proposal the respective table entry will be completely removed.

```

217 \newcommand{\titleenglish}{%
218     \ClassWarningNoLine{tubsthesis}{%
219         No thesis title set.\MessageBreak
220         Use \protect\thesistitle\space to set one
221     }
222 }
223 \newcommand{\titlegerman}{%
224     \ClassWarningNoLine{tubsthesis}{%
225         No thesis title set.\MessageBreak
226         Use \protect\thesistitle\space to set one
227     }
228 }
229 \newif\ifextratitle\extratitlefalse
230 \newcommand{\thesistitle}[2]{%
231     \ifclsgerman % begin german
232         \title{#1}
233         \def\temp{#2}
234     \else % end german / begin english
235         \title{#2}
236         \def\temp{#1}
237     \fi % end english
238     \unless\ifx\temp\empty
239         \extratitletrue
240     \fi
241     \renewcommand{\titlegerman}{#1}
242     \renewcommand{\titleenglish}{#2}
243 }

```

‘thesisbegindate’ The command `\thesisbegindate{<yyyy>-<mm>-<dd>}` sets the date the thesis began.

For dissertations this command has no effect.

```

244 \DTMsavedate{tubsthesis@begindate}{2000-01-01}
245 \newcommand{\thesisbegindate}[1]{%
246     \DTMsavedate{tubsthesis@begindate}{#1}
247 }

```

‘thesisenddate’ The command `\thesisenddate{<yyyy>-<mm>-<dd>}` sets the date when the thesis is handed in.

For dissertations this command will set the date when the dissertation was submitted. This date will also be printed on the titlepage.

```

248 \newcommand{\tubsthesis@date}{%
249     \DTMifsaveddate{tubsthesis@date}{%
250         \DTMusedate{tubsthesis@date}
251     }{%
252         \DTMtoday
253     }
254 }
255 \newcommand{\thesisenddate}[1]{%
256     \DTMsavedate{tubsthesis@date}{#1}
257 }

```

‘thesisinstitute’ The command `\thesisinstitute`<[<logo>]>{<name>} sets the institute’s name and if wanted also the logo.

```

258 \newcommand{\tubsthesis@institute}{%
259     \ClassWarningNoLine{tubsthesis}{%
260         No institute name set.\MessageBreak
261         Use \protect\thesisinstitute\space to set it
262     }
263 }
264 \newcommand{\tubsthesis@institutelogo}{%
265     \tubsthesis@institute
266 }
267 \newcommand{\thesisinstitute}[2][]{%
268     \renewcommand{\tubsthesis@institute}{#2}
269     \def\temp{#1}
270     \unless\ifx\temp\empty % No logo given
271         \renewcommand{\tubsthesis@institutelogo}{#1}
272     \fi
273 }

```

‘thesisabstract’ The command `\thesisabstract`<[<extra language>]>{<used language>} sets the abstract in the english and german language. The <used language> value will set the abstract in the main language. The <extra language> value can be used to also set the abstract in the other language.

So if the thesis is written in german <used language> corresponds to german an <extra language> corresponds to english.

```

274 \newif\ifextraabstract\extraabstractfalse
275 \newcommand{\mainabstract}{%
276     \ClassWarningNoLine{tubsthesis}{%
277         No abstract set.\MessageBreak
278         Use \protect\thesisabstract\space to set one
279     }
280 }
281 % xparse (NewDocumentCommand) is used here to avoid errors when using other
282 % macros with optional arguments inside of the german abstract.
283 \NewDocumentCommand{\thesisabstract}{O{} m }{%
284     \def\temp{#1}
285     \unless\ifx\temp\empty % begin extra abstract set
286         \extraabstracttrue
287         \newcommand{\extraabstract}{#1}
288     \fi % end extra abstract set
289     \renewcommand{\mainabstract}{#2}
290 }

```

‘thesisposttitle’ The command `\thesisposttitle`{<content>} will define content that is printed directly after the title page(s). To start on a new page, you have to use something like `clearpage`.

```

291 \newcommand{\tubsthesis@posttitlecontent}{}
292 \newcommand{\thesisposttitle}[1]{%
293     \renewcommand{\tubsthesis@posttitlecontent}{#1}
294 }

```

‘thesisincludedproposal’ The command `\thesisincludedproposal`{<path>} is used to include the proposal’s pdf in the printed thesis. This will be included after the abstract and

before the ToC.

`\path` has to be the relative or absolute path to the pdf file.

```
295 \newif\ifincludedproposal
296 \includedproposalfalse
297 \newcommand{\tubsthesis@includedproposal}{}
298 \newcommand{\thesisincludedproposal}[1]{%
299     \renewcommand{\tubsthesis@includedproposal}{%
300         \includepdf[pages=-]{#1}
301         \cleardoublepage
302     }
303     \includedproposaltrue
304 }
```

Proposal only The following configurations are only used when `proposal=true` is set.

‘thesismatrikel’ The command `\thesismatrikel{<id>}` is used to set the authors identification number (Matrikelnummer).

```
305 \newcommand{\matrikelnummer}{%
306     \ClassWarningNoLine{tubsthesis}{%
307         No identification number (Matrikelnummer) set.\MessageBreak
308         Use \protect\thesismatrikel\space to set it
309     }
310 }
311 \newcommand{\thesismatrikel}[1]{%
312     \renewcommand{\matrikelnummer}{#1}
313 }
```

‘thesisemail’ The command `\thesisemail{<mail>}` is used to set the authors email address.

```
314 \newcommand{\mail}{%
315     \ClassWarningNoLine{tubsthesis}{%
316         No email address set.\MessageBreak
317         Use \protect\thesisemail\space to set it
318     }
319 }
320 \newcommand{\thesisemail}[1]{%
321     \renewcommand{\mail}{#1}
322 }
```

‘thesismajor’ The command `\thesismajor{<major>}` is used to set the authors major (Studiengang).

```
323 \newcommand{\studysubject}{%
324     \ClassWarningNoLine{tubsthesis}{%
325         No thesis major set.\MessageBreak
326         Use \protect\thesismajor\space to set it
327     }
328 }
329 \newcommand{\thesismajor}[1]{%
330     \renewcommand{\studysubject}{#1}
331     % TODO: Maybe change this too (to major)
332 }
```

‘thesisduration’ The command `\thesisduration{<dur>}` is used to set the duration of the thesis. For bachelor thesis this is 3 or 4 months. For master thesis this is 6 months.

```
333 \newcommand{\duration}{%
334   \ClassWarningNoLine{tubsthesis}{%
335     No thesis duration set.\MessageBreak
336     Use \protect\thesisduration\space to set it
337   }
338 }
339 \newcommand{\thesisduration}[1]{%
340   \renewcommand{\duration}{#1}
341 }
```

‘thesispresentationpoints’ The command `\thesispresentationpoints>]{<value>}` sets the amount of points from the presentation. This value will be displayed in the proposal’s front page table. If this command isn’t used the according row won’t be printed.

```
342 \newif\iftubsthesis@presentationpoints
343 \tubsthesis@presentationpointsfalse
344 \newcommand{\presentationpoints}{}
345 \newcommand{\thesispresentationpoints}[1]{%
346   \tubsthesis@presentationpointstrue
347   \renewcommand{\presentationpoints}{#1}
348 }
```

Dissertation only The following configurations are only used when `thesistype=dissertation` is set.

‘thesisfinalprint’ The command `\thesisfinalprint` is used to activate final print features.

```
349 \newif\iftubsthesis@finalprint
350 \tubsthesis@finalprintfalse
351 \newcommand{\thesisfinalprint}{%
352   \tubsthesis@finalprintrue
353 }
```

‘thesisbirthdate’ The command `\thesisbirthdate{<yyyy>-<mm>-<dd>}` is used to set the birthdate of the author.

```
354 \DTMsavedate{tubsthesis@birthdate}{2500-12-20}
355 \newcommand{\thesisbirthdate}[1]{%
356   \DTMsavedate{tubsthesis@birthdate}{#1}
357 }
```

‘thesisbirthplace’ The command `\thesisbirthplace{<birthplace>}` is used to set the birthplace of the author.

```
358 \newcommand{\tubsthesis@birthplace}{%
359   \ClassWarningNoLine{tubsthesis}{%
360     No birthplace was set.\MessageBreak
361     Use \protect\thesisbirthplace\space to set one
362   }
363 }
364 \newcommand{\thesisbirthplace}[1]{%
365   \renewcommand{\tubsthesis@birthplace}{#1}
366 }
```

‘thesisdisputationdate’ The command `\thesisdisputationdate{<yyy>-<mm>-<dd>}` is used to set the disputation date for the dissertation.

```
367 \DTMsavedate{tubsthesis@disputationdate}{2020-01-05}
368 \newcommand{\thesisdisputationdate}[1]{%
369     \DTMsavedate{tubsthesis@disputationdate}{#1}
370 }
```

‘thesisfaculty’ The command `\thesisfaculty{<faculty>}` is used to set the faculty for writing a dissertation.

```
371 \newcommand{\tubsthesis@faculty}{%
372     \ClassWarningNoLine{tubsthesis}{%
373         No faculty was set.\MessageBreak
374         Use \protect\thesisfaculty\space to set one
375     }
376 }
377 \newcommand{\thesisfaculty}[1]{%
378     \renewcommand{\tubsthesis@faculty}{#1}
379 }
```

‘thesisdegree’ The command `\thesisdegree[<article>]{<degree>}` is used to set the academic degree and it’s article.

Example: `\thesisdegree[einer]{Doktoringenieurin (Dr.-Ing)}`
will produce the text: „[...] Erlangung des Grades einer **Doktoringenieurin (Dr.-Ing.)**“

```
380 \newcommand{\tubsthesis@degree}{%
381     \ClassWarningNoLine{tubsthesis}{%
382         No degree was set.\MessageBreak
383         Use \protect\thesisdegree\space to set one
384     }
385 }
386 \newcommand{\tubsthesis@degreearticle}{eines}
387 \newcommand{\thesisdegree}[2][1]{%
388     \renewcommand{\tubsthesis@degree}{#2}
389     \ifthenelse{\equal{#1}{}}{\renewcommand{\tubsthesis@degreearticle}{#1}}
390 }
```

‘thesisprintyear’ The command `\thesisprintyear{<year>}` is used to overwrite the print year of the dissertation. This is set to the year of `\thesisdisputationdate` by default.

```
391 \newcommand{\tubsthesis@printyear}{%
392     \DTMfetchyear{tubsthesis@disputationdate}
393 }
394 \newcommand{\thesisprintyear}[1]{%
395     \renewcommand{\tubsthesis@printyear}{#1}
396 }
```

‘thesiscumulative’ The command `\thesiscumulative` is used to add ”(kumulative Arbeit) to the title page of dissertations.

```
397 \newif\iftubsthesis@cumulative
398 \tubsthesis@cumulativefalse
399 \newcommand{\thesiscumulative}{%
400     \tubsthesis@cumulativetrue
401 }
```

3.2.2 Internal macros

‘signature’ The command `\signature` will return a german or english text for signing.

```
402 \ifclsgerman
403   \newcommand{\signature}{Datum, Unterschrift}
404 \else
405   \newcommand{\signature}{Date, Signature}
406 \fi
```

‘tubsthesis@tablewidth’ The length `tubsthesis@tablewidth` sets the width of proposal’s title page table. This might have to be changed when one of the displayed values is longer than expected.

```
407 \newlength\tubsthesis@tablewidth
408 \setlength\tubsthesis@tablewidth{.7\textwidth}

409 \</command>
410 \<environment>
```

3.3 Environments

‘thesis’ The environment `thesis` should contain all the thesis’ content.

```
411 \newenvironment{thesis}{%
412
413 \ifclsproposal % begin proposal
414   % chapter command overwrite
415   % to avoid clearDOUBLEpage before new chapters
416   \ifthenelse{\isundefined{\RedeclareSectionCommand}}{%
417   }{%
418     \RedeclareSectionCommand[style=section,indent=0pt]{chapter}
419   }
420 \fi % end proposal
421
422 % Subject / subtitle
423 \ifclsproposal % begin proposal
424   \ifclsgerman % begin german
425     \iftubsthesis@customtype % begin custom type (overwritten)
426       \subtitle{\thesistype}
427     \else % end custom type (overwritten) / begin not overwritten
428       \subtitle{Exposé zur \thesistype}
429     \fi % end no overwritten type
430   \else % end german / begin english
431     \iftubsthesis@customtype % begin custom type (overwritten)
432       \subtitle{\thesistype}
433     \else % end custom type (overwritten) / begin not overwritten
434       \subtitle{\thesistype~Proposal}
435     \fi % end no overwritten type
436   \fi % end english
437 \else % end proposal / begin thesis
438   \subject{\thesistype}
439 \fi % end thesis
440
441 % Logo
442 \logo{\tubsthesis@institutelogo}
```

```

443
444 % Publisher (only for thesis)
445 \unless\ifclsproposal % begin thesis
446   \unless\iftubsthesis@diss % begin not diss thesis
447     \ifclsgerman % begin german
448       \publishers{
449         \textbf{\tubsthesis@institute\\
450           \tubsthesis@professor}\\
451           \vspace*{2em}
452           Betreuer:\\
453           \supervisorone
454           \supervisortwo
455           \supervisorthree
456       }
457     \else % end german / begin english
458       \publishers{
459         \textbf{\tubsthesis@institute\\
460           \tubsthesis@professor}\\
461           \vspace*{2em}
462           \supervisorstring\\
463           \supervisorone
464           \supervisortwo
465           \supervisorthree
466       }
467     \fi % end english
468   \fi % end not diss thesis
469 \fi % end thesis
470
471 % Date and frontmatter
472 \ifclsproposal % begin proposal
473   \ifclsnodate % begin nodate
474     \date{}
475   \else % end nodate / begin date
476     \date{\DTMusedate\tubsthesis@begindate}}
477   \fi % end date
478 \else % end proposal / begin thesis
479   \ifclsnodate % begin nodate
480     \date{}
481   \else % end nodate / begin date
482     \date{\tubsthesis@date}
483   \fi % end date
484   \frontmatter % roman page numbering
485 \fi % end thesis
486
487 % Title
488 \ifclsproposal
489   {%
490     \let\newpage\relax
491     \maketitle[plain,logo=left]
492   }
493 \else % end proposal / begin thesis
494   \iftubsthesis@diss % begin dissertation
495     \pagestyle{empty}
496     \pagenumbering{roman}

```

```

497
498     \maketitle[image,logo=left]
499
500     \else % end dissertation / begin not diss thesis
501         \maketitle
502     \fi % end not diss thesis
503 \fi % end thesis
504
505
506 \ifclsproposal % begin proposal
507
508 % Table with infos
509 \begin{table}[h]
510     \centering
511     \begin{tabularx}{\tubsthesis@tablewidth}{XX}
512         \hline
513         \ifclsgerman % begin german
514             \ifextratitle
515                 Englischer Titel& \titleenglish           \\ \hline
516             \fi
517             Anmeldedatum      & \DTMusedate{tubsthesis@begindate} \\ \hline
518             Matrikelnummer    & \matrikelnummer           \\ \hline
519             E-Mail            & \mail                     \\ \hline
520             Studiengang       & \studysubject             \\
521         \else % end german / begin english
522             \ifextratitle
523                 German title  & \titlegerman              \\ \hline
524             \fi
525             Registration date  & \DTMusedate{tubsthesis@begindate} \\ \hline
526             Registration number & \matrikelnummer           \\ \hline
527             E-Mail            & \mail                     \\ \hline
528             Subject           & \studysubject             \\
529         \fi % end english
530     \end{tabularx}
531 \end{table}
532
533 \iftubsthesis@presentationpoints % begin presentation points
534     \begin{center}
535         \ifclsgerman % begin german
536             \textlnum{Der Abschlussvortrag geht mit \presentationpoints~Credits in die Abschl
537         \else % end german / begin english
538             \textlnum{The presentation contributes \presentationpoints~credit points to the f
539         \fi % end english
540     \end{center}
541 \fi % end presentation points
542
543 \else % end proposal / begin thesis
544
545 \cleardoublepage
546
547 \iftubsthesis@diss % begin dissertation
548     \begin{otherlanguage}{ngerman} % begin printing in german for dates
549     \begin{center}
550         \ifclsgerman % begin german

```

```

551         {\large \titlegerman}
552     \else % end german / begin english
553         {\large \titleenglish}
554     \fi % end english
555
556     \vspace{1cm}
557
558     \ifthenelse{\boolean{tubsthesis@finalprint}}{Von der}{Der}\linebreak
559     \tubsthesis@faculty \linebreak
560     der Technischen Universität Carolo-Wilhelmina zu Braunschweig \linebreak
561
562     \vspace{.5cm}
563
564     zur Erlangung des Grades \tubsthesis@degreearticle\linebreak
565
566     \textbf{\tubsthesis@degree}\linebreak
567
568     \vspace{.5cm}
569
570     \ifthenelse{\boolean{tubsthesis@finalprint}}{genehmigte}{vorgelegte}
571     Dissertation\linebreak
572     \iftubsthesis@cumulative % begin adding of "(kumulative Arbeit)"
573         (kumulative Arbeit)
574     \fi % end adding of "(kumulative Arbeit)"
575
576     \vspace{.5cm}
577
578     von\linebreak
579     \name\linebreak
580     geboren am \DTMusedate{tubsthesis@birthdate}\linebreak
581     in \tubsthesis@birthplace\linebreak
582 \end{center}
583
584 \vspace{4cm}
585
586 \begin{tabular}{p{5cm} l}
587     Eingereicht am: & \tubsthesis@date \\
588     Disputation am: & \DTMusedate{tubsthesis@disputationdate} \\
589     1. Referent: & \tubsthesis@professor \\
590     2. Referent: & \tubsthesis@professortwo \\
591 \end{tabular}
592
593 \vfill
594
595 \begin{center}
596     \tubsthesis@printyear
597 \end{center}
598
599 \end{otherlanguage} % end german printing
600
601 \pagestyle{headings}
602
603 \tubsthesis@posttitlecontent
604 \else % end dissertation / begin not diss thesis

```

```

605 \tubsthesis@posttitlecontent
606
607 % statement of originality
608 \thispagestyle{plain} % no header
609 \vspace*{7cm}
610 \ifclsgerman % begin german
611 \centerline{\bfseries Eidesstattliche Erklärung}
612 \vspace*{1em}
613 \noindent
614 Ich erkläre hiermit an Eides statt, dass ich die vorliegende
615 \thesistype~selbstständig
616 verfasst sowie alle benutzten Quellen und Hilfsmittel
617 vollständig angegeben habe und dass die Arbeit
618 nicht bereits als Prüfungsarbeit vorgelegen hat.
619
620 \par
621 \bigskip\noindent Braunschweig, den \tubsthesis@date \par
622 \else % end german / begin english
623 \centerline{\bfseries Statement of Originality}
624 \vspace*{1em}
625 \noindent
626 This thesis has been performed independently with the
627 support of my supervisor/s.
628 To the best of the author's knowledge,
629 this thesis contains no material previously
630 published or written by another person except where
631 due reference is made in the text.
632
633 \par
634 \bigskip\noindent Braunschweig, \tubsthesis@date \par
635 \fi % end english
636 \vspace*{10mm}
637 \hfill\hrulefill
638 \fi % end not diss thesis
639 \cleardoublepage
640
641 % abstract
642 \unless\ifclsnoabstract % begin abstract
643 \thispagestyle{plain} % no header
644 \ifclsgerman % begin german
645 \centerline{\bfseries Zusammenfassung}
646 \vspace*{1em}
647 \noindent
648 \mainabstract
649
650 \ifextraabstract % begin extra abstract
651 \vspace*{5em}
652
653 \begin{otherlanguage}{english}
654 \centerline{\bfseries Abstract}
655 \vspace*{1em}
656 \noindent
657 \extraabstract
658 \end{otherlanguage}

```



```

659         \fi % end extra abstract
660     \else % end german / begin english
661         \centerline{\bfseries Abstract}
662         \vspace*{1em}
663         \noindent
664         \mainabstract
665
666         % If german abstract was given
667         \ifextraabstract % begin extra abstract
668             \vspace*{5em}
669
670             \begin{otherlanguage}{ngerman}
671                 \centerline{\bfseries Zusammenfassung}
672                 \vspace*{1em}
673                 \noindent
674                 \extraabstract
675             \end{otherlanguage}
676         \fi % end extra abstract
677     \fi % end english
678     \cleardoublepage
679 \fi % end abstract
680
681 \ifincludedproposal % begin including proposal
682     \tubsthesis@includedproposal
683 \fi % end including proposal
684
685 \tableofcontents
686 \cleardoublepage
687
688 \unless\ifclsnolistoffigures % begin listoffigures
689     \listoffigures
690     \cleardoublepage
691 \fi % end listoffigures
692
693 \unless\ifclsnolistoftables % begin listoftables
694     \listoftables
695     \cleardoublepage
696 \fi % end listoftables
697
698 \mainmatter
699
700 \fi % end thesis
701 }{
702 \ifclsproposal % begin proposal
703 \noindent
704 \newpage
705 \ifclsgerman % begin german
706     \chapter{Durchführung und Bearbeitung}
707     Dieses Dokument stellt die Grundlage zur Bearbeitung
708     der \thesistype~dar und beschreibt
709     die vorgesehenen Inhalte und Ziele.
710     Alle Hinweise und Vorschriften des betreuenden Instituts,
711     der Fakultät und der TU Braunschweig werden beachtet.
712 Die Laufzeit beträgt \duration~Monate.

```

```

713 \vspace*{10mm}
714 \paragraph{Aufgabenstellung und Betreuung}\hfill\\[3ex]
715 \noindent
716 \begin{tabularx}{\textwidth}{@{}XX}
717 \supervisoronesign
718 \supervisortwosign
719 \supervisorthreesign
720 \tubsthesis@professor & \rule[-0.5ex]{\linewidth}{1pt}\newline\itshape(\signature)
721 \end{tabularx}
722 \vspace*{10mm}
723 \paragraph{Bearbeitung}\hfill\\[3ex]
724 \noindent
725 \begin{tabularx}{\textwidth}{@{}XX}
726 \name & \rule[-0.5ex]{\linewidth}{1pt}\newline\itshape(\signature)
727 \end{tabularx}
728 \else % end german / begin english
729 \chapter{Execution and Editing}
730 This document is the foundation for the \thesistype~and
731 explains the designated contents and goals.
732 All instructions and regulations of the supervising institute,
733 the faculty and the TU Braunschweig are observed.
734 The duration of the thesis is \duration~months.
735 \paragraph{Task Definition and Supervision}\hfill\\[3ex]
736 \noindent
737 \begin{tabularx}{\textwidth}{@{}XX}
738 \supervisoronesign
739 \supervisortwosign
740 \supervisorthreesign
741 \tubsthesis@professor & \rule[-0.5ex]{\linewidth}{1pt}\newline\itshape(\signature)
742 \end{tabularx}
743 \vspace*{10mm}
744 \paragraph{Task Execution}\hfill\\[3ex]
745 \noindent
746 \begin{tabularx}{\textwidth}{@{}XX}
747 \name & \rule[-0.5ex]{\linewidth}{1pt}\newline\itshape(\signature)
748 \end{tabularx}
749 \fi % end english
750 \newpage
751 \fi % end proposal
752
753 \printbibliography
754
755 \unless\ifclsproposal % begin thesis
756
757 \unless\ifclsnoappendix % begin appendix
758 \appendix
759 \fi % end appendix
760 \fi % end thesis
761 }

762 </environment>
763 <*body>
764 </body>

```