

Validierung:

if issele [action] {

...

Fall "get Article":

Validiere die Produkt Id
(3)

Fall "remove article"

Validiere d. Produkt Id
(remove)

}

Validierung (add) (remove) {

Wenn Produkt zw. 1-85 {

OK

~~Produkt add (add)~~
~~get Shopping Cart~~

~~remove {~~
~~get Shopping Cart remove~~

(9)

~~product~~

query Builder Model = new

query Builder Model show by product
id; }

↓
get the Search Query {

↓
not search Query as ~~show Builder~~
query Builder Model show by product }

↓

2

mit dem Search Query hole
dir das Resultat aus
aus Database Connection
Query Service !!



~~bei GET [" "]~~

~~shopping cart. add~~

~~=> Model Shopping Cart hinzufügen~~

~~=> bei Get ["remove"] shopping cart~~

~~entfernen~~

bei Get ["add"] = ^{hinzufügen} ~~remove~~ oder remove

{ shopping cart. change Cart }

bei Get ["remove"] = ^{hinzufügen} ~~remove~~
 (3) -> Cart entfernen

Shopping Cart Model

hinzufügen()

check ob drinnen enthalten;

ja \rightarrow hol dir
index + erhöhe um
Anzahl um 1

nein \rightarrow mache neues
objekt und füge
hinzu

entfernen()

check ob drinnen enthalten;

ja \rightarrow hol dir index

~~entferne Anzahl~~

~~Anzahl~~

Anzahl --

60

(4)

Anzahl ≤ 0 ;
entferne Objekt;

Nein Fehler meldg

(5)

~~Query~~ Build single Product Query

