

GLUCERNA® ORIGINAL SHAKE

Technical Data		Nutrition Information					
Homemade Vanilla		Homemade Vanilla	8 fl oz	%DV*	Homemade Vanilla	8 fl oz	%DV*
Caloric Density, Cal/mL	0.8	Protein, g	10	20	Phosphorus, mmol	8.1	
Protein, % Cal	22	Total Fat, g	9	12	Magnesium, mg	105	25
Carbohydrate, % Cal	45	Saturated Fat, g	1	5	Iodine, mcg	37.5	25
Fat, % Cal	33	Polyunsaturated Fat, g	4		Manganese, mg	0.5	20
Carb Choices per 8 fl oz	1	Monounsaturated Fat, g	4		Copper, mg	0.18 [§]	20
Exchanges per 8 fl oz	1 Starch, 1-1/2 Medium-Fat Meat	Trans Fat, g	0		Zinc, mg	2.8	25
		Cholesterol, mg	<5	<2	Iron, mg	3.6	20
		Total Carbohydrate, g	16	6	Selenium, mcg	13.8	25
		Dietary Fiber, g	4	14	Chromium, mcg	18	50
		Total Sugars, g	4		Molybdenum, mcg	15.8	35
		Added Sugars, g	4	8			
		Calories	180				
		Vitamin A, mcg RAE	225	25			
		Vitamin D, mcg	12	60			
		Vitamin E, mg	6	40			
		Vitamin K, mcg	30	25			
		Vitamin C, mg	90	100			
		Folate, mcg DFE	100	25			
		Folic Acid, mcg	60				
		Vit B1 (Thiamin), mg	0.30	25			
		Vit B2 (Riboflavin), mg	0.33	25			
		Vitamin B6, mg	0.43	25			
		Vitamin B12, mcg	0.60	25			
		Niacin, mg NE	4.8	30			
		Choline, mg	138	25			
		Biotin, mcg	7.5	25			
		Pantothenic Acid, mg	1.3	25			
		Sodium, mg	210	9			
		Potassium, mg	380 [†]	8 [†]			
		Chloride, mg	230	10			
		Calcium, mg	260	20			
		Phosphorus, mg	250	20			

* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 Calories a day is used for general nutrition advice.

† (470 Choc., Choc. Car.).

‡ (10 Choc., Choc. Car.).

§ (0.27 Choc., Choc. Car.).

|| (30 Choc., Choc. Car.).

Glucerna® Original Shake

Ingredients

Homemade Vanilla

Water, Milk Protein Concentrate, Canola Oil, Less than 2% of: Glycerin, Fructose, Corn Maltodextrin, Soy Protein Isolate, Short-chain Fructooligosaccharides, Corn Oil, Soluble Corn Fiber, Potassium Citrate, Magnesium Phosphate, Natural & Artificial Flavor, Cellulose Gel, Salt, Choline Chloride, Ascorbic Acid, Calcium Carbonate, Soy Lecithin, Monoglycerides, Cellulose Gum, Carrageenan, Calcium Phosphate, Sodium Citrate, Potassium Chloride, Acesulfame Potassium, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Gellan Gum, Sucralose, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Selenate, Phylloquinone, Sodium Molybdate, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPSC Code B4154

www.AbbottNutrition.com

Glucerna® Therapeutic Nutrition Shake

Therapeutic Nutrition for
People With Diabetes



Usage

GLUCERNA THERAPEUTIC NUTRITION SHAKE has CARBSTEADY®, including low-glycemic carbohydrates designed to help minimize blood glucose response.*

- A great choice for patients who are trying to manage their blood glucose.*
- For oral use only.
- Use under medical supervision as part of a diabetes management plan.

Features

- Glucerna Therapeutic Nutrition Shake contains a fat blend which is within the American Heart Association and American Diabetes Association recommendations favoring monounsaturated and polyunsaturated fats and limiting saturated fat to help manage lipid profiles.¹⁻³
- 24 essential vitamins and minerals in 8 fl oz.
- 1 g scFOS/8 fl oz. scFOS are prebiotics that stimulate the growth of beneficial bacteria in the colon.

- Antioxidant vitamins C and E to help protect against cell damage.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for sole-source nutrition.
- Not for IV use.
- Not for tube feeding.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Homemade Vanilla.....	64922	70074-0649-21
Rich Chocolate	64929	70074-0649-28
Creamy Strawberry	64925	70074-0649-24

* Designed to help minimize the blood sugar spike from consuming Glucerna compared to high-glycemic carbohydrates.

1 Eckel R, et al. *Circulation*. 2014;129:S76-S99.

2 Lichtenstein A, et al. 2021. *Circulation*. 2021;144:e472-e487.

3 American Diabetes Association. *Diabetes Care*. 2024;47(Suppl. 1):S77-S110.

Technical Data		Nutrition Information					
Homemade Vanilla		Homemade Vanilla	8 fl oz	%DV*	Homemade Vanilla	8 fl oz	%DV*
Caloric Density, Cal/mL	0.93	Protein, g	10	20	Potassium, mEq	9.7	
Protein, % Cal	18	Total Fat, g	9	12	Chloride, mg	276	10
Carbohydrate, % Cal	47	Saturated Fat, g	0.5	4	Chloride, mEq	7.8	
Fat, % Cal	35	Polyunsaturated Fat, g	3		Calcium, mg	260	20
Omega-6:Omega-3	4.4:1	Monounsaturated Fat, g	4		Calcium, mEq	13	
Total Cal/g Nitrogen	140:1	Trans Fat, g	0		Phosphorus, mg	250	20
Nonprotein Cal/g Nitrogen	114:1	Cholesterol, mg	<5	<2	Phosphorus, mmol	8.1	
Renal Solute Load, mOsm/L	352	Total Carbohydrate, g	26	9	Magnesium, mg	105	25
Carb Choices per 8 fl oz	2	Dietary Fiber, g	4	14	Magnesium, mEq	8.6	
Exchanges per 8 fl oz	1 Starch, 1/2 Fat, 1 Reduced- Fat Milk	scFOS, g	1		Iodine, mcg	37.5	25
		Total Sugars, g	7		Manganese, mg	0.6	25
		Added Sugars, g	7	13	Copper, mg	0.23	25
		Calories	220		Zinc, mg	2.8	25
		Vitamin A, mcg RAE	270	30	Iron, mg	4.5	25
		Beta-Carotene, mg	0.25		Selenium, mcg	11 (16.5 Choc.)	20 (30 Choc.)
		Vitamin D, mcg	10	50	Chromium, mcg	18	50
		Vitamin E, mg	7.5	50	Molybdenum, mcg	18	40
		Vitamin K, mcg	24	20			
		Vitamin C, mg	90	100			
		Folate, mcg DFE	100	25			
		Folic Acid, mcg	60				
		Vit B1 (Thiamin), mg	0.3	25			
		Vit B2 (Riboflavin), mg	0.33	25			
		Vitamin B6, mg	0.43	25			
		Vitamin B12, mcg	0.6	25			
		Niacin, mg NE	4.1	25			
		Choline, mg	137.5	25			
		Biotin, mcg	7.5	25			
		Pantothenic Acid, mg	1.3	25			
		Sodium, mg	210	9			
		Sodium, mEq	9.1				
		Potassium, mg	380	8			

**Glucerna® Therapeutic Nutrition
Shake**

Homemade Vanilla

Water, Corn Maltodextrin, Milk Protein Concentrate, Fructose, Canola Oil, Less than 2% of: Glycerin, Soy Protein Isolate, Corn Oil, Soluble Corn Fiber, Soy Fiber. Short-chain Fructooligosaccharides, Natural & Artificial Flavor, Potassium Citrate, Magnesium Phosphate, Salt, Choline Chloride, Ascorbic Acid, Cellulose Gel, Calcium Phosphate, Soy Lecithin, Monoglycerides, Potassium Chloride, Potassium Hydroxide, Calcium Carbonate, Carrageenan, Cellulose Gum, Ferrous Sulfate, di-Alpha-Tocopheryl Acetate, Acesulfame Potassium, Zinc Sulfate, Nicotinamide, Calcium Pantothenate, Manganese Sulfate, Sucralose, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Copper Sulfate, Beta-Carotene, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Selenate, Sodium Molybdate, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPCS Code B4154

www.AbbottNutrition.com

Jevity® 1.0 Cal

Complete, Balanced
Nutrition® with Fiber



Usage

JEVITY 1.0 CAL is fiber-fortified therapeutic nutrition that provides complete, balanced nutrition for long- or short-term tube feeding.

- For tube feeding.
- For supplemental or sole-source nutrition.
- May be used for oral feeding of patients with altered taste perception.
- Use under medical supervision.

Features

- 14.4 g total dietary fiber/L. Fiber helps maintain normal bowel function and may be useful in the dietary management of diarrhea and constipation.
- Meets or exceeds 100% of the RDIs for 25 essential vitamins and minerals in 1590 Cal (1500 mL).
- Provides protein to help support lean body mass.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case

Unflavored..... 6268570074-0626-86

— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case

Unflavored..... 6475970074-0647-58

Technical Data		Nutrition Information			
Unflavored		Unflavored	8 fl oz	1 L	Unflavored
Caloric Density, Cal/mL	1.0	Protein, g	10.5	44.3	8 fl oz
Protein, % Cal	16.7	Total Fat, g	8.2	34.7	10.8
Carbohydrate, % Cal	54.3	Total Carbohydrate, g	36.7	154.7	198
Fat, % Cal	29	Dietary Fiber, g	3.4*	14.4†	Phosphorus, mmol
Omega-6:Omega-3	6.36:1	Total Sugars, g	1.7	7	4.3
MCT:LCT	19:81	Added Sugars, g	1.7	7	Magnesium, mg
Total Cal/g Nitrogen	150:1	L-Carnitine, mg	27	115	69
Nonprotein Cal/g Nitrogen	125:1	Taurine, mg	27	115	Magnesium, mEq
Osmolality, mOsm/kg H ₂ O	300	Water, mL	198	835	5.7
Renal Solute Load, mOsm/L	370	Calories	250	1060	Iodine, mcg
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Vitamin A, mcg RAE	142	600	28
		Vitamin D, mcg	3.2	13.3	Manganese, mg
		Vitamin E, mg	7.3	30.7	0.69
		Vitamin K, mcg	25	106	Copper, mg
		Vitamin C, mg	55	232	0.36
		Folate, mcg DFE	63	267	Zinc, mg
		Folic Acid, mcg	38	160	2.2
		Vit B1 (Thiamin), mg	0.26	1.1	2.8
		Vit B2 (Riboflavin), mg	0.43	1.8	Selenium, mcg
		Vitamin B6, mg	0.33	1.4	11
		Vitamin B12, mcg	1.9	8	Chromium, mcg
		Niacin, mg NE	3.3	14	19
		Choline, mg	108	455	Molybdenum, mcg
		Biotin, mcg	4.7	20	
		Pantothenic Acid, mg	0.95	4	
		Sodium, mg	220	930	
		Sodium, mEq	9.6	40.4	
		Potassium, mg	372	1570	
		Potassium, mEq	9.5	40.3	
		Chloride, mg	310	1310	
		Chloride, mEq	8.7	37	
		Calcium, mg	216	910	

* 3.4 g of total dietary fiber from soy fiber.

† 14.4 g of total dietary fiber from soy fiber.

Jevity® 1.0 Cal
Ingredients
Unflavored

Water, Corn Maltodextrin, Corn Syrup Solids, Sodium Caseinate, Soy Fiber, Soy Protein Isolate, Canola Oil, Corn Oil, Medium Chain Triglycerides, Calcium Caseinate, Less than 0.5% of: Calcium Phosphate, Magnesium Chloride, Potassium Citrate, Soy Lecithin, Sodium Citrate, Ascorbic Acid, Potassium Chloride, Choline Chloride, Magnesium Phosphate, Potassium Hydroxide, Carrageenan, Taurine, L-Carnitine, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Calcium Pantothenate, Copper Sulfate, Riboflavin, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Vitamin A Palmitate, Chromium Chloride, Folic Acid, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPCS Code B4150

www.AbbottNutrition.com

Jevity® 1.2 Cal

Complete, Balanced
Nutrition® with Fiber



Usage

JEVITY 1.2 CAL is fiber-fortified therapeutic nutrition that provides complete, balanced nutrition for long- or short-term tube feeding.

- For tube feeding.
- For supplemental or sole-source nutrition.
- May be used for oral feeding of patients with altered taste perception.
- Use under medical supervision.

Features

- Concentrated calories (1.2 Cal/mL) to help tube-fed patients gain and maintain healthy weight.
- 4 g dietary fiber/8 fl oz (2.1 g of a unique fiber blend and 1.9 g of scFOS) which helps meet daily fiber intake. Fiber helps moderate bowel function.¹⁻³
- Includes 1.9 of scFOS/8 fl oz (8 g/L and 12 g/1.5 L). scFOS are prebiotics that stimulate the growth of beneficial bacteria in the colon.¹⁻³
- Meets or exceeds 100% of the RDIs for 25 essential vitamins and minerals in 1500 Cal (1250 mL).
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— **33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case**

Unflavored 62683 70074-0626-84

— **50.7-fl oz (1.5-L) Ready to Hang Prefilled Container; 6/case**

Unflavored 62667 70074-0626-68

— **8.0-fl oz (237.0-mL) Recloseable Carton; 24/case**

Unflavored 64625 70074-0646-24

1 Bornet FR, et al. *Nutr Rev.* 2002;60(11):326-334.

2 Tokunaga T, et al. *Bifidus.* 1993;6(2):143-150.

3 Bouhnik Y, et al. *Nutr J.* 2007;6:42-48.

Technical Data		Nutrition Information			
Unflavored		Unflavored	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	1.2	Protein, g	13.2	55.5	83.3
Protein, % Cal	18.5	Total Fat, g	9.3	39.3	59
Carbohydrate, % Cal	53.3	Total Carbohydrate, g	40.2	169.4	254
Fat, % Cal	28.2	Dietary Fiber, g	4*	17†	25.5‡
Omega-6:Omega-3	5.5:1	scFOS, g	1.9	8	12
MCT:LCT	19:81	Total Sugars, g	3	13	20
Total Cal/g Nitrogen	135:1	Added Sugars, g	3	13	20
Nonprotein Cal/g Nitrogen	110:1	L-Carnitine, mg	36	150	225
Osmolality, mOsm/kg H ₂ O	450	Taurine, mg	36	150	225
Renal Solute Load, mOsm/L	467	Water, mL	191	807	1211
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Calories	285	1200	1800
		Vitamin A, mcg RAE	171§	720	1080¶
		Vitamin D, mcg	3.8	16	24
		Vitamin E, mg	9.2	38	57
		Vitamin K, mcg	29	123	185
		Vitamin C, mg	59	250	375
		Folate, mcg DFE	76	320	480
		Folic Acid, mcg	46	192	288
		Vit B1 (Thiamin), mg	0.41	1.7	2.6
		Vit B2 (Riboflavin), mg	0.59	2.5	3.7
		Vitamin B6, mg	0.33	1.4	2.1
		Vitamin B12, mcg	2.3	9.6	14.4
		Niacin, mg NE	4	17	26
		Choline, mg	142	600	900
		Biotin, mcg	5.7	24	36
		Pantothenic Acid, mg	0.95	4	6.0
		Sodium, mg	253	1067	1600
		Sodium, mEq	11	46.4	69.6
		Potassium, mg	566	2390	3585
		Potassium, mEq	14.5	61.3	91.9
		Chloride, mg	356	1500	2250
		Chloride, mEq	10	42.4	63.5
		Unflavored	8 fl oz	1 L	1.5 L
		Calcium, mg	284	1200	1800
		Calcium, mEq	14.2	60	90
		Phosphorus, mg	284	1200	1800
		Phosphorus, mmol	9.2	38.7	58.1
		Magnesium, mg	88	370	555
		Magnesium, mEq	7.2	30.4	45.7
		Iodine, mcg	36	150	225
		Manganese, mg	0.81	3.4	5.1
		Copper, mg	0.41	1.7	2.6
		Zinc, mg	2.5	11	16
		Iron, mg	3.4	14.4	22
		Selenium, mcg	14	58	87
		Chromium, mcg	14	58	87
		Molybdenum, mcg	23	99	148

* 2.1 g of total dietary fiber from a unique fiber blend and 1.9 g of short-chain fructooligosaccharides.

† 9 g of total dietary fiber from a unique fiber blend and 8 g of short-chain fructooligosaccharides.

‡ 13.5 g of total dietary fiber from a unique fiber blend and 12 g of short-chain fructooligosaccharides.

§ 122 mcg RAE of vitamin A activity supplied by 307 mcg of beta-carotene.

|| 515 mcg RAE of vitamin A activity supplied by 1295 mcg of beta-carotene.

¶ 773 mcg RAE of vitamin A activity supplied by 1943 mcg of beta-carotene.

Jevity® 1.2 Cal

Ingredients

Unflavored

Water, Corn Maltodextrin, Corn Syrup Solids, Sodium Caseinate, Soy Protein Isolate, Canola Oil, Corn Oil, Short-chain Fructooligosaccharides, Medium Chain Triglycerides, Calcium Caseinate, Soy Fiber, Less than 0.5% of: Oat Fiber, Potassium Citrate, Calcium Phosphate, Magnesium Phosphate, Gum Arabic, Potassium Chloride, Soy Lecithin, Cellulose Gum, Choline Chloride, Ascorbic Acid, Salt, Potassium Hydroxide, L-Carnitine, Taurine, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Sodium Citrate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Copper Sulfate, Calcium Pantothenate, Thiamine Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Beta-Carotene, Vitamin A Palmitate, Chromium Chloride, Folic Acid, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPSC Code B4150

www.AbbottNutrition.com

Jevity® 1.5 Cal

Complete, Balanced
Nutrition® with Fiber



Usage

JEVITY 1.5 CAL is calorically dense, fiber-fortified therapeutic nutrition that provides complete, balanced nutrition for long- or short-term tube feeding.

- For tube feeding.
- For supplemental or sole-source nutrition.
- May be used for oral feeding of patients with altered taste perception.
- Use under medical supervision.

Features

- Concentrated calories (1.5 Cal/mL) to help tube-fed patients gain and maintain healthy weight.
- 5 g dietary fiber/8 fl oz (2.6 g of a unique fiber blend and 2.4 g of scFOS) which helps meet daily fiber needs. Fiber helps moderate bowel function.¹⁻³
- Includes 2.4 g scFOS/8 fl oz (10 g/L and 15 g/1.5 L). scFOS are prebiotics that stimulate the growth of beneficial bacteria in the colon.¹⁻³
- Meets or exceeds 100% of the RDIs for 25 essential vitamins and minerals in 1500 Cal (1000 mL).
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Unflavored.....	62681	70074-0626-82
— 50.7-fl oz (1.5-L) Ready to Hang Prefilled Container; 6/case		
Unflavored.....	62689	70074-0626-90
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Unflavored.....	64628	70074-0646-26

1 Bornet FR, et al. *Nutr Rev.* 2002;60(11):326-334.

2 Tokunaga T, et al. *Bifidus.* 1993;6(2):143-150.

3 Bouhnik Y, et al. *Nutr J.* 2007;6:42-48.

Technical Data		Nutrition Information				Nutrition Information			
Unflavored		Unflavored	8 fl oz	1 L	1.5 L	Unflavored	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	1.5	Protein, g	15.1	63.8	95.7	Calcium, mg	308	1300	1950
Protein, % Cal	17.0	Total Fat, g	11.8	49.8	74.7	Calcium, mEq	15.4	65	97.5
Carbohydrate, % Cal	54.4	Total Carbohydrate, g	51.1	215.7	323.6	Phosphorus, mg	296	1250	1875
Fat, % Cal	28.6	Dietary Fiber, g	5*	21†	31.5†	Phosphorus, mmol	9.5	40.3	60.5
Omega-6:Omega-3	5.9:1	scFOS, g	2.4	10	15	Magnesium, mg	100	420	630
MCT:LCT	19:81	Total Sugars, g	3.6	15	22.5	Magnesium, mEq	8.2	34.6	51.9
Total Cal/g Nitrogen	150:1	Added Sugars, g	3.6	15	22.5	Iodine, mcg	36	150	225
Nonprotein Cal/g Nitrogen	124:1	L-Carnitine, mg	36	150	225	Manganese, mg	1	4.3	6.5
Osmolality, mOsm/kg H ₂ O	525	Taurine, mg	36	150	225	Copper, mg	0.52	2.2	3.3
Renal Solute Load, mOsm/L	515	Water, mL	180	760	1140	Zinc, mg	3.1	13	20
Recommended Tube Size for Gravity/Pump Feeding (Fr)	12/10	Calories	355	1500	2250	Iron, mg	4.3	18	27
		Vitamin A, mcg RAE	213	900	1350	Selenium, mcg	18	74	111
		Vitamin D, mcg	4.7	20	30	Chromium, mcg	18	74	111
		Vitamin E, mg	13	55	82	Molybdenum, mcg	30	128	192
		Vitamin K, mcg	40	170	255				
		Vitamin C, mg	71	300	450				
		Folate, mcg DFE	95	400	600				
		Folic Acid, mcg	57	240	360				
		Vit B1 (Thiamin), mg	0.45	1.9	2.8				
		Vit B2 (Riboflavin), mg	0.76	3.2	4.8				
		Vitamin B6, mg	0.54	2.3	3.4				
		Vitamin B12, mcg	2.8	12	18				
		Niacin, mg NE	4.7	20	30				
		Choline, mg	142	600	900				
		Biotin, mcg	7.1	30	45				
		Pantothenic Acid, mg	1.9	7.9	12				
		Sodium, mg	316	1330	1995				
		Sodium, mEq	13.7	57.8	86.7				
		Potassium, mg	517	2180	3270				
		Potassium, mEq	13.3	55.9	83.8				
		Chloride, mg	322	1360	2040				
		Chloride, mEq	9.1	38.4	57.6				

* 2.6 g total dietary fiber from a unique fiber blend and 2.4 g of short-chain fructooligosaccharides.

† 11 g total dietary fiber from a unique fiber blend and 10 g of short-chain fructooligosaccharides.

‡ 16.5 g total dietary fiber from a unique fiber blend and 15 g of short-chain fructooligosaccharides.

Jevity® 1.5 Cal

Ingredients

Unflavored

Water, Corn Maltodextrin, Corn Syrup Solids, Sodium Caseinate, Canola Oil, Corn Oil, Short-chain Fructooligosaccharides, Soy Protein Isolate, Medium Chain Triglycerides, Calcium Caseinate, Oat Fiber, Less than 0.5% of: Soy Fiber, Potassium Citrate, Calcium Phosphate, Gum Arabic, Magnesium Phosphate, Soy Lecithin, Sodium Citrate, Magnesium Chloride, Cellulose Gum, Ascorbic Acid, Choline Chloride, Potassium Chloride, Potassium Hydroxide, Taurine, L-Carnitine, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Copper Sulfate, Calcium Pantothenate, Riboflavin, Thiamine Hydrochloride, Vitamin A Palmitate, Pyridoxine Hydrochloride, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Biotin, Phylloquinone, Sodium Selenate, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPSC Code B4152

www.AbbottNutrition.com

Juven®

Therapeutic
Nutrition Powder
for Wound Healing



Usage

JUVEN has been clinically shown to support wound healing by enhancing collagen formation in as little as 2 weeks,^{1,2,*} and to help build and maintain lean body mass (LBM) in 4 weeks.^{3,†}

- Recommend two packets per day.
- Administer orally or as a modular via feeding tube; use in addition to a complete, balanced diet.
- Use under medical supervision.

Features

- L-Arginine – supports blood flow and is a building block for proteins, which can contribute to wound healing.^{4,5}
- L-Glutamine – involved in fibroblastic formation of collagen and supports the immune system.^{6,7}
- CaHMB (calcium β -hydroxy- β -methylbutyrate) – a metabolite of leucine that helps produce new tissue by slowing down muscle breakdown and stabilizing muscle cell membranes.⁸
- Collagen protein – shown to help stimulate internal collagen production.⁹
- Micronutrients (vitamins C, E & B12 and zinc) - important nutrients for the wound-healing process.
- Best when mixed at room temperature.

- Lactose-free.
- Kosher, gluten-free.

Precautions

- Not for sole-source nutrition.
- Not for IV use.

Availability (See page 180 for retail list numbers.)

	List No.	NDC Format Code
— 0.82-oz (23.0-g)		
Unflavored (Packet; 180/case)	66686	59781-0666-86
Unflavored (Packet; 30/case)	66695	59781-0666-95
— 0.97-oz (27.5-g)		
Orange (Packet; 180/case)	66674	59781-0666-74
Orange (Packet; 30/case)	66693	59781-0666-93
— 1.02-oz (28.8-g)		
Fruit Punch (Packet; 180/case)	66680	59781-0666-80
Fruit Punch (Packet; 30/case)	66694	59781-0666-94

* In both healthy elderly and patients with diabetic foot ulcers, taking 2 servings per day, as measured by hydroxyproline levels.

† In patients with cancer cachexia.

1 Williams JZ, et al. *Ann Surg.* 2002;236:369-375.

2 Jones MS, et al. *Surg Infect.* 2014;15(6):708-712.

3 May PE, et al. *Am J Surg.* 2002;183:471-479.

4 Stechmiller JK, et al. *Nutr Clin Pract.* 2005;20:52-61.

5 Preli RB, et al. *Atherosclerosis.* 2002;162:1-15.

6 Bellon G, et al. *Biochim Biophys Acta.* 1995;1268:311-323.

7 Andrews FJ, et al. *Br J Nutr.* 2002;87(suppl 1):S3-S8.

8 Clark RH, et al. *JPEN J Parenter Enteral Nutr.* 2000;24:133-139.

9 Sibilla S, et al. *The Open Nutraceuticals J.* 2015;8:29-42.

[illegible]

* Nutritional content will vary when mixed with food, juice or other beverage.

juven®

Ingredients

(Orange): L-Glutamine, L-Arginine, Citric Acid, Hydrolyzed Beef Collagen, Sugar, Calcium Beta-Hydroxy-Beta-Methylbutyrate, Natural & Artificial Flavor, Ascorbic Acid, dl-Alpha-Tocopheryl Acetate, Aspartame, Zinc Sulfate, Acesulfame Potassium, Yellow 6, Vitamin B12

Phenylketonurics: Contains phenylalanine.

(Fruit Punch): L-Glutamine, L-Arginine, Citric Acid, Sugar, Hydrolyzed Beef Collagen, Calcium Beta-Hydroxy-Beta-Methylbutyrate, Natural & Artificial Flavor, Ascorbic Acid, Colored with Beet Juice and Beta-Carotene, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Acesulfame Potassium, Sucralose, Vitamin B12

(Unflavored): L-Glutamine, L-Arginine, Hydrolyzed Beef Collagen, Citric Acid, Calcium Beta-Hydroxy-Beta-Methylbutyrate, Ascorbic Acid, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Vitamin B12

Nepro[®] with CARBSTEADY[®]

Therapeutic Nutrition for
People on Dialysis



Usage

NEPRO WITH CARBSTEADY is therapeutic nutrition specifically designed to help meet the nutritional needs of people on dialysis (stage 5 CKD).

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Has CARBSTEADY[®], a carbohydrate blend designed to help minimize blood sugar response.*
- Designed for people on dialysis with low phosphorus and potassium.
- Excellent source of high-quality protein (19 g /8 fl oz) to help meet nutritional needs and replace protein lost during dialysis.
- In a study of Nepro as supplemental nutrition, patients on dialysis had increased serum albumin, increased serum prealbumin, and improved nutritional status (as signified by subjective global assessment).¹
- High in calories—1.8 Cal/mL.
- A good source of fiber, including prebiotics.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability (See page 180 for retail list numbers.)

List No.

NDC Format Code

— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case

Unflavored 62669 70074-0626-70

— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case

Homemade Vanilla 64803 70074-0647-99

Mixed Berry 64796 70074-0647-95

Butter Pecan 64798 70074-0647-97

* Designed to help minimize the blood sugar spike from consuming Nepro compared to high-glycemic carbohydrates.

¹ Caglar K, et al. *Kidney Int.* 2002;62(3):1054-1059.

Nutrition Information			Nutrition Information		
Homemade Vanilla	8 fl oz	1 L	Homemade Vanilla	8 fl oz	1 L
Protein, g	19	81	Sodium, mEq	10.9	45.6
Total Fat, g	23	96	Potassium, mg	225	949
Saturated Fat, g	2	8.5	Potassium, mEq	5.8	24.3
Polyunsaturated Fat, g	4	17	Chloride, mg	200	844
Monounsaturated Fat, g	16	68	Chloride, mEq	5.6	23.8
Trans Fat, g	0	0	Calcium, mg	250	1050
Cholesterol, mg	7	27	Calcium, mEq	12.5	53
Total Carbohydrate, g	38	160	Phosphorus, mg	170	717
Dietary Fiber, g	6	25	Phosphorus, mmol	5.5	23.1
scFOS, g	2	10	Magnesium, mg	40	169
Total Sugars, g	8.4	35.4	Magnesium, mEq	3.3	13.9
Added Sugars, g	8.3	35.0	Iodine, mcg	38	160
L-Carnitine, mg	63	265	Manganese, mg	0.60	2.53
Taurine, mg	38	160	Copper, mg	0.43	1.81
Water, mL	172	727	Zinc, mg	3.0	12.7
Calories	420	1770	Iron, mg	3.3	14
Vitamin A, mcg RAE	180	759	Selenium, mcg	14	58
Vitamin D, mcg	3.8	16	Chromium, mcg	7.5	32
Vitamin E, mg	6.8	28.5	Molybdenum, mcg	11	46
Vitamin K, mcg	19	80			
Vitamin C, mg	23	95			
Folate, mcg DFE	300	1265			
Folic Acid, mcg	180	759			
Vit B1 (Thiamin), mg	0.60	2.53			
Vit B2 (Riboflavin), mg	0.50	2.11			
Vitamin B6, mg	2.21	9.32			
Vitamin B12, mcg	1.20	5.06			
Niacin, mg NE	8.0	34			
Choline, mg	140	591			
Biotin, mcg	15	63			
Pantothenic Acid, mg	2.25	9.5			
Sodium, mg	250	1050			

Ingredients
Homemade Vanilla
Water, Corn Syrup Solids, Caseinates (Calcium, Magnesium, Sodium), High Oleic Safflower Oil, Canola Oil, Sugar, Milk Protein Isolate, Less than 2% of: Soluble Corn Fiber, Glycerin, Short-chain Fructooligosaccharides, Soy Lecithin, Natural & Artificial Flavor, Calcium Citrate, Sodium Citrate, Potassium Citrate, Choline Chloride, Salt, Cellulose Gel, Ascorbic Acid, L-Carnitine, Taurine, Potassium Chloride, Cellulose Gum, Niacinamide, Ferrous Sulfate, Zinc Sulfate, d-Alpha-Tocopheryl Acetate, Pyridoxine Hydrochloride, Calcium Pyrothionate, Manganese Sulfate, Copper Sulfate, Thiamine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Potassium Iodide, Chromium Chloride, Sodium Selenate, Sodium Molybdate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

Osmolite® 1.2 Cal

Complete, Balanced
Nutrition® without Fiber



Usage

OSMOLITE 1.2 CAL is therapeutic nutrition that provides complete, balanced nutrition for long- or short-term tube feeding for patients who may benefit from increased calories.

- For tube feeding.
- For supplemental or sole-source nutrition.
- May be used for oral feeding of patients with altered taste perception.
- Use under medical supervision.

Features

- Concentrated calories (1.2 Cal/mL).
- 1500 Calories (1250 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Unflavored.....	62697	70074-0626-98
— 50.7-fl oz (1.5-L) Ready to Hang Prefilled Container; 6/case		
Unflavored.....	62693	70074-0626-94
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Unflavored.....	64635	70074-0646-34

Technical Data		Nutrition Information							
Unflavored		Unflavored	8 fl oz	1 L	1.5 L	Unflavored	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	1.2	Protein, g	13.2	55.5	83.3	Calcium, mg	284	1200	1800
Protein, % Cal	18.5	Total Fat, g	9.3	39.3	59	Calcium, mEq	14.2	60	90
Carbohydrate, % Cal	52.5	Total Carbohydrate, g	37.5	157.5	236.1	Phosphorus, mg	284	1200	1800
Fat, % Cal	29	Dietary Fiber, g	0	0	0	Phosphorus, mmol	9.2	38.7	58.1
Omega-6:Omega-3	5.0:1	Total Sugars, g	2	8.4	12.7	Magnesium, mg	88	370	555
MCT:LCT	20:80	Added Sugars, g	2	8.4	12.7	Magnesium, mEq	7.2	30.4	45.7
Total Cal/g Nitrogen	135:1	L-Carnitine, mg	36	150	225	Iodine, mcg	36	150	225
Nonprotein Cal/g Nitrogen	110:1	Taurine, mg	36	150	225	Manganese, mg	0.81	3.4	5.1
Osmolality, mOsm/kg H ₂ O	360	Water, mL	195	820	1230	Copper, mg	0.41	1.7	2.6
Renal Solute Load, mOsm/L	465	Calories	285	1200	1800	Zinc, mg	2.5	11	16
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Vitamin A, mcg RAE	171*	720†	1080‡	Iron, mg	3.4	14.4	22
		Beta-Carotene, mcg	307	1295	1943	Selenium, mcg	14	58	87
		Vitamin D, mcg	3.8	16	24	Chromium, mcg	14	58	87
		Vitamin E, mg	10	42	63	Molybdenum, mcg	23	99	148
		Vitamin K, mcg	29	123	185				
		Vitamin C, mg	59	250	375				
		Folate, mcg DFE	76	320	480				
		Folic Acid, mcg	46	192	288				
		Vit B1 (Thiamin), mg	0.41	1.7	2.6				
		Vit B2 (Riboflavin), mg	0.59	2.5	3.7				
		Vitamin B6, mg	0.33	1.4	2.1				
		Vitamin B12, mcg	2.3	9.6	14.4				
		Niacin, mg NE	4	17	26				
		Choline, mg	142	600	900				
		Biotin, mcg	5.7	24	36				
		Pantothenic Acid, mg	0.95	4	6.0				
		Sodium, mg	253	1067	1600				
		Sodium, mEq	11	46.4	69.6				
		Potassium, mg	539	2274	3410				
		Potassium, mEq	13.8	58.3	87.4				
		Chloride, mg	356	1500	2250				
		Chloride, mEq	10	42.3	63.5				

* 122 mcg RAE of vitamin A activity supplied by 307 mcg of beta-carotene.

‡ 773 mcg RAE of vitamin A activity supplied by 1943 mcg of beta-carotene.

† 515 mcg RAE of vitamin A activity supplied by 1295 mcg of beta-carotene.

Osmlite® 1.2 Cal

Ingredients

Unflavored

Water, Corn Maltodextrin, Sodium Caseinate, High Oleic Safflower Oil, Calcium Caseinate, Canola Oil, Medium Chain Triglycerides, Less than 0.5% of: Potassium Citrate, Calcium Phosphate, Magnesium Phosphate, Soy Lecithin, Potassium Chloride, Sodium Citrate, Magnesium Chloride, Choline Chloride, Cellulose Gel, Ascorbic Acid, Potassium Phosphate, Potassium Hydroxide, Taurine, L-Carnitine, Cellulose Gum, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Copper Sulfate, Calcium Pantothenate, Thiamine Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Beta-Carotene, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPSC Code B4150

www.AbbottNutrition.com

Osmolite® 1.5 Cal

Complete, Balanced
Nutrition® without Fiber



Usage

OSMOLITE 1.5 CAL is therapeutic nutrition that provides complete, balanced nutrition for long- or short-term tube feeding patients who may benefit from increased calories, or for those with limited volume tolerance.

- For tube feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Concentrated calories (1.5 Cal/mL) to help patients gain and maintain healthy weight.
- 1500 Calories (1000 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case

Unflavored 62699 70074-0627-00

— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case

Unflavored 64837 70074-0648-35

Technical Data		Nutrition Information		
Unflavored		Unflavored	8 fl oz	1 L
Caloric Density, Cal/mL	1.5	Protein, g	14.9	62.7
Protein, % Cal	16.7	Total Fat, g	11.6	49.1
Carbohydrate, % Cal	54.3	Total Carbohydrate, g	48.2	203.6
Fat, % Cal	29	Dietary Fiber, g	0	0
Omega-6:Omega-3	4.9:1	Total Sugars, g	2.5	10.5
MCT:LCT	20:80	Added Sugars, g	2.5	10.5
Total Cal/g Nitrogen	152:1	L-Carnitine, mg	36	150
Nonprotein Cal/g Nitrogen	126:1	Taurine, mg	36	150
Osmolality, mOsm/kg H ₂ O	525	Water, mL	181	762
Renal Solute Load, mOsm/L	520	Calories	355	1500
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Vitamin A, mcg RAE	213*	900†
		Beta-Carotene, mcg	292	1233
		Vitamin D, mcg	4.7	20
		Vitamin E, mg	14	60
		Vitamin K, mcg	40	170
		Vitamin C, mg	47	200
		Folate, mcg DFE	95	400
		Folic Acid, mcg	57	240
		Vit B1 (Thiamin), mg	0.45	1.9
		Vit B2 (Riboflavin), mg	0.76	3.2
		Vitamin B6, mg	0.54	2.3
		Vitamin B12, mcg	2.8	12
		Niacin, mg NE	4.7	20
		Choline, mg	142	600
		Biotin, mcg	7.1	30
		Pantothenic Acid, mg	1.9	7.9
		Sodium, mg	316	1330
		Sodium, mEq	13.7	57.8
		Potassium, mg	517	2180
		Potassium, mEq	13.3	55.9
		Chloride, mg	403	1700
		Chloride, mEq	11.4	48
		Calcium, mg	308	1300

* 116 mcg RAE of vitamin A activity supplied by 292 mcg of beta-carotene.

† 490 mcg RAE of vitamin A activity supplied by 1233 mcg of beta-carotene.

Osmlite® 1.5 Cal

Ingredients

Unflavored
Water, Corn Maltodextrin, Sodium Caseinate, High Oleic Safflower Oil, Canola Oil, Soy Protein Isolate, Medium Chain Triglycerides, Calcium Caseinate, Less than 0.5% of: Potassium Citrate, Calcium Phosphate, Magnesium Chloride, Soy Lecithin, Sodium Citrate, Magnesium Phosphate, Ascorbic Acid, Potassium Chloride, Choline Chloride, Potassium Hydroxide, Potassium Phosphate, Taurine, L-Carnitine, Carrageenan, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Copper Sulfate, Calcium Pantothenate, Riboflavin, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Beta-Carotene, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Biotin, Phylloquinone, Sodium Selenate, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPCS Code B4152

www.AbbottNutrition.com

Pedialyte® Classic

Electrolyte Solution for All Ages



Usage

PEDIALYTE CLASSIC is an advanced rehydration solution specially formulated with an optimal balance of glucose and electrolytes needed to help replenish vital fluids and minerals which, when lost, can lead to dehydration.* It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and extreme heat.

- Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

Features

- Pedialyte is the #1 pediatrician- and pharmacist-recommended brand for hydration.
- Quickly replaces fluids and electrolytes.
- Designed to promote fluid absorption more effectively than common household beverages.
- Has glucose to promote sodium and water absorption.
- Unflavored liquid available for infants.
- Ready-to-use recloseable plastic liter bottles allow easy measuring and pouring.
- Low osmolality.
- Contains no fruit juice.

- Suitable for lactose intolerance.
- Gluten-free, halal (certain flavors), kosher.

Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.

Availability

	List No.	NDC Format Code
— 2.0-fl oz (59.0-mL) Bottle; 48/case		
Unflavored.....	59892	70074-0111-33
— 33.8-fl oz (1 L) Bottle; 4/case		
Unflavored.....	64380	
Strawberry.....	66281	
Mixed Fruit.....	66284	
Coconut Burst.....	67461	
— 33.8-fl oz (1 L) Bottle; 8/case		
Unflavored.....	00336	70074-0803-36
Strawberry.....	53983	70074-0539-84
Grape.....	00240	70074-0802-40
Mixed Fruit.....	00365	70074-0803-65

* Mild to moderate dehydration.

Ingredients

Water, Dextrose, Less than 0.5% of:
Citric Acid, Potassium Citrate, Salt,
Natural & Artificial Flavors, Sodium
Citrate, Sucralose, Acesulfame
Potassium, Zinc Gluconate, Red 40,
Blue 1

Pedialyte AdvancedCare®

Electrolyte Solution

AVAILABLE AT RETAIL ONLY



Usage

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of glucose and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent dehydration* caused by vomiting, diarrhea, exercise, travel, and extreme heat.

- Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

Features

- Pedialyte is the #1 pediatrician- and pharmacist-recommended brand for hydration.
- Has PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in a variety of flavors.
- Low osmolality.

- Contains no fruit juice.
- Kosher, halal, gluten-free.

Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Bottle; 4/case		
Strawberry Lemonade	64301	70074-0643-02
Tropical Fruit	64307	70074-0643-08
— 33.8-fl oz (1.0-L) Bottle; 8/case		
Cherry Punch	63057	70074-0630-58
Blue Raspberry	63059	70074-0630-60

* Mild to moderate dehydration.

Ingredients

Strawberry Lemonade

Water, Dextrose,
Galactooligosaccharides, Less than
0.5% of: Citric Acid, Potassium Citrate,
Salt, Natural & Artificial Flavor,
Sodium Citrate, Sucralose, Acesulfame
Potassium, Zinc Gluconate, Red 40,
Blue 1, Sodium Selenate

Contains milk ingredients.

HCPCS Code B4103

www.AbbottNutrition.com

Pedialyte AdvancedCare[®] Plus

Electrolyte Solution

AVAILABLE AT RETAIL ONLY



Usage

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes* to help replenish higher electrolyte losses. It also has PreActiv[®] Prebiotics to help promote digestive health.

- Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

Features

- Pedialyte is the #1 pediatrician- and pharmacist-recommended brand for hydration.
- Formulated for higher electrolyte losses.
- PreActiv[®] Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in 5 flavors.
- Low osmolality.

- Contains no fruit juice.
- Kosher, halal, gluten-free.

Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Bottle; 4/case		
Berry Frost.....	66641	70074-0666-42
Chilled Cherry Pomegranate.....	66645	70074-0666-46
Iced Grape.....	66855	70074-0668-56
Kiwi Berry Mist.....	66643	70074-0666-44
Orange Breeze.....	67434	70074-0674-35

* 60 mEq sodium electrolytes per liter vs 45 mEq in Pedialyte Classic.

Technical Data		Nutrition Information	
Berry Frost		Berry Frost	
		12 fl oz	1 L
Caloric Density, Cal/mL	0.1	Protein, g	0
Protein, % Cal	0	Total Fat, g	0
Carbohydrate, % Cal	100	Total Carbohydrate, g	28
Fat, % Cal	0	Dietary Fiber, g	<1
Osmolality, mOsm/kg H2O	265	Total Sugars, g	7
		Added Sugars, g	7
		Water, mL	353
		Calories	35
		Sodium, mg	490
		Sodium, mEq	21.3
		Potassium, mg	280
		Potassium, mEq	7.2
		Chloride, mg	630
		Chloride, mEq	17.8
		Zinc, mg	2.8

Contains milk ingredients.

Pedialyte AdvancedCare[®] Plus Powder

Electrolyte Powder

AVAILABLE AT RETAIL ONLY



Usage

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes* to help replenish higher electrolyte losses. It also has PreActiv[®] Prebiotics to help promote digestive health.

- Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

Features

- On-the-go convenience.
- Pedialyte is the #1 doctor-, pediatrician-, and pharmacist-recommended brand.
- Has PreActiv[®] Prebiotics to help promote digestive health.
- An optimal balance of glucose and electrolytes.
- Quickly replaces fluids and electrolytes.
- Available in 3 flavors.
- Contains no fruit juice.
- Kosher, gluten-free.

Precautions

- Not for use for children under 1 year of age.

Availability

	List No.	NDC Format Code
— 0.6-oz (17.0-g) Packet; 36/case		
Berry Frost	66969	70074-0669-70
Strawberry Freeze	66972	70074-0669-73
Orange Breeze	67426	70074-0674-27

[illegible]

Anhydrous Dextrose, Short-chain Fructooligosaccharides, Citric Acid, Salt, Potassium Citrate, Sodium Citrate, Natural & Artificial Flavors, Less than 2% of: Calcium Silicate, Acesulfame Potassium, Sucralose, Blue 1