

PEDIASURE® ENTERAL FORMULA 1.0 CAL

Technical Data		Nutrition Information		
Vanilla		Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	1.0	Protein, g	7	30
Protein, % Cal	12	Total Fat, g	9	38
Carbohydrate, % Cal	54	Saturated Fat, g	2.5	11
Fat, % Cal	34	Trans Fat, g	0	0
Omega-6:Omega-3	8:1	Polysaturated Fat, g	2.5	11
MCT:LCT	15:85	Monounsaturated Fat, g	3.5	15
Total Cal/g Nitrogen	217:1	Cholesterol, mg	5	21
Nonprotein Cal/g Nitrogen	192:1	Total Carbohydrate, g	33	139
Osmolality, mOsm/kg H ₂ O	340	Dietary Fiber, g	<1	<1
Renal Solute Load, mOsm/L	263 PRSL	scFOS, g	0	0
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Total Sugars, g	7	30
		Added Sugars, g	7	30
		L-Carnitine, mg	4	17
		Taurine, mg	18	76
		Calories	240	1000
		Water, mL	200	844
		Vitamin A, mcg RAE	140	590
		Vitamin D, mcg	6	25
		Vitamin E, mg	3	13
		Vitamin K, mcg	18	76
		Vitamin C, mg	23	97
		Folate, mcg DFE	60	253
		Folic Acid, mcg	36	152
		Vit B1 (Thiamin), mg	0.3	1.3
		Vit B2 (Riboflavin), mg	0.33	1.4
		Vitamin B6, mg	0.34	1.4
		Vitamin B12, mcg	0.48	2
		Niacin, mg NE	3.2	14
		Choline, mg	80	338
		Biotin, mcg	8	34
		Pantothenic Acid, mg	1.3	5.5
		Inositol, mg	20	84

PediaSure® Enteral Formula 1.0 Cal Ingredients

Vanilla
Water, Corn Maltodextrin, Blend Of Vegetable Oils (High Oleic Safflower, Soy, Medium Chain Triglycerides), Milk Protein Concentrate, Sugar, Soy Protein Isolate; Less Than 0.5% Of: Vitamins And Minerals (Potassium Phosphate, Potassium Citrate, Calcium Carbonate, Potassium Chloride, Magnesium Phosphate, Calcium Phosphate, Ascorbic Acid, Choline Chloride, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12.), Natural And Artificial Flavors, Cellulose Gel, Tuna Oil*, Soy Lecithin, Monoglycerides, Carrageenan, Salt, Cellulose Gum, Potassium Hydroxide, Inositol, Taurine, L-Carnitine and Lutein.

* Source of docosahexaenoic acid (DHA).

Contains milk and soy ingredients.

HCPSC Code B4160

www.AbbottNutrition.com

111

PediaSure® Enteral Formula 1.0 Cal with Fiber

Complete, Balanced Nutrition®



Usage

PEDIASURE ENTERAL FORMULA 1.0 CAL WITH FIBER is a source of complete, balanced nutrition especially designed for tube feeding children 1 to 13 years of age.

- May be used as the sole source of nutrition or as a supplement.
- Use under medical supervision.

Features

- 1.0 Cal/mL, 240 Cal/8 fl oz, from a balanced distribution of protein, fat, and carbohydrate.
- Provides 100% or more of the Dietary Reference Intakes (DRIs) for protein and 25 essential vitamins and minerals in 1000 mL for children 1 to 8 years of age, and in 1500 mL for children 9 to 13 years of age.
- Vitamin D, calcium, and phosphorus for strong bones.
- DHA omega-3* to help support brain and eye development.^{1,2}
- Prebiotics designed to support digestive tract health³⁻⁵ and antioxidants (vitamins C & E and selenium) to support the immune system.

- No artificial growth hormones.[†]
- Kosher, halal, gluten-free.
- Suitable for lactose intolerance.

Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

Availability

List No.

NDC Format Code

— 33.8 fl oz (1 L) Ready to Hang Prefilled Container; 8/case

Vanilla 6740570074-0674-06

— 8.0-fl oz (237.0-mL) Can; 24/case

Vanilla 6740370074-0674-04

* 32 mg DHA per 8-fl-oz serving.

† Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

1 Lauritzen L, et al. *Prog Lipid Res.* 2001;40:1-94.

2 Krinsky NI, et al. *Annu Rev Nutr.* 2003;23:171-201.

3 Bornet FR, et al. *Nutr Rev.* 2002;60:326-334.

4 Tokunaga T, et al. *Bifidus.* 1993;6:143-150.

5 Hidaka H, et al. *Bifidobacteria Microflora.* 1986;5:37-50.

PEDIASURE® ENTERAL FORMULA 1.0 CAL WITH FIBER

Technical Data		Nutrition Information			
Vanilla		Vanilla	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	1.0	Protein, g	7	30	44
Protein, % Cal	12	Total Fat, g	9	38	57
Carbohydrate, % Cal	54	Saturated Fat, g	2.5	11	16
Fat, % Cal	34	Trans Fat, g	0	0	0
Omega-6:Omega-3	8.5:1	Polyunsaturated Fat, g	2.5	11	16
MCT:LCT	15:85	Monounsaturated Fat, g	3.5	15	22
Total Cal/g Nitrogen	217:1	Cholesterol, mg	5	21	32
Nonprotein Cal/g Nitrogen	192:1	Total Carbohydrate, g	34	143	215
Osmolality, mOsm/kg H2O	400	Dietary Fiber, g	3	13	19
Potential Renal Solute Load, mOsm/L	263	scFOS, g	1.7	7	10.8
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Total Sugars, g	7	30	44
		Added Sugars, g	7	30	44
		L-Carnitine, mg	4	16.9	25
		Taurine, mg	18	76	114
		Water, g	200	843	1266
		Calories	240	1000	1500
		Vitamin A, mcg RAE	140	590	885
		Vitamin D, mcg	6	25	38
		Vitamin E, mg	3	13	19
		Vitamin K, mcg	18	76	114
		Vitamin C, mg	23	97	146
		Folate, mcg DFE	60	253	380
		Folic Acid, mcg	36	152	227
		Vit B1 (Thiamin), mg	0.30	1.3	1.9
		Vit B2 (Riboflavin), mg	0.33	1.4	2.1
		Vitamin B6, mg	0.34	1.4	2.2
		Vitamin B12, mcg	0.48	2	3
		Niacin, mg NE	3.2	14	20
		Choline, mg	80	338	506
		Biotin, mcg	8	34	51
		Pantothenic Acid, mg	1.3	5.5	8.2
		Inositol, mg	20	84	127

PediaSure® Enteral Formula 1.0 Cal With Fiber

Ingredients

Vanilla

Water, Corn Maltodextrin, Blend Of Vegetable Oils (High Oleic Safflower, Soy, Medium Chain Triglycerides), Milk Protein Concentrate, Sugar, Soy Protein Isolate, Short-Chain Fructooligosaccharides; Less Than 0.5% Of: Vitamins And Minerals (Potassium Phosphate, Calcium Carbonate, Potassium Chloride, Potassium Citrate, Calcium Phosphate, Ascorbic Acid, Choline Chloride, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Magnesium Phosphate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12), Oat Fiber, Soy Fiber, Natural And Artificial Flavors, Gum Arabic, Cellulose Gel, Tuna Oil*, Cellulose Gum, Soy Lecithin, Monoglycerides, Carrageenan, Salt, Potassium Hydroxide, Inositol, Taurine, L-Carnitine and Lutein.

* Source of DHA.

Contains milk and soy ingredients.

HCPCS Code B4160

www.AbbottNutrition.com 113

PediaSure® Grow & Gain Therapeutic Nutrition Shake

Complete, Balanced Nutrition®



Usage

PEDIASURE GROW & GAIN THERAPEUTIC NUTRITION is a source of complete, balanced nutrition especially designed for children 1 to 13 years of age.

- May be used as the sole source of nutrition or as a supplement.
- For oral or tube feeding.
- Use under medical supervision.

Features

- Clinically proven* to help kids grow.¹⁻⁶
- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals for children 1-8 years of age in 1000 Cal (1000 mL), and for children 9-13 years of age in 1500 Cal (1500 mL).
- Antioxidants (vitamins C & E and selenium) to support the immune system.
- Calcium, vitamin D, and phosphorus for strong bones.
- DHA (32 mg per 8 fl oz) and lutein to support the brain and eyes.^{7,8}

- PediaSure is the #1 pediatrician-recommended brand.
- No artificial growth hormones.[†]
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

Availability (See page 180 for retail list numbers.)

	List No.	NDC Format Code
— 8.0-fl oz (237.0-mL) Bottle; 24/case		
Vanilla	67533	70074-0675-34
Chocolate	67535	70074-0675-36
Strawberry	67537	70074-0675-38
— 8.0-fl oz (237.0-mL) Can; 24/case		
Vanilla	67522	70074-0671-85
Chocolate	67523	70074-0675-24
Strawberry	67525	70074-0675-26
Banana	67527	70074-0675-28

* Studied in children at risk for malnutrition, 2 servings per day.

† Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

1 Akram DS, et al. *J Pak Med Assoc.* 2000;50:377-380.

2 Alarcon PA, et al. *Clin Pediatr.* 2003;42:209-217.

3 Fisberg M, et al. *Int Pediatr.* 2002;17:216-222.

4 Morales E, et al. *J Am Diet Assoc.* 1991;91:1233-1238.

5 Ramstack M, et al. *JPEN J Parenter Enteral Nutr.* 1991;15:89-92.

6 Huynh DT, et al. *J Am Hum Nutr Diet.* 2015;28:623-635.

7 Lauritzen L, et al. *Prog Lipid Res.* 2001;40:1-94.

8 Krinsky NI, et al. *Annu Rev Nutr.* 2003;23:171-201.

PEDIASURE® GROW & GAIN THERAPEUTIC NUTRITION SHAKE

Technical Data		Nutrition Information					
Vanilla		Vanilla	8 fl oz	1 L	Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	1.0	Protein, g	7	30	Sodium, mEq	3.9	16.5
Protein, % Cal	12	Total Fat, g	9	38	Potassium, mg	470	1983
Carbohydrate, % Cal	54	Saturated Fat, g	1.5	10	Potassium, mEq	12.1	51
Fat, % Cal	34	Polyunsaturated Fat, g	3.5	11	Chloride, mg	230	970
Omega-6:Omega-3*	7:1	Monounsaturated Fat, g	3.5	15	Chloride, mEq	6.5	27
Total Cal/g Nitrogen	217:1	Trans Fat, g	0	0	Calcium, mg	330	1392
Nonprotein Cal/g Nitrogen	192:1	Cholesterol, mg	5 (10 Choc. bottle)	20	Calcium, mEq	16.5	70
Osmolality, mOsm/kg H2O	460	Total Carbohydrate, g	33	139	Phosphorus, mg	250	1055
Renal Solute Load, mOsm/L	286	Dietary Fiber, g	<1 (1 Choc. bottle)	1	Magnesium, mg	40	169
		Total Sugars, g	9	38	Magnesium, mEq	3.3	14
		Added Sugars, g	9 (bottles; 8 cans)	38	Iodine, mcg	23	97
		L-Carnitine, mg	4.0	17	Manganese, mg	0.46	1.9
		Taurine, mg	18	76	Copper, mg	0.14	0.59
		Water, mL	200	844	Zinc, mg	1.7	7.2
		Calories	240	1000	Iron, mg	2.7	11
		Vitamin A, mcg RAE	140	590	Selenium, mcg	8	34
		Vitamin D, mcg	6.0	25	Chromium, mcg	9 (12 Choc.)	38
		Vitamin E, mg	3.0	13	Molybdenum, mcg	9	38
		Vitamin K, mcg	18	76			
		Vitamin C, mg	23	97			
		Folate, mcg DFE	60	253			
		Folic Acid, mcg	36	152			
		Vit B1 (Thiamin), mg	0.30	1.3			
		Vit B2 (Riboflavin), mg	0.33	1.4			
		Vitamin B6, mg	0.34	1.4			
		Vitamin B12, mcg	0.48	2			
		Niacin, mg NE	3.2	14			
		Choline, mg	80	338			
		Biotin, mcg	8	34			
		Pantothenic Acid, mg	1.3	5.5			
		Inositol, mg	20	84			
		Sodium, mg	90	380			

* Product contains DHA (32 mg DHA/8 fl oz).

PediaSure® Grow & Gain Therapeutic Nutrition Shake

Ingredients

Vanilla

Water, Corn Maltodextrin, Blend of Vegetable Oils (Soy, High Oleic Safflower), Sugar, Milk Protein Concentrate, Soy Protein Isolate, Less than 0.5% of: Vitamins & Minerals (Potassium Citrate, Calcium Phosphate, Potassium Chloride, Magnesium Phosphate, Potassium Phosphate, Calcium Carbonate, Ascorbic Acid, Choline Chloride, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12, Menaquinone-7), Natural & Artificial Flavor, Cellulose Gel, Tuna Oil[†], Cellulose Gum, Monoglycerides, Soy Lecithin, Carrageenan, Potassium Hydroxide, Inositol, Salt, Taurine, Stevia Leaf Extract, L-Carnitine, Lutein

[†] Source of docosahexaenoic acid (DHA).

Contains milk and soy ingredients.

HCPSC Code B4160

www.AbbottNutrition.com 115

PediaSure® Grow & Gain with Fiber Therapeutic Nutrition Shake

Complete, Balanced Nutrition®



Usage

PEDIASURE GROW & GAIN WITH FIBER THERAPEUTIC NUTRITION is a source of complete, balanced nutrition especially designed for children 1 to 13 years of age.

- May be used as the sole source of nutrition or as a supplement.
- For oral or tube feeding.
- Use under medical supervision.

Features

- Clinically proven* to help kids grow.¹⁻⁶
- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals for children 1-8 years of age in 1000 Cal (1000 mL), and for children 9-13 years of age in 1500 Cal (1500 mL).
- Fiber† to help maintain regularity—3 g of dietary fiber/8 fl oz, including 1.2 g from soy fiber and 1.8 g from scFOS.

- DHA (32 mg per 8 fl oz) and lutein to support the brain and eyes.^{7,8}
- Antioxidants (vitamins C & E and selenium) to support the immune system.
- PediaSure is the #1 pediatrician-recommended brand.
- No artificial growth hormones.‡
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

Availability (See page 180 for retail list numbers.)

	List No.	NDC Format Code
— 8.0-fl oz (237.0-mL) Bottle; 24/case		
Vanilla	67531	70074-0675-32
— 8.0-fl oz (237.0-mL) Can; 24/case		
Vanilla	67529	70074-0675-30

* Studied in children at risk for malnutrition, 2 servings per day.

† Contains 9 g of total fat per serving.

‡ Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

1 Akram DS, et al. *J Pak Med Assoc.* 2000;50:377-380.

2 Alarcon PA, et al. *Clin Pediatr.* 2003;42:209-217.

3 Fisberg M, et al. *Int Pediatr.* 2002;17:216-222.

4 Morales E, et al. *J Am Diet Assoc.* 1991;91:1233-1238.

5 Ramstack M, et al. *JPEN J Parenter Enteral Nutr.* 1991;15:89-92.

6 Huynh DT, et al. *J Am Hum Nutr Diet.* 2015;28:623-635.

7 Lauritzen L, et al. *Prog Lipid Res.* 2001;40:1-94.

8 Krinsky NI, et al. *Annu Rev Nutr.* 2003;23:171-201.

PEDIASURE® GROW & GAIN WITH FIBER THERAPEUTIC NUTRITION SHAKE

Technical Data		Nutrition Information			
Vanilla		Vanilla	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	1.0	Protein, g	7	30	44
Protein, % Cal	12	Total Fat, g	9	38	57
Carbohydrate, % Cal	54	Saturated Fat, g	1	4	6
Fat, % Cal	34	Polyunsaturated Fat, g	2	8.4	12.7
Omega-6:Omega-3*	4.3:1*	Monounsaturated Fat, g	6	25.3	38
Total Cal/g Nitrogen	212:1	Trans Fat, g	0	0	0
Nonprotein Cal/g Nitrogen	186:1	Cholesterol, mg	5	20	30
Osmolality, mOsm/kg H ₂ O	480	Total Carbohydrate, g	33	139	209
Renal Solute Load, mOsm/L	286 (PRSL)	Dietary Fiber, g	3 [†]	13	19
		scFOS, g	1.8	7.6	11.4
		Total Sugars, g	18	76	114
		Added Sugars, g	18	75	112
		L-Carnitine, mg	4	17	25
		Taurine, mg	18	76	114
		Water, mL	200	845	1266
		Calories	240	1000	1500
		Vitamin A, mcg RAE	140	590	886
		Vitamin D, mcg	6.0	25	38
		Vitamin E, mg	3.0	13	19
		Vitamin K, mcg	18	76	114
		Vitamin C, mg	23	97	146
		Folate, mcg DFE	60	253	380
		Folic Acid, mcg	36	152	227
		Vit B1 (Thiamin), mg	0.30	1.3	1.9
		Vit B2 (Riboflavin), mg	0.33	1.4	2.1
		Vitamin B6, mg	0.34	1.4	2.1
		Vitamin B12, mcg	0.48	2.0	3.0
		Niacin, mg NE	3.2	14	20
		Choline, mg	80	338	506
		Biotin, mcg	8.0	34	50
		Pantothenic Acid, mg	1.3	5.5	8.2
		Inositol, mg	20	84	126

* Product contains DHA (32 mg DHA/8 fl oz).

† Includes 1.8 g from short-chain fructooligosaccharides.

PediaSure® Grow & Gain with Fiber Therapeutic Nutrition Shake

Ingredients

Vanilla

Water, Corn Maltodextrin, Sugar, Blend of Vegetable Oils (Soy, High Oleic Safflower), Milk Protein Concentrate, Short-chain Fructooligosaccharides, Soy Protein Isolate, Soy Fiber, Less than 0.5% of: Vitamins & Minerals (Potassium Phosphate, Calcium Carbonate, Potassium Citrate, Potassium Chloride, Magnesium Phosphate, Ascorbic Acid, Choline Chloride, Calcium Phosphate, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12, Menaquione-7), Natural & Artificial Flavors, Tuna Oil[†], Salt, Monoglycerides, Soy Lecithin, Carrageenan, Potassium Hydroxide, Inositol, Taurine, Stevia Leaf Extract, L-Carnitine, Lutein

† Source of DHA.

Contains milk and soy ingredients.

HCPSC Code B4160

www.AbbottNutrition.com

117

PediaSure® Grow & Gain Shake Mix

AVAILABLE AT RETAIL ONLY



Usage

PEDIASURE GROW & GAIN SHAKE MIX is a source of nutrition for growth and has nutrients for immune support.

- Formulated for oral feeding; may also be tube fed.

Features

- Clinically proven* to help kids grow.¹⁻⁶
- Non-GMO.[†]
- No artificial growth hormones.[‡]
- PediaSure is the #1 pediatrician-recommended brand.
- 6 g protein and 23 vitamins and minerals.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Use according to package directions.
- Consult your health care professional for use with children under 2 years of age.
- **Not intended for sole-source nutrition;** may be used as a supplement.
- Not for children with galactosemia.

Availability

	List No.	NDC Format Code
— 14.1-oz (400.0-g) Can; 6/case		
Vanilla	66959	70074-0669-54
Chocolate	66960	70074-0669-56
Strawberry	66961	70074-0669-58

* Studied in children at risk for malnutrition, 2 servings daily.

† Ingredients not genetically engineered.

‡ Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

1 Akram DS, et al. *J Pak Med Assoc.* 2000;50:377-380.

2 Alarcon PA, et al. *Clin Pediatr.* 2003;42:209-217.

3 Fisberg M, et al. *Int Pediatr.* 2002;17:216-222.

4 Morales E, et al. *J Am Diet Assoc.* 1991;91:1233-1238.

5 Ramstack M, et al. *JPEN J Parenter Enteral Nutr.* 1991;15:89-92.

6 Huynh DT, et al. *J Am Hum Nutr Diet.* 2015;28:623-635.

PEDIASURE® GROW & GAIN SHAKE MIX

Technical Data			Nutrition Information		
Vanilla			1/3 Cup (49 g powder)	%DV†	
Caloric Density, Cal/mL	1.0*		Protein, g	6	12
Protein, % Cal	11		Total Fat, g	9	12
Carbohydrate, % Cal	52		Saturated Fat, g	2	10
Fat, % Cal	37		Polysaturated Fat, g	2	
Omega-6:Omega-3	6:2:1		Monounsaturated Fat, g	4.5	
MCT:LCT	10:90		Trans Fat, g	0	
Nonprotein Cal/g	183:1		Cholesterol, mg	10	3
Nitrogen	(180:1 Choc.)		Total Carbohydrate, g	29	11
Total Cal/g Nitrogen	208:1		Dietary Fiber, g	<1 (1 Choc.)	3 (4 Choc.)
	(205:1 Choc.)		Total Sugars, g	9	
Osmolality, mOsm/kg H2O	417		Added Sugars, g	8	16
	(420 Choc.)		Calories	220	
Renal Solute Load, mOsm/L	291		Vitamin A, mcg RAE	110	10
	(295 Choc.)		Beta-Carotene, mcg	0	
			Vitamin D, mcg	3.6	20
			Vitamin E, mg	1.5	10
			Vitamin K, mcg	11	8
			Vitamin C, mg	18	20
			Folate, mcg DFE	75	20
			Folic Acid, mcg	45	
			Sodium, mg	130 (120 Choc.)	6 (5 Choc.)
			Potassium, mg	280 (330 Choc.)	6 (8 Choc.)
			Calcium, mg	180	15
			Iron, mg	2.5 (2.7 Choc.)	15
			Vit B1 (Thiamin), mg	0.54	45
			Vit B2 (Riboflavin), mg	0.38 (0.39 Choc.)	30
			Vitamin B6, mg	0.47	25
			Vitamin B12, mcg	0.54	20
			Niacin, mg NE	2.7	15
			Choline, mg	60	10
			Biotin, mcg	4	10
			Pantothenic Acid, mg	1.3	25

PediaSure® Grow & Gain Shake Mix Ingredients

Vanilla

Corn Syrup, Blend of Vegetable Oils (High Oleic Sunflower, Canola, Corn), Corn Maltodextrin, Sugar, Milk Protein Concentrate, Soy Protein Isolate, Short-chain Fructooligosaccharides, Less than 2% of: Vitamin & Minerals (Potassium Phosphate, Potassium Citrate, Sodium Citrate, Calcium Phosphate, Potassium Chloride, Magnesium Chloride, Calcium Carbonate, Magnesium Phosphate, Choline Chloride, Potassium Hydroxide, Ascorbyl Palmitate, Ascorbic Acid, Ferrous Sulfate, Mixed Tocopherols, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Niacinamide, Calcium Pantothenate, Thiamine Hydrochloride, Manganese Sulfate, Pyridoxine Hydrochloride, Riboflavin, Copper Sulfate, Vitamin A Palmitate, Folic Acid, Potassium Iodide, Chromium Chloride, Sodium Selenite, Phylloquinone, Sodium Molybdate, Biotin, Vitamin D3, Menquinone-7, Vitamin B12), Medium Chain Triglycerides, Natural and Artificial Flavors, Salt, Soy Lecithin, Taurine, Inositol, Schizochytrium Sp. Oil, L-Carnitine Tartrate

Contains milk and soy ingredients.

* Prepared as directed.

† The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 Calories a day is used for general nutrition advice.

PediaSure® Peptide 1.0 Cal

Peptide-Based Nutrition



Usage

PEDIASURE PEPTIDE 1.0 CAL is a nutritionally complete, peptide-based formula for the nutritional needs of children 1 to 13 years of age with malabsorption, maldigestion, and other GI conditions.

- For oral or tube feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Complete, Balanced Nutrition®.
- Nutrient blend designed to help support tolerance and absorption:
 - Prebiotics from scFOS.
 - 60% MCT & structured lipids.
 - Hydrolyzed, whey-dominant protein.
- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals for children 1-8 years of age in 1000 Cal (1000 mL), and for children 9-13 years of age in 1500 Cal (1500 mL).
- Antioxidants (vitamins C & E and selenium) to support the immune system.

- Vitamin D (25 mcg/L, 1000 IU/L) and calcium for strong bones.
- DHA (32 mg per 8 fl oz) and lutein to support the brain and eyes.^{1,2}
- No artificial growth hormones.*
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

Availability

	List No.	NDC Format Code
— 1.1-QT (1.0-L) Ready to Hang Prefilled Container; 8/case		
Unflavored.....	67415.....	70074-0674-16
— 8.0-fl oz (237.0-mL) Bottle; 24/case		
Vanilla	67407	70074-0674-10
Strawberry.....	67411	70074-0674-12
Chocolate	67073	70074-0670-74
Unflavored.....	67413	70074-0674-14

* Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

1 Lauritzen L, et al. *Prog Lipid Res.* 2001;40:1-94.

2 Krinsky NI, et al. *Annu Rev Nutr.* 2003;23:171-201.

PEDIASURE® PEPTIDE 1.0 CAL

Technical Data		Nutrition Information			
Unflavored		Unflavored	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	1.0	Protein, g	7	30	45
Protein, % Cal	12	Total Fat, g	9.6	41	61
Carbohydrate, % Cal	53	Saturated Fat, g	5	21	31
Fat, % Cal	35	Polyunsaturated Fat, g	0.5 (1.1 Choc.)	2	3
Omega-6:Omega-3	2.66:1	Monounsaturated Fat, g	1.5 (2.3 Choc.)	6	9
MCT:LCT	60:40	Trans Fat, g	0	0	0
Total Cal/g Nitrogen	216:1	Cholesterol, mg	10	40	60
Nonprotein Cal/g Nitrogen	190:1	Total Carbohydrate, g	31.7	134	201
Osmolality, mOsm/kg H ₂ O	290 (390	Dietary Fiber, g	0.7 (1.4 Choc.)	3	5
Van.,		scFOS, g	0.7	3	4
Str.)		Total Sugars, g	1*	5†	8‡
		Added Sugars, g	1*	5†	8‡
Renal Solute Load, mOsm/L	279	L-Carnitine, mg	4	17	25
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Taurine, mg	30	127	190
		Water, mL	201	845	1268
		Calories	237	1000	1500
		Vitamin A, mcg RAE	140	570	854
		Vitamin D, mcg	5.9	25	37.5
		Vitamin E, mg	2.5	10.4	15.5
		Vitamin K, mcg	16	68	101
		Vitamin C, mg	24	101	152
		Folate, mcg DFE	120	500	750
		Folic Acid, mcg	71	300	450
		Vit B1 (Thiamin), mg	0.60	2.5	3.8
		Vit B2 (Riboflavin), mg	0.5	2.1	3.2
		Vitamin B6, mg	0.6	2.5	3.8
		Vitamin B12, mcg	1.4	5.9	8.9
		Niacin, mg NE	5.2	21.9	32.8
		Choline, mg	80	340	510
		Biotin, mcg	20	84	127
		Pantothenic Acid, mg	2.4	10.1	15.2
		Inositol, mg	32	135	203

* (7 Van., Str.).

† (30 Van., Str.).

‡ (45 Van., Str.).

PediaSure® Peptide 1.0 Cal

Ingredients

Unflavored

Water, Corn Maltodextrin, Whey Protein Hydrolysate, Structured Lipid (Interesterified Canola Oil & Medium Chain Triglycerides), Medium-Chain Triglycerides, Hydrolyzed Sodium Caseinate, Less than 0.5% of the Following: Vitamins & Minerals (Calcium Phosphate, Potassium Citrate, Potassium Chloride, Magnesium Phosphate, Ascorbic Acid, Choline Chloride, Sodium Citrate, Ferrous Sulfate, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Copper Sulfate, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Biotin, Potassium Iodide, Sodium Selenate, Sodium Molybdate, Phylloquinone, Vitamin D3, Vitamin B12), Short-chain Fructooligosaccharides, Canola Oil, Cellulose Gel, Soy Lecithin, Tuna Oil‡, Cellulose Gum, Carrageenan, Inositol, Potassium Hydroxide, Taurine, L-Carnitine, Lutein

§ Source of docosahexaenoic acid (DHA).

Contains milk and soy ingredients.

HCPSC Code B4161

www.AbbottNutrition.com 121

PediaSure® Peptide 1.5 Cal

Peptide-Based Nutrition



Usage

PEDIASURE PEPTIDE 1.5 CAL is a nutritionally complete, peptide-based formula for the nutritional needs of children 1 to 13 years of age with malabsorption, maldigestion, and other GI conditions. It is designed to meet the nutritional and caloric needs of kids who require higher caloric density, have fluid restrictions, and are at risk for malnutrition.

- For oral or tube feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Complete, Balanced Nutrition®.
- Nutrition to support growth and development.
- Nutrient blend designed to help support tolerance and absorption:
 - Prebiotics from scFOS.
 - 60% MCT & structured lipids.
 - Hydrolyzed, whey-dominant protein.
- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals for children 1 to 8 years of age in 1000 Cal (667 mL) and for children 9 to 13 years of age in 1500 Cal (1000 mL).

- Antioxidants (vitamins C & E and selenium) to support the immune system.
- Vitamin D (25 mcg/L, 1000 IU/L) and calcium for strong bones.
- DHA (32 mg per 8 fl oz) and lutein to support the brain and eyes.^{1,2}
- No artificial growth hormones.*
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Vanilla	67419	70074-0674-20
— 8.0-fl oz (237.0-mL) Bottle; 24/case		
Vanilla	67417	70074-0674-18

* Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

1 Lauritzen L, et al. *Prog Lipid Res.* 2001;40:1-94.

2 Krinsky NI, et al. *Annu Rev Nutr.* 2003;23:171-201.

Nutrition Information			
Vanilla	8 fl oz	1 L	1.5 L
Protein, g	10.7	45	68
Total Fat, g	14.4	61	91.5
Saturated Fat, g	8	35	52.5
Polyunsaturated Fat, g	1	4	6
Monounsaturated Fat, g	2.5	11	16.5
Trans Fat, g	0	0	0
Cholesterol, mg	15	65	97.5
Total Carbohydrate, g	47.6	201	301.5
Dietary Fiber, g	1	5	7.5
scFOS, g	1.1	4.6	7.5
Total Sugars, g	2	7	11
Added Sugars, g	2	7	11
L-Carnitine, mg	6.0	25	38
Taurine, mg	45	190	285
Water, mL	182	768	1152
Calories	356	1500	2250
Vitamin A, mcg RAE	200	850	1275
Vitamin D, mcg	5.9	25	37.5
Vitamin E, mg	3.7	15.5	23.3
Vitamin K, mcg	24	101	152
Vitamin C, mg	36	152	228
Folate, mcg DFE	180	750	1125
Folic Acid, mcg	107	450	675
Vit B1 (Thiamin), mg	1	4.2	6.3
Vit B2 (Riboflavin), mg	0.8	3.4	5.1
Vitamin B6, mg	1	4.2	6.3
Vitamin B12, mcg	2.1	8.9	13.4
Niacin, mg NE	7.6	31.9	47.9
Choline, mg	120	510	765
Biotin, mcg	30	127	190.5
Pantothenic Acid, mg	3.6	15	22.5
Inositol, mg	47	200	300

[illegible]

Vanilla
Water, Corn Maltodextrin, Structured Lipid (Interesterified Canola Oil & Medium Chain Triglycerides), Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Medium-Chain Triglycerides, Short-chain Fructooligosaccharides, Less than 0.5% of: Vitamins & Minerals (Calcium Phosphate, Potassium Citrate, Potassium Chloride, Potassium Phosphate, Magnesium Phosphate, Calcium Carbonate, Sodium Citrate, Ascorbic Acid, Choline Chloride, Ferrous Sulfate, Magnesium Chloride, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Copper Sulfate, Vitamin A Palmitate, Folic Acid, Biotin, Potassium Iodide, Chromium Chloride, Sodium Selenate, Sodium Molybdate, Phylloquinone, Vitamin D3, Vitamin B12), Canola Oil, Artificial Flavor, Cellulose Gel, Soy Lecithin, Tuna Oil*, Inositol, Taurine, Cellulose Gum, Potassium Hydroxide, Acesulfame Potassium, Sucralose, L-Carnitine, Lutein

Contains milk and soy ingredients.

HCPCS Code B4161
www.AbbottNutrition.com 123

PediaSure® Reduced Calorie*

Complete, Balanced Nutrition® for
Children with Lower Calorie Needs



Usage

PEDIASURE REDUCED CALORIE has all the nutrients of PediaSure® Grow & Gain with 37% fewer calories and 40% less fat.*

- For oral use for children requiring a lower calorie supplement.
- For tube feeding for children requiring a lower calorie complete feeding.
- Use under medical supervision.

Features

- No artificial growth hormones.†
- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals
 - in 633 Cal (1000 mL) for children 1 to 8 years of age.
 - in 949 Cal (1500 mL) for children 9 to 13 years of age.
- Antioxidants (vitamins C & E and selenium) to support the immune system.
- Prebiotic fiber‡ for digestive health.
- Kid-approved taste.
- PediaSure is the #1 pediatrician-recommended brand.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not intended for infants under 1 year of age unless specified by a physician.
- Not for IV use.
- Not for children with galactosemia.

Availability

List No.

NDC Format Code

— 8.0-fl oz (237.0-mL) Bottle; 24/case

Vanilla 67612 70074-0676-13

* PediaSure Reduced Calorie- 150 Cal and 5 g fat per 237 mL; PediaSure Grow & Gain - 240 Cal and 9 g fat per 237 mL.

† No significant difference has been shown between milk derived from rBST-treated and non-rBST-treated cows.

‡ Contains 5 g total fat per serving.

Technical Data		Nutrition Information							
Vanilla		Vanilla	8 fl oz	1 L	1.5 L	Vanilla	8 fl oz	1 L	1.5 L
Caloric Density, Cal/mL	0.63	Protein, g	7	30	44	Sodium, mg	90	380	570
Protein, % Cal	19	Total Fat, g	5	21	32	Sodium, mEq	3.9	16.5	24.7
Carbohydrate, % Cal	51	Saturated Fat, g	1	4	6	Potassium, mg	470	1980	2970
Fat, % Cal	30	Polyunsaturated Fat, g	3	13	20	Potassium, mEq	12.1	51	76
Omega-6:Omega-3	7.5:1	Monounsaturated Fat, g	1	4	6	Chloride, mg	230	970	1450
MCT:LCT	0:100	Trans Fat, g	0	0	0	Chloride, mEq	6.5	27	41
Total Cal:g Nitrogen	216:1	Cholesterol, mg	<5	20	30	Calcium, mg	330	1390	2080
Nonprotein Cal:g Nitrogen	190:1	Total Carbohydrate, g	21	89	133	Calcium, mEq	16.5	69.5	104
Osmolality, mOsm/kg H2O	390	Dietary Fiber, g	3	13	19	Phosphorus, mg	250	1050	1580
Renal Solute Load, mOsm/L	279	scFOS, g	2.4	10	15	Magnesium, mg	40	169	253
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Total Sugars, g	17	72	108	Magnesium, mEq	3.3	14	21
		Added Sugars, g	17	72	108	Iodine, mcg	23	97	145
		L-Carnitine, mg	4.0	17	25	Manganese, mg	0.46	1.9	2.9
		Taurine, mg	18	76	114	Copper, mg	0.14	0.59	0.89
		Water, mL	211	895	1342	Zinc, mg	1.7	7.2	10.8
		Calories	150	633	949	Iron, mg	2.7	11	17
		Vitamin A, mcg RAE	140	590	886	Selenium, mcg	8	34	51
		Vitamin D, mcg	6.0	25	38	Chromium, mcg	9	38	57
		Vitamin E, mg	3.0	13	19	Molybdenum, mcg	9	38	57
		Vitamin K, mcg	18	76	114	Free Water	89.2	89	89.2
		Vitamin C, mg	23	97	146				
		Folate, mcg DFE	60	253	380				
		Folic Acid, mcg	36	152	227				
		Vit B1 (Thiamin), mg	0.30	1.3	1.9				
		Vit B2 (Riboflavin), mg	0.33	1.4	2.1				
		Vitamin B6, mg	0.34	1.4	2.1				
		Vitamin B12, mcg	0.48	2	3				
		Niacin, mg NE	3.2	14	20				
		Choline, mg	80	338	506				
		Biotin, mcg	8.0	34	50				
		Pantothenic Acid, mg	1.3	5.5	8.2				
		Inositol, mg	20	84	126				

Contains milk and soy ingredients.

PediaSure SideKicks® Shake

AVAILABLE AT RETAIL ONLY



Usage

PEDIASURE SIDEKICKS has balanced nutrition to help fill gaps, has 10g of protein, and 25% fewer* calories.

Features

- With 10 g protein and 25% fewer* calories than PediaSure® Grow & Gain.
- Helps fill the top 4 nutrient gaps—vitamin D, calcium, fiber, and potassium.
- Available in 2 kid-approved flavors: Chocolate and Vanilla.
- PediaSure is the #1 pediatrician-recommended brand.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Consult your health care professional for use with children under 2 years of age.
- Not for children with galactosemia.

Availability

	List No.	NDC Format Code
— 8.0-fl oz (237.0-mL) Bottle; 24/case		
Vanilla	66912	70074-0669-13
Chocolate	66639	70074-0666-40

PEDIASURE SIDEKICKS® SHAKE

Technical Data			Nutrition Information		
Vanilla			Vanilla	8 fl oz	%DV*
Caloric Density, Cal/mL	0.76		Protein, g	10	20
Protein, % Cal	22		Total Fat, g	6	8
Carbohydrate, % Cal	48		Saturated Fat, g	1	5
Fat, % Cal	30		Polyunsaturated Fat, g	2.5	
Omega-6:Omega-3	5:1:1		Monounsaturated Fat, g	2.5	
Total Cal:g Nitrogen	114:1		Trans Fat, g	0	
Nonprotein Cal:g Nitrogen	89:1		Cholesterol, mg	10	3
Osmolality, mOsm/kg H ₂ O	415		Total Carbohydrate, g	23	8
Potential Renal Solute Load, mOsm/L	358		Dietary Fiber, g	3	11
			Total Sugars, g	12	
			Added Sugars, g	11	22
			Calories	180	
			Vitamin A, mcg RAE	140	15
			Vitamin D, mcg	6	30
			Vitamin E, mg	3	20
			Vitamin K, mcg	18	15
			Vitamin C, mg	23	25
			Folate, mcg DFE	60	15
			Folic Acid, mcg	36	
			Vit B1 (Thiamin), mg	0.3	25
			Vit B2 (Riboflavin), mg	0.33	25
			Vitamin B6, mg	0.34	20
			Vitamin B12, mcg	0.48	20
			Niacin, mg NE	3.2	20
			Choline, mg	80	15
			Biotin, mcg	8	25
			Pantothenic Acid, mg	1.3	25
			Potassium, mg	470	10
			Chloride, mg	230	10
			Calcium, mg	330	25
			Phosphorus, mg	250	20
			Magnesium, mg	40	10

PediaSure SideKicks® Shake Ingredients

Vanilla
 Water, Sugar, Milk Protein Concentrate, Corn Maltodextrin, Blend Of Vegetable Oils (Canola, Corn, Soy), Short-chain Fructooligosaccharides, Soy Protein Isolate; Less Than 0.5% Of: Vitamins And Minerals: Potassium Citrate, Potassium Chloride, Magnesium Phosphate, Calcium Phosphate, Calcium Carbonate, Potassium Phosphate, Ascorbic Acid, Choline Chloride, Potassium Hydroxide, Ferrous Sulfate, Di-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Vitamin A, Palmitate, Riboflavin, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12), Nonfat Milk, Cellulose Gel, Natural and Artificial Flavors, Soy Lecithin, Cellulose Gum, Salt, Carrageenan, Inositol, Taurine, Stevia Leaf Extract, And L-carnitine

Contains milk and soy ingredients.

* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 Calories a day is used for general nutrition advice.

HCPSC Code B4158

Pivot® 1.5 Cal

Peptide-Based, High Protein,
Therapeutic Nutrition
for Metabolic Stress



Usage

PIVOT 1.5 CAL is peptide-based complete, balanced therapeutic nutrition for short- or long-term tube feeding for metabolically stressed surgical, trauma, burn, or head and neck cancer patients who could benefit from an immune-modulating enteral formula.

- For tube feeding.
- For sole-source or supplemental nutrition.
- Use under medical supervision.

Features

- Provides very high protein (93.8 g/L, 25% of calories) to support protein synthesis, tissue repair and wound healing.^{1,2}
- Provides 1.5 Cal/mL—concentrated calories for fluid-restricted patients.
- Immune support:
 - L-Arginine (13 g/L, 3.5% of calories) to support proliferation and function of immune cells.²
 - L-Glutamine (inherent) (7.6 g/L) for GI-tract integrity and energy for immune cells.^{3,4}
 - Omega-3 fatty acids (EPA, 2.6 g/L; DHA, 1.1 g/L) to help modulate inflammation and support immune function.^{5,6}
- Tolerance:
 - Advanced blend of hydrolyzed protein, structured lipid, and prebiotics (scFOS) to promote absorption and tolerance.

- Hydrolyzed, peptide-based protein system.
- MCT/fish oil structured lipid, a well-tolerated^{7,8} and absorbed⁸ next-generation fat to promote absorption of fatty acids.
- 1.8 g of scFOS/8 fl oz (7.5 g/L). scFOS are prebiotic soluble fibers that stimulate the growth of beneficial bacteria in the colon.⁹
- Elevated antioxidants vitamins C and E, selenium and beta carotene to help reduce tissue and cell damage due to oxidative stress.^{10,11}
- 1950 Calories (1300 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- Halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Unflavored.....	62719.....	70074-0627-20
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Unflavored.....	65007.....	70074-0650-06

1 Demling RH. *Eplasty*. 2009;9:65-94.

2 Weitzel LR, et al. *Curr Opin Anaesthesiol*. 2009;22(2):177-183.

3 Rao RK, et al. *J Epithel Biol Pharmacol*. 2012;5(Suppl 1-M7):47-54.

4 Cruzat V, et al. *Nutrients*. 2018;10(11):1564-1594.

5 Calder PC. *Prostaglandins Leukot Essent Fatty Acids*. 2008;79(3-5):101-108.

6 Calder PC. *Clin Nutr*. 2010;29(1):5-12.

7 Kenler AS, et al. *Ann Surg*. 1996;223(3):316-333.

8 McKenna MC, et al. *J Pediatr Gastroenterol Nutr*. 1985;4(1):45-51.

9 Robertfroid, M. et al. *British Journal of Nutrition* 2010;104:S1-S63.

10 Institute of Medicine (US) Panel on Dietary Antioxidants and Related Compounds. *Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids*. Washington (DC): National Academies Press (US);2000.

11 Sies H. *Redox Biol*. 2015;4:180-183.

Technical Data		Nutrition Information		
Unflavored		Unflavored	8 fl oz	1 L
Caloric Density, Cal/mL	1.5	Protein, g	22.2	93.8
Protein, % Cal	25	Total Fat, g	12	51
Carbohydrate, % Cal	45	Total Carbohydrate, g	40.9	172.4
Fat, % Cal	30	Dietary Fiber, g	1.8	7.5
Omega-6:Omega-3	17:1	scFOS, g	1.8	7.5
MCT:LCT	20:80	Total Sugars, g	4	17
Total Cal/g Nitrogen	90:1	Added Sugars, g	4	17
Nonprotein Cal/g Nitrogen	68:1	L-Carnitine, mg	36	150
Osmolality, mOsm/kg H ₂ O	660	Taurine, mg	36	150
Renal Solute Load, mOsm/L	695	Water, mL	178	750
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Calories	355	1500
		Vitamin A, mcg RAE	427*	1800†
		Beta-Carotene, mg	0.7	3
		Vitamin D, mcg	6.6	27.8
		Vitamin E, mg	6.4	27
		Vitamin K, mcg	30	126
		Vitamin C, mg	72	304
		Folate, mcg DFE	145	610
		Folic Acid, mcg	87	366
		Vit B1 (Thiamin), mg	0.47	1.98
		Vit B2 (Riboflavin), mg	0.50	2.11
		Vitamin B6, mg	0.55	2.32
		Vitamin B12, mcg	1.2	5.1
		Niacin, mg NE	6.0	25.3
		Choline, mg	180	760
		Biotin, mcg	71	30
		Pantothenic Acid, mg	2.1	8.9
		Sodium, mg	350	1475
		Sodium, mEq	15.2	64.1
		Potassium, mg	470	1983
		Potassium, mEq	12.1	50.8
		Chloride, mg	380	1603
		Unflavored	8 fl oz	1 L
		Chloride, mEq	10.7	45.3
		Calcium, mg	240	1013
		Calcium, mEq	12	50.7
		Phosphorus, mg	230	969
		Phosphorus, mmol	7.42	31.3
		Magnesium, mg	100	421
		Magnesium, mEq	8.2	34.7
		Iodine, mcg	40	169
		Manganese, mg	1.2	5.1
		Copper, mg	0.52	2.19
		Zinc, mg	7.3	30.8
		Iron, mg	5.6	23.6
		Selenium, mcg	19	78
		Chromium, mcg	25	105
		Molybdenum, mcg	40	168
		L-Arginine, g	3	13
		L-Glutamine, g	1.8	7.6

Pivot® 1.5 Cal

Ingredients

Unflavored

Water, Corn Syrup Solids, Hydrolyzed Sodium Caseinate, Whey Protein Hydrolysate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy, Cod, Menhaden, Pollock, Salmon, Sardine, Tuna] and Medium Chain Triglycerides), Soy Oil, Canola Oil, L-Arginine, Short-chain Fructooligosaccharides, Less than 0.5% of: Potassium Citrate, Citric Acid, Calcium Phosphate, Magnesium Chloride, Soy Lecithin, Magnesium Phosphate, Choline Chloride, Natural & Artificial Flavor, Ascorbic Acid, Cellulose Gel, Potassium Chloride, Carrageenan, Potassium Hydroxide, Taurine, L-Carnitine, Cellulose Gum, Zinc Sulfate, Ferrous Sulfate, d-Alpha-Tocopheryl Acetate, Niacinamide, Manganese Sulfate, Calcium Pantothenate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Beta-Carotene, Vitamin A Palmitate, Chromium Chloride, Folic Acid, Sodium Molybdate, Sodium Selenate, Potassium Iodide, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

* 283 mcg RAE of vitamin A activity supplied by 0.70 mg of beta-carotene.

† 1195 mcg RAE of vitamin A activity supplied by 3 mg of beta-carotene.

HCPCS Code B4153

Promote®

Complete, Balanced High-Protein Nutrition



Usage

PROMOTE is a complete, balanced, high-protein formula for patients who need a higher proportion of calories from protein.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- High in protein (25% of Cal, 15 g/8 fl oz). Protein is needed for lean body tissue maintenance and repair.
- 1500 Calories (1500 mL) provide at least 100% of the RDIs for 26 essential vitamins and minerals.
- 1.0 Cal/mL.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case

Vanilla 62701 70074-0627-02

— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case

Vanilla 64834 70074-0648-33

Technical Data		Nutrition Information		
Vanilla		Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	1.0	Protein, g	15	63
Protein, % Cal	25	Total Fat, g	6	26
Carbohydrate, % Cal	52	Total Carbohydrate, g	31	130
Fat, % Cal	23	Dietary Fiber, g	0	0
Omega-6:Omega-3	9.8:1	Total Sugars, g	5	20
MCT:LCT	19:81	Added Sugars, g	5	20
Total Cal:g Nitrogen	100:1	L-Carnitine, mg	36	150
Nonprotein Cal:g Nitrogen	75:1	Taurine, mg	36	150
Osmolality, mOsm/kg H ₂ O	405	Water, mL	198	839
Renal Solute Load, mOsm/L	508	Calories	237	1000
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Vitamin A, mcg RAE	170*	720†
		Beta-Carotene, mg	0.2	0.9
		Vitamin D, mcg	4	17
		Vitamin E, mg	6	25
		Vitamin K, mcg	21.3	90
		Vitamin C, mg	36	150
		Folate, mcg DFE	63	267
		Folic Acid, mcg	38	160
		Vit B1 (Thiamin), mg	0.24	1.0
		Vit B2 (Riboflavin), mg	0.32	1.3
		Vitamin B6, mg	0.33	1.4
		Vitamin B12, mcg	0.38	1.6
		Niacin, mg NE	3	14
		Choline, mg	87	367
		Biotin, mcg	4.7	20
		Pantothenic Acid, mg	0.79	3
		Sodium, mg	221	933
		Sodium, mEq	9.6	40.6
		Potassium, mg	632	2667
		Potassium, mEq	16.2	68.4
		Chloride, mg	363	1533
		Chloride, mEq	10.3	43.3

* 80 mcg RAE of vitamin A activity supplied by 0.2 mg beta-carotene.

† 360 mcg RAE of vitamin A activity supplied by 0.9 mg beta-carotene.

Promote® 8 fl oz
Ingredients
Vanilla

Water, Corn Maltodextrin, Sodium Caseinate, Soy Protein Isolate, Soy Oil, Sugar, Less than 0.5% of: Medium Chain Triglycerides, Safflower Oil, Natural & Artificial Flavor, Calcium Citrate, Potassium Chloride, Magnesium Phosphate, Potassium Citrate, Calcium Phosphate, Cellulose Gum, Soy Lecithin, Choline Chloride, Ascorbic Acid, Carrageenan, Taurine, L-Carnitine, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Calcium Pantothenate, Copper Sulfate, Riboflavin, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Vitamin A Palmitate, Beta-Carotene, Chromium Chloride, Folic Acid, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPCS Code B4150

www.AbbottNutrition.com

Promote[®] with Fiber

Complete, Balanced High-Protein Nutrition with Fiber



Usage

PROMOTE WITH FIBER is a complete, balanced, high-protein, and fiber-fortified formula for patients who need a higher proportion of calories from protein.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- High in protein (25% of Cal, 15 g/8 fl oz). Protein is needed for lean body mass maintenance and repair.
- Fiber blend contains oat fiber and soy fiber to provide a product with a good source of dietary fiber (3.4 g/8 fl oz) to help moderate bowel function.
- 1500 Calories (1500 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- 1.0 Cal/mL.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Vanilla	62703	70074-0627-04
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Vanilla	64631	70074-0646-29

Technical Data		Nutrition Information		
Vanilla		Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	1.0	Protein, g	15	63
Protein, % Cal	25	Total Fat, g	7	28
Carbohydrate, % Cal	50	Total Carbohydrate, g	33	138
Fat, % Cal	25	Dietary Fiber, g	3.4*	14.4†
Omega-6:Omega-3	9.8:1	Total Sugars, g	5	21
MCT:LCT	19:81	Added Sugars, g	5	21
Total Cal:g Nitrogen	100:1	L-Carnitine, mg	36	150
Nonprotein Cal:g Nitrogen	75:1	Taurine, mg	36	150
Osmolality, mOsm/kg H ₂ O	410	Water, mL	197	831
Renal Solute Load, mOsm/L	494	Calories	237	1000
Recommended Tube Size for Gravity/Pump Feeding (Fr)	12/10	Vitamin A, mcg RAE	170‡	720§
		Beta-Carotene, mg	0.2	0.9
		Vitamin D, mcg	4	16.7
		Vitamin E, mg	6	25.3
		Vitamin K, mcg	21.3	90
		Vitamin C, mg	36	150
		Folate, mcg DFE	63	267
		Folic Acid, mcg	38	160
		Vit B1 (Thiamin), mg	0.2	1.0
		Vit B2 (Riboflavin), mg	0.3	1.3
		Vitamin B6, mg	0.33	1.4
		Vitamin B12, mcg	0.38	1.6
		Niacin, mg NE	3	14
		Choline, mg	87	367
		Biotin, mcg	5	20
		Pantothenic Acid, mg	0.79	3
		Sodium, mg	235	991
		Sodium, mEq	10.21	43.07
		Potassium, mg	521	2200
		Potassium, mEq	13.37	56.41
		Chloride, mg	310	1310
		Chloride, mEq	8.77	37.01
		Vanilla	8 fl oz	1 L
		Calcium, mg	205	867
		Calcium, mEq	10.27	43.33
		Phosphorus, mg	221	933
		Phosphorus, mmol	7.14	30.11
		Magnesium, mg	66	280
		Magnesium, mEq	5.46	23.05
		Iodine, mcg	28	119
		Manganese, mg	0.7	2.9
		Copper, mg	0.4	1.7
		Zinc, mg	2	9
		Iron, mg	3	12
		Selenium, mcg	11	48
		Chromium, mcg	11	48
		Molybdenum, mcg	19	82

* 3.4 g total dietary fiber from soy and oat fiber.

† 14.4 g of total dietary fiber from soy and oat fiber.

‡ 80 mcg RAE of vitamin A activity supplied by 0.2 mg beta-carotene.

§ 360 mcg RAE of vitamin A activity supplied by 0.9 mg beta-carotene.

Promote® with Fiber

Ingredients

Vanilla

Water, Corn Maltodextrin, Sodium Caseinate, Soy Protein Isolate, Sugar, Soy Oil, Oat Fiber, Calcium Caseinate, Less than 0.5% of: Medium Chain Triglycerides, Safflower Oil, Soy Fiber, Natural & Artificial Flavor, Potassium Citrate, Calcium Phosphate, Magnesium Phosphate, Potassium Chloride, Soy Lecithin, Sodium Citrate, Choline Chloride, Ascorbic Acid, Taurine, L-Carnitine, Gellan Gum, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Niacinamide, Calcium Pantothenate, Copper Sulfate, Riboflavin, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Vitamin A Palmitate, Beta-Carotene, Chromium Chloride, Folic Acid, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPSC Code B4150

PROTALITY™

Nutrition support for muscle health during weight loss

AVAILABLE AT RETAIL ONLY



Usage

PROTALITY is a high-protein, low-fat nutrition shake with 1 g of sugar for people who need nutrition support during weight loss.

Features

- Key muscle-supporting nutrients* to help preserve muscle mass and support muscle function.
- Excellent source of protein (30 g/11 fl oz).
- With nutrients for immune system support: Protein, vitamins A and D, zinc, antioxidants (vitamins C & E and selenium).
- Gluten-free, halal, kosher, suitable for lactose intolerance.
- NOTICE: Use this product as a food supplement only. Do not use for weight reduction. Add to diet to increase protein during weight loss.

Precautions

- For oral use only.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— 11.0-fl oz (330.0-mL) Recloseable Carton; 12/case

Vanilla 68978 70074-0689-78

Milk Chocolate 68979 70074-0689-79

Technical Data			Nutrition Information		
Milk Chocolate			Milk Chocolate	11 fl oz	%DV*
Caloric Density, Cal/mL	0.45		Protein, g	30	60
Protein, % Cal	80		Total Fat, g	1.5 (2 Van.)	2 [†]
Carbohydrate, % Cal	11 (8 Van.)		Saturated Fat, g	0.5	3
Fat, % Cal	9 (12 Van.)		Polyunsaturated Fat, g	0	
Omega-6:Omega-3	26:1		Monounsaturated Fat, g	0.5 (1 Van.)	
	(52:1 Van.)		Trans Fat, g	0	
Total Cal:g Nitrogen	32:1		Cholesterol, mg	20	7
Nonprotein Cal:g Nitrogen	6:1		Total Carbohydrate, g	7 (6 Van.)	3 [‡]
Osmolality, mOsm/kg H ₂ O	162 (180 Van.)		Dietary Fiber, g	4	14
Renal Solute Load, mOsm/L	600		Total Sugars, g	1	
	(608 Van.)		Added Sugars, g	0	0
			Calories	150	
			Vitamin A, mcg RAE	270	30
			Vitamin D, mcg	11	60
			Vitamin E, mg	3.8	25
			Vitamin K, mcg	24	20
			Vitamin C, mg	45	50
			Folate, mcg DFE	100	25
			Folic Acid, mcg	60	
			Vit B1 (Thiamin), mg	0.3	25
			Vit B2 (Riboflavin), mg	0.59	45
			Vitamin B6, mg	0.51	30
			Vitamin B12, mcg	0.6	25
			Niacin, mg NE	8	50
			Choline, mg	83	15
			Biotin, mcg	7.5	25
			Pantothenic Acid, mg	1.8	35
			Sodium, mg	250 (230 Van.)	11 [§]
			Sodium, mEq	10.9 (10 Van.)	
			Potassium, mg	380 (390 Van.)	8
			Potassium, mEq	9.7 (10 Van.)	
			Chloride, mg	230 (341 Van.)	10

* The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 Calories a day is used for general nutrition advice.

† 3 Van.

‡ 2 Van.

§ 10 Van.

|| 15 Van.

¶ 25 Van.

PROTALITY™
Ingredients
Milk Chocolate

Water, Milk Protein Concentrate, Calcium Caseinate, Cocoa Powder (Processed with Alkali), Less than 0.5% of: Vitamins & Minerals (Magnesium Phosphate, Sodium Ascorbate, Potassium Phosphate, Sodium Phosphate, Choline Chloride, Potassium Hydroxide, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Phylloquinone, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Vitamin D3, Biotin, Vitamin B12), Soluble Corn Fiber, Short-chain Fructooligosaccharides, Natural & Artificial Flavor, High Oleic Sunflower Oil, Salt, Cellulose Gel, Acesulfame Potassium, Cellulose Gum, Sucralose, Carrageenan

Contains milk ingredients.