

PROTALITY™ Advance

Nutrition designed for GLP-1
users during weight loss

AVAILABLE AT RETAIL ONLY



Usage

PROTALITY ADVANCE is specially designed nutrition for those losing weight using GLP-1 medications, diet, or exercise. PROTALITY Advance has HMB to help slow muscle breakdown* and 30g protein to help preserve muscle mass.

Features

- Key muscle-supporting nutrients† to help preserve muscle mass and support muscle function.
- Excellent source of protein (30 g/10 fl oz).
- Excellent source of 8 essential B vitamins to help the body convert food to energy.
- 4 g comfort fiber blend including 1 g prebiotic fiber.
- With nutrients for immune system support: Protein, vitamins A and D, zinc, antioxidants (vitamins C & E and selenium).
- Gluten-free, halal, kosher, suitable for lactose intolerance.
- NOTICE: Use this product as a food supplement only. Do not use for weight reduction. Add to diet to increase protein during weight loss.

Precautions

- For oral use only.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 10-fl oz (296 mL) Bottle / 4 x 4 ct		
Viva Vanilla	69036	70074-0690-38
Silky Chocolate	69039	70074-0690-41

* 3 g HMB has been shown to support muscle health.

Two servings of PROTALITY Advance daily provide 3 g of HMB.

† Protein, choline, vitamins B₆ and D, calcium, magnesium, phosphorus.

Nutrition Information			Nutrition Information		
Silky Chocolate	10 fl oz	%DV*	Silky Chocolate	10 fl oz	%DV*
Protein, g	30	60	Calcium, mg	590	45
Total Fat, g	2	3	Calcium mEq	29.5	
Saturated Fat, g	1 (0.5 Van.)	5 (3 Van.)	Phosphorus, mg	500	40
Polyunsaturated Fat, g	0		Phosphorus, mmol	16.1	
Monounsaturated Fat, g	1		Magnesium, mg	105	25
Trans Fat, g	0		Iodine, mcg	37.5	25
Cholesterol, mg	20	7	Manganese, mg	0.69 (0.58 Van.)	30 (25 Van.)
Total Carbohydrate, g	8	3	Copper, mg	0.4 (0.2 Van.)	40 (25 Van.)
Dietary Fiber, g	4	14	Zinc, mg	5	45
Total Sugars, g	1		Iron, mg	2.7	15
Added Sugars, g	0	0	Selenium, mcg	25	45
Calories	160		Chromium, mcg	12.3 (8.8 Van.)	35 (25 Van.)
Vitamin A, mcg RAE	270	30	Molybdenum, mcg	20.3	45
Vitamin D, mcg	4	20			
Vitamin E, mg	3.8	25			
Vitamin K, mcg	16.2	15			
Vitamin C, mg	45	50			
Folate, mcg DFE	120	30			
Folic Acid, mcg	72				
Vit B1 (Thiamin), mg	0.3	25			
Vit B2 (Riboflavin), mg	0.59	45			
Vitamin B6, mg	0.51	30			
Vitamin B12, mcg	1.08	45			
Niacin, mg NE	8	50			
Choline, mg	83	15			
Biotin, mcg	7.5	25			
Pantothenic Acid, mg	1.8	35			
Sodium, mg	230	10			
Sodium mEq	10				
Potassium, mg	710	15			
Chloride, mg	138	6			
Chloride mEq	3.9				

Contains milk ingredients.

www.AbbottNutrition.com 137

Suplena® with CARBSTEADY®

Therapeutic Nutrition for
People with Chronic Kidney
Disease Not on Dialysis



Usage

SUPLENA WITH CARBSTEADY is therapeutic nutrition specifically designed for nondialyzed people with chronic kidney disease and on a protein-restricted diet.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Has CARBSTEADY®, a carbohydrate blend designed to help minimize blood sugar response.*
- High in calories — 1.8 Cal/mL.
- Low in protein — 10% of total calories.
- Low in phosphorus and potassium.
- A good source of fiber, including prebiotics.
- Therapeutic nutrition that can help maintain nutritional status while adhering to renal diets for nondialyzed people with chronic kidney disease, or nondialyzed without protein-energy wasting (malnutrition).
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case

Homemade Vanilla 64794 70074-0647-93

* Designed to help minimize the blood sugar spike from consuming Suplena compared to high-glycemic carbohydrates.

Technical Data		Nutrition Information	
Homemade Vanilla		Homemade Vanilla	Homemade Vanilla
		8 fl oz	8 fl oz
Caloric Density, Cal/mL	18	Protein, g	10.6
Protein, % Cal	10	Total Fat, g	23
Carbohydrate, % Cal	41	Saturated Fat, g	2
Fat, % Cal	49	Polyunsaturated Fat, g	4.1
Omega-6:Omega-3	6.2:1	Monounsaturated Fat, g	16
Total Cal:g Nitrogen	253:1	Trans Fat, g	0
Nonprotein Cal:g Nitrogen	227:1	Cholesterol, mg	5.8
Osmolality, mOsm/kg H ₂ O	780	Total Carbohydrate, g	46
Renal Solute Load, mOsm/L	342	Dietary Fiber, g	6.0
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	scFOS, g	2
		Total Sugars, g	14.8
		Added Sugars, g	14.7
		L-Carnitine, mg	63
		Taurine, mg	38
		Water, mL	172
		Calories	420
		Vitamin A, mcg RAE	225
		Vitamin D, mcg	5.0
		Vitamin E, mg	6.8
		Vitamin K, mcg	19
		Vitamin C, mg	23
		Folate, mcg DFE	300
		Folic Acid, mcg	180
		Vit B1 (Thiamin), mg	0.60
		Vit B2 (Riboflavin), mg	0.50
		Vitamin B6, mg	2.21
		Vitamin B12, mcg	1.20
		Niacin, mg NE	8
		Choline, mg	140
		Biotin, mcg	15.0
		Pantothenic Acid, mg	2.25
		Sodium, mg	190

Suplema® with CARBSTEADY®
Ingredients
Homemade Vanilla

Water, Corn Maltodextrin, High Oleic Safflower Oil, Milk Protein Concentrate, Isomaltulose, Sugar, Canola Oil, Less than 2% of: Soluble Corn Fiber, Sodium Caseinate, Short-chain Fructooligosaccharides, Glycerin, Soy Lecithin, Natural & Artificial Flavor, Potassium Citrate, Sodium Citrate, Magnesium Chloride, Choline Chloride, Magnesium Phosphate, Calcium Carbonate, Ascorbic Acid, L-Carnitine, Calcium Phosphate, Carrageenan, Salt, Potassium Chloride, Taurine, Niacinamide, Ferrous Sulfate, Zinc Sulfate, d-Alpha-Tocopheryl Acetate, Pyridoxine Hydrochloride, Calcium Pantothenate, Manganese Sulfate, Copper Sulfate, Thiamine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Potassium Iodide, Chromium Chloride, Sodium Selenate, Sodium Molybdate, Biotin, Phylloquinone, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPSC Code B4154

www.AbbottNutrition.com 139

TwoCal® HN

Calorie and Protein
Dense Nutrition



Usage

TWOCAL HN is calorie- and protein-dense nutrition to support patients with volume intolerance and/or fluid restriction.

- Often provided in 2 fl oz amounts QID with Med Pass programs to assist with weight gain or maintenance.
- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- 2.0 Cal/mL to help patients gain and maintain healthy weight.
- Protein to help support lean body mass and wound healing.
- 1.2 g of scFOS/8 fl oz (5 g/L). scFOS are prebiotics that stimulate the growth of beneficial bacteria in the colon.¹⁻³
- 1900 Calories (948 mL) provide at least 100% of RDIs for 25 essential vitamins and minerals.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— **33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case**

Unflavored 68048 70074-0680-62

— **8.0-fl oz (237.0-mL) Recloseable Carton; 24/case**

Vanilla 64809 70074-0648-07

1 Bornet FR, et al. *Nutr Rev.* 2002;60(11):326-334.

2 Tokunaga T, et al. *Bifidus.* 1993;6(2):143-150.

3 Bouhnik Y, et al. *Nutr J.* 2007;6:42-48.

Technical Data		Nutrition Information		
Vanilla		Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	2.0	Protein, g	19.9	83.5
Protein, % Cal	16.7	Total Fat, g	21.5	90.5
Carbohydrate, % Cal	43.2	Total Carbohydrate, g	51.8	218.6
Fat, % Cal	40.1	Dietary Fiber, g	1.2	5
Omega-6:Omega-3	4:1:1	scFOS, g	1.2	5
MCT:LCT	0	Total Sugars, g	11	45
Total Cal/g Nitrogen	153:1	Added Sugars, g	10	43
Nonprotein Cal/g Nitrogen	127:1	L-Carnitine, mg	50	200
Osmolality, mOsm/kg H ₂ O	710	Taurine, mg	50	200
Renal Solute Load, mOsm/L	597	Water, mL	166	700
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Calories	475	2000
		Vitamin A, mcg RAE	375	1582
		Vitamin D, mcg	5.8	24
		Vitamin E, mg	8	34
		Vitamin K, mcg	40	169
		Vitamin C, mg	75	316
		Folate, mcg DFE	272	1147
		Folic Acid, mcg	163	688
		Vit B1 (Thiamin), mg	0.60	2.5
		Vit B2 (Riboflavin), mg	0.65	2.7
		Vitamin B6, mg	0.85	3.6
		Vitamin B12, mcg	2.4	10
		Niacin, mg NE	8	34
		Choline, mg	200	844
		Biotin, mcg	20	84
		Pantothenic Acid, mg	4	17
		Sodium, mg	200	844
		Sodium, mEq	8.7	36.7
		Potassium, mg	500	2110
		Potassium, mEq	12.8	54.1
		Chloride, mg	230	970
		Chloride, mEq	6.5	27.4

TwoCal® HN
Ingredients
Vanilla

Water, Corn Syrup Solids, Corn Maltodextrin, Canola Oil, Milk Protein Concentrate, Sodium Caseinate, Sugar, Corn Oil, Calcium Caseinate, Short-chain Fructooligosaccharides, Less than 0.5% of: Natural & Artificial Flavor, Potassium Citrate, Magnesium Sulfate, Soy Lecithin, Potassium Phosphate, Magnesium Chloride, Ascorbic Acid, Choline Hydroxide, Sodium Citrate, Potassium Hydroxide, Taurine, L-Carnitine, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Potassium Iodide, Chromium Chloride, Sodium Selenate, Sodium Molybdate, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk and soy ingredients.

HCPCS Code B4152

Vital® 1.0 Cal

Peptide-Based, Therapeutic
Nutrition for Tolerance



Usage

VITAL 1.0 CAL is peptide-based therapeutic nutrition that provides complete, balanced nutrition for long- or short-term patients who require tube feeding and are experiencing malabsorption, maldigestion, or impaired GI function and/or GI intolerance.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Designed to promote tolerance:
 - Advanced blend of hydrolyzed protein, structured lipid, and prebiotics (short-chain fructooligosaccharides) to support absorption and tolerance.
 - Hydrolyzed, peptide-based protein system
 - 1 g of short-chain fructooligosaccharides/8 fl oz (4.2 g/L). Short-chain fructooligosaccharides are prebiotic fibers that stimulate the growth of beneficial bacteria in the colon.¹⁻³
- Contains MCT/canola oil structured lipid. Structured lipids are well-tolerated^{4,5} and absorbed⁴ next-generation fats to promote absorption of fatty acids.

- 1500 Calories (1500 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- Contains elevated levels of the antioxidants vitamins C & E and selenium to help reduce free radical damage.^{6,7}
- Gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Ready to Hang	62711	70074-0627-12
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Vanilla	64832	70074-0648-29

1 Bornet FR, et al. *Nutr Rev*. 2002;60(11):326-334.

2 Tokunaga T, et al. *Bifidus*. 1993;6(2):143-150.

3 Bouhnik Y, et al. *Nutr J*. 2007;6:42-48.

4 Kenler AS, et al. *Ann Surg*. 1996;223(3):316-333.

5 McKenna MC, et al. *J Pediatr Gastroenterol Nutr*. 1985;4(1):45-51.

6 Institute of Medicine. *Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids*. Washington, DC: National Academies Press; 2000.

7 Sies H. *Redox Biol*. 2015;4:180-183.

Technical Data		Nutrition Information		
Vanilla		Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	1.0	Protein, g	9.5	40
Protein, % Cal	16	Total Fat, g	9	38.1
Carbohydrate, % Cal	51	Total Carbohydrate, g	30.7	130
Fat, % Cal	33	Dietary Fiber, g	1	4.2
Omega-6:Omega-3	2:1	scFOS, g	1	4.2
MCT:LCT	47.5:52.5	Total Sugars, g	6	25
Total Cal/g Nitrogen	156:1	Added Sugars, g	6	25
Nonprotein Cal/g Nitrogen	131:1	L-Carnitine, mg	25	105
Osmolality, mOsm/kg H ₂ O	411	Taurine, mg	25	105
Renal Solute Load, mOsm/L	335	Water, mL	198	834
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Calories	237	1000
		Vitamin A, mcg RAE	330	1393
		Vitamin D, mcg	4.3	18
		Vitamin E, mg	4.3	18
		Vitamin K, mcg	20	84
		Vitamin C, mg	71	300
		Folate, mcg DFE	150	633
		Folic Acid, mcg	90	380
		Vit B1 (Thiamin), mg	0.54	2.3
		Vit B2 (Riboflavin), mg	0.59	2.5
		Vitamin B6, mg	0.88	3.7
		Vitamin B12, mcg	1.9	8
		Niacin, mg NE	4.2	18
		Choline, mg	120	506
		Biotin, mcg	9.0	38
		Pantothenic Acid, mg	2.0	8.4
		Sodium, mg	204	861
		Sodium, mEq	8.9	37.4
		Potassium, mg	350	1477
		Potassium, mEq	9	37.9
		Chloride, mg	250	1056
		Chloride, mEq	7.1	29.8

Vital® 1.0 Cal
Ingredients
Vanilla

Water, Corn Maltodextrin, Whey Protein Hydrolysate, Structured Lipid (Interesterified Canola Oil & Medium Chain Triglycerides), Sugar, Hydrolyzed Sodium Caseinate, Less than 1% of: Canola Oil, Medium Chain Triglycerides, Short-chain Fructooligosaccharides, Natural & Artificial Flavor, Potassium Citrate, D-DATE, Magnesium Phosphate, Cellulose Gel, Calcium Phosphate, Sodium Phosphate, Potassium Chloride, Calcium Carbonate, Choline Chloride, Ascorbic Acid, Carrageenan, Cellulose Gum, Magnesium Chloride, L-Carnitine, Taurine, Sucralose, Zinc Sulfate, Ferrous Sulfate, d-Alpha-Tocopheryl Acetate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk ingredients.
HCPSC Code B4153

Vital® 1.5 Cal

Peptide-Based, Therapeutic
Nutrition for Tolerance



Usage

VITAL 1.5 CAL is peptide-based therapeutic nutrition that provides complete, balanced nutrition for long- or short-term patients who require tube feeding and are experiencing malabsorption, maldigestion, or impaired GI function and/or GI intolerance.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Designed to promote tolerance:
 - Advanced blend of hydrolyzed protein, structured lipid, and prebiotics (scFOS) to support absorption and tolerance.
 - Hydrolyzed, peptide-based protein system.
 - Contains MCT/canola oil structured lipid. Structured lipids are well-tolerated^{1,2} and absorbed¹ next-generation fats to promote absorption of fatty acids.
- 1.4 g of scFOS/8 fl oz (6 g/L). scFOS are prebiotic fibers that stimulate the growth of beneficial bacteria in the colon.³⁻⁵
- 1.5 Cal/mL—concentrated calories for fluid-restricted patients.
- Contains elevated levels of the antioxidants vitamins C & E

and selenium to help reduce free radical damage.^{6,7}

- 1500 Calories (1000 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- Gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Ready to Hang	62713	70074-0627-14
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Vanilla	64825	70074-0648-24

1 Kenler AS, et al. *Ann Surg.* 1996;223(3):316-333.

2 McKenna MC, et al. *J Pediatr Gastroenterol Nutr.* 1985;4(1):45-51.

3 Bornet FR, et al. *Nutr Rev.* 2002;60(11):326-334.

4 Tokunaga T, et al. *Bifidus.* 1993;6(2):143-150.

5 Bounnik Y, et al. *Nutr J.* 2007;6:42-48.

6 Institute of Medicine (US) Panel on Dietary Antioxidants and Related Compounds. Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids. Washington (DC): National Academies Press (US);2000.

7 Sies H. *Redox Biol.* 2015;4:180-183.

Technical Data		Nutrition Information		
Vanilla		Vanilla	8 fl oz	1 L
Caloric Density, Cal/mL	1.5	Protein, g	16	67.5
Protein, % Cal	18	Total Fat, g	13.5	57.1
Carbohydrate, % Cal	49	Total Carbohydrate, g	44.2	187
Fat, % Cal	33	Dietary Fiber, g	1.4	6
Omega-6:Omega-3	2:1	scFOS, g	1.4	6
MCT:LCT	47.5:52.5	Total Sugars, g	8.2	34.6
Total Cal/g Nitrogen	139:1	Added Sugars, g	8.2	34.6
Nonprotein Cal/g Nitrogen	114:1	L-Carnitine, mg	35	150
Osmolality, mOsm/kg H ₂ O	671	Taurine, mg	35	150
Renal Solute Load, mOsm/L	533	Water, mL	181	764
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Calories	355	1500
		Vitamin A, mcg RAE	433	1827
		Vitamin D, mcg	5	21.1
		Vitamin E, mg	5.2	21.9
		Vitamin K, mcg	35	148
		Vitamin C, mg	40	169
		Folate, mcg DFE	154	650
		Folic Acid, mcg	92	390
		Vit B1 (Thiamin), mg	0.7	3
		Vit B2 (Riboflavin), mg	0.5	2.1
		Vitamin B6, mg	0.9	3.8
		Vitamin B12, mcg	2	8.4
		Niacin, mg NE	7.9	33.3
		Choline, mg	184	776
		Biotin, mcg	8.9	37.6
		Pantothenic Acid, mg	2.1	8.9
		Sodium, mg	270	1139
		Sodium, mEq	11.7	49.5
		Potassium, mg	520	2194
		Potassium, mEq	13.3	56.3
		Chloride, mg	355	1498
		Chloride, mEq	10	42.3

Vital® 1.5 Cal
Ingredients
Vanilla

Water, Corn Maltodextrin, Whey Protein Hydrolysate, Structured Lipid (Interesterified Canola Oil & Medium Chain Triglycerides), Sugar, Hydrolyzed Sodium Caseinate, Less than 1% of: Canola Oil, Medium Chain Triglycerides, Short-chain Fructooligosaccharides, Magnesium Phosphate, Natural & Artificial Flavor, Potassium Citrate, DATEM, Calcium Phosphate, Cellulose Gel, Potassium Chloride, Calcium Carbonate, Choline Chloride, Sodium Phosphate, Ascorbic Acid, Potassium Hydroxide, Sucralose, Cellulose Gum, Carrageenan, Magnesium Chloride, L-Carnitine, Taurine, Zinc Sulfate, Ferrous Sulfate, d-Alpha-Tocopheryl Acetate, Niacinamide, Manganese Sulfate, Calcium Pantothenate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Vitamin A Palmitate, Riboflavin, Chromium Chloride, Folic Acid, Sodium Molybdate, Sodium Selenate, Potassium Iodide, Phylloquinone, Biotin, Vitamin D3, Vitamin B12

Contains milk ingredients.

HCPSC Code B4153

Vital® AF 1.2 Cal

Peptide-Based, Therapeutic Nutrition
for Inflammation and Tolerance



Usage

VITAL AF 1.2 CAL is peptide-based therapeutic nutrition that provides complete, balanced nutrition for long- or short-term patients who require tube feeding and are experiencing malabsorption, maldigestion, or impaired GI function and/or GI intolerance.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Designed to promote tolerance:
 - Hydrolyzed peptide-based protein system.
 - Medium chain triglyceride/fish oil structured lipid, a well-tolerated^{1,2} and absorbed¹ next-generation fat to promote absorption of fatty acids.
 - 1.2 g of scFOS/8 fl oz (5.1 g/L). scFOS are prebiotic fibers that stimulate the growth of beneficial bacteria in the colon.³⁻⁵
- Omega-3 fatty acids EPA (2.7 g/L) and DHA (1.1 g/L) from fish oil to help modulate inflammation and support immune function.^{6,7}
- 75 g/L protein to meet the increased protein needs of stressed patients (greater than or equal to 1.2 g/kg) and support healing.⁸
- 1500 Calories (1250 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.

- Contains at least 100% of the RDI for vitamin D per 1500 Calories to: a) Help maintain normal circulating levels of vitamin D, which has been shown to be decreased in critically ill patients^{9,10}/patients with malabsorption¹¹ b) Help meet the increased vitamin D needs of critically ill patients.⁹⁻¹¹
- Contains elevated levels of the antioxidants vitamins C & E and selenium to help reduce free radical damage.^{12,13}
- Gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Ready to Hang	62715	70074-0627-16
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Vanilla	64828	70074-0648-26

1 Kenler AS, et al. *Ann Surg.* 1996;223(3):316-333.

2 McKenna MC, et al. *J Pediatr Gastroenterol Nutr.* 1985;4(1):45-51.

3 Bornet FR, et al. *Nutr Rev.* 2002;60(11):326-334.

4 Tokunaga T, et al. *Bifidus.* 1993;6(2):143-150.

5 Bouhnik Y, et al. *Nutr J.* 2007;6:42-48.

6 Calder PC. *Prostaglandins Leukot Essent Fatty Acids.* 2008;79(3-5):101-108.

7 Calder PC. *Clin Nutr.* 2010;29(1):5-12.

8 McClave S, et al. *JPEN J Parent Enteral Nutr.* 2016;40(2):159-211.

9 Lee P, et al. *Intensive Care Med.* 2009;35(12):2028-2032.

10 Lee P, et al. *N Engl J Med.* 2009;360(18):1912-1914.

11 Kuwabara A, et al. *Osteoporos Int.* 2009;20(6):935-942.

12 Institute of Medicine (US) Panel on Dietary Antioxidants and Related Compounds. *Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids.* Washington (DC): National Academies Press (US);2000.

13 Sies H. *Redox Biol.* 2015;4:180-183.

Nutrition Information			Nutrition Information		
Vanilla	8 fl oz	1 L	Vanilla	8 fl oz	1 L
Protein, g	17.8	75	Calcium, mg	248	1046
Total Fat, g	12.8	53.9	Calcium, mEq	12.4	52.3
Total Carbohydrate, g	26.2	110.6	Phosphorus, mg	238	1004
Dietary Fiber, g	1.2	5.1	Phosphorus, mmol	7.7	32.4
scFOS, g	1.2	5.1	Magnesium, mg	80	337
Total Sugars, g	1.0	4.2	Magnesium, mEq	6.6	27.7
Added Sugars, g	1.0	4.2	Iodine, mcg	30	127
L-Carnitine, mg	30	125	Manganese, mg	0.8	3.4
Taurine, mg	30	125	Copper, mg	0.35	1.5
Water, mL	192	811	Zinc, mg	4.8	20.3
Calories	284	1200	Iron, mg	3.6	15.2
Vitamin A, mcg RAE	365	1540	Selenium, mcg	15	63
Vitamin D, mcg	6.1	25.8	Chromium, mcg	16	68
Vitamin E, mg	4.8	20.3	Molybdenum, mcg	25.6	108
Vitamin K, mcg	33.4	141			
Vitamin C, mg	43	181			
Folate, mcg DFE	124	523			
Folic Acid, mcg	74	314			
Vit B1 (Thiamin), mg	0.6	2.5			
Vit B2 (Riboflavin), mg	0.4	1.7			
Vitamin B6, mg	0.55	2.3			
Vitamin B12, mcg	1.65	7			
Niacin, mg NE	8	33.8			
Choline, mg	105	443			
Biotin, mcg	7.2	30.4			
Pantothenic Acid, mg	1.7	7.2			
Sodium, mg	300	1266			
Sodium, mEq	13	55			
Potassium, mg	390	1645			
Potassium, mEq	10	42.2			
Chloride, mg	300	1265			
Chloride, mEq	8.5	35.7			

Vanilla

Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Structured Lipid (Interesterified Marine Oil [Contains One or More of the Following: Anchovy Menhaden, Salmon, Sardine, Tuna], Medium-Chain Triglycerides), Medium Chain Triglycerides, Less than 1% of: Canola Oil, Soy Oil, Short-chain Fructooligosaccharides, Natural & Artificial Flavor, Cellulose Gel, DITEM, Magnesium Phosphate, Calcium Carbonate, Sodium Phosphate, Potassium Chloride, Calcium Phosphate, Potassium Citrate, Ascorbic Acid, Choline Chloride, Potassium Hydroxide, Magnesium Chloride, Acesulfame Potassium, Carrageenan, Cellulose Gum, Sucralose, L-Carnitine, Taurine, Zinc Sulfate, Ferrous Sulfate, Niacinamide, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Copper Sulfate, Riboflavin, Vitamin A Palmitate, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin B12, Vitamin D3

Contains milk ingredients.

Vital® HP

Peptide-Based, High Protein, Therapeutic Nutrition for Tolerance



Usage

VITAL HP is specialized therapeutic nutrition for immune support, to promote GI tolerance, and to help manage inflammation and is suitable for patients who could benefit from a high-protein, low-fat diet.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- 87.3 g/L peptide-based protein (35%).
- 20% of total calories from fat.
- EPA (2.3 g/L) and DHA (0.9 g/L) from fish oil to help modulate inflammation and support immune function.^{1,2}
- Has the recommended lipid profile for the severely critically ill patient, including EPA and DHA from fish oil, to help modulate inflammation.¹⁻³
- 1500 Calories (1500 mL) provide at least 100% of the RDIs for 25 essential vitamins and minerals.
- Contains elevated levels of the antioxidants vitamins C & E and selenium to help reduce free radical damage.^{4,5}

- Contains at least 100% of the RDI for vitamin D per 1500 Calories to: a) Help maintain normal circulating levels of vitamin D, which has been shown to be decreased in critically ill patients^{6,7}/patients with malabsorption⁸ b) Help meet the increased vitamin D needs of critically ill patients.⁶⁻⁸
- Gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

	List No.	NDC Format Code
— 33.8-fl oz (1.0-L) Ready to Hang Prefilled Container; 8/case		
Unflavored.....	63081	70074-0630-82
— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case		
Unflavored.....	64820	70074-0648-17

1 Calder PC. *Prostaglandins Leukot Essent Fatty Acids*. 2008;79(3-5):101-108.

2 Calder PC. *Clin Nutr*. 2010;29(1):5-12.

3 McClave SA, et al. *JPEN J Parenter Enteral Nutr*. 2016;40(2):159-211.

4 Institute of Medicine (US) Panel on Dietary Antioxidants and Related Compounds. *Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids*. Washington (DC): National Academies Press (US);2000.

5 Sies H. *Redox Biol*. 2015;4:180-183.

6 Lee P, et al. *N Engl J Med*. 2009;360(18):1912-1914.

7 Lee P, et al. *Intensive Care Med*. 2009;35(12):2028-2032.

8 Kuwabara A, et al. *Osteoporos Int*. 2009;20(6):935-942.

Nutrition Information					
Unflavored	8 fl oz	1 L	Unflavored	8 fl oz	1 L
Protein, g	20.7	87.3	Calcium, mEq	10.3	43.5
Total Fat, g	5.5	23.2	Phosphorus, mg	198	835
Total Carbohydrate, g	26.7	111	Phosphorus, mmol	6.4	26.95
Dietary Fiber, g	0	0	Magnesium, mg	67	281
Total Sugars, g	2	8.4	Magnesium, mEq	5.5	23.1
Added Sugars, g	2	8.4	Iodine, mcg	25	103
L-Carnitine, mg	25	105	Manganese, mg	0.8	3.4
Taurine, mg	25	105	Copper, mg	0.4	1.7
Water, mL	198	836	Zinc, mg	4.7	19.8
Calories	237	1000	Iron, mg	3	12.7
Vitamin A, mcg RAE	166	700	Selenium, mcg	15	63
Vitamin D, mcg	5	21.1	Chromium, mcg	20	84
Vitamin E, mg	4	16.9	Molybdenum, mcg	32	135
Vitamin K, mcg	39	165			
Vitamin C, mg	82	344			
Folate, mcg DFE	100	422			
Folic Acid, mcg	60	253			
Vit B1 (Thiamin), mg	0.5	2.1			
Vit B2 (Riboflavin), mg	0.3	1.3			
Vitamin B6, mg	0.5	2.1			
Vitamin B12, mcg	2	8.4			
Niacin, mg NE	6.8	28.7			
Choline, mg	118	498			
Biotin, mcg	8	33.7			
Pantothenic Acid, mg	1.4	5.9			
Sodium, mg	330	1400			
Sodium, mEq	14.3	60.9			
Potassium, mg	332	1400			
Potassium, mEq	8.5	35.9			
Chloride, mg	245	1033			
Chloride, mEq	6.9	29.2			
Calcium, mg	206	869			

Ingredients

Water, Corn Maltodextrin, Whey Protein Hydrolysate, Hydrolyzed Sodium Caseinate, Medium Chain Triglycerides, Less than 1% of: Marine Oil (May Contain One or More of the Following: Anchovy, Cod, Menhaden, Pollock, Salmon, Sardine, Tuna), Sugar, Cellulose Gel, Magnesium Phosphate, Calcium Carbonate, Potassium Citrate, Sodium Phosphate, Corn Oil, Potassium Chloride, DATEM, Choline Chloride, Ascorbic Acid, Calcium Phosphate, Potassium Hydroxide, Carrageenan, Cellulose Gum, Magnesium Chloride, L-Carnitine, Taurine, Zinc Sulfate, Ferrous Sulfate, d-Alpha-Tocopheryl Acetate, Manganese Sulfate, Nicinamide, Calcium Pantothenate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Chromium Chloride, Folic Acid, Sodium Molybdate, Phylloquinone, Potassium Iodide, Sodium Selenate, Biotin, Vitamin D3, Vitamin B12

Contains milk ingredients.

Vital® Peptide

1.5 Cal

Peptide-Based Nutrition
for Ages 14+



Usage

VITAL PEPTIDE 1.5 CAL is a nutritionally complete, peptide-based formula for the nutrition needs of patients 14 years of age and older with malabsorption, maldigestion, and other GI conditions.

- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

Features

- Complete, Balanced Nutrition®.
- Nutrient blend designed to help support tolerance and absorption.
 - Hydrolyzed whey-dominant protein.
 - scFOS, a prebiotic fiber.
 - 55% MCT & structured lipids.
- Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals
 - in 1500 Cal (1000 mL) for patients 14 to 18 years of age.
- 1000 IU/L vitamin D.

- Excellent source of antioxidants (vitamins C & E and selenium) to support the immune system.
- Kosher, halal, gluten-free, suitable for lactose intolerance.

Precautions

- Not for IV use.
- Not for people with galactosemia.

Availability

List No.

NDC Format Code

— 8.0-fl oz (237.0-mL) Recloseable Carton; 24/case

Vanilla 66236 70074-0662-37

Technical Data		Nutrition Information	
Vanilla		Vanilla	8 fl oz
Caloric Density, Cal/mL	1.5	Protein, g	16
Protein, % Cal	18	Total Fat, g	13.5
Carbohydrate, % Cal	49	Total Carbohydrate, g	44.3
Fat, % Cal	33	Dietary Fiber, g	1.4
Omega-6:Omega-3	2:1:1	scFOS, g	1.4
MCT:LCT	55:45	L-Carnitine, mg	5.3
Total Cal/g Nitrogen	139:1	Taurine, mg	23
Nonprotein Cal/g Nitrogen	114:1	Water, mL	181
Osmolality, mOsm/kg H ₂ O	610	Calories	355
Renal Solute Load, mOsm/L	586	Vitamin A, IU	775
Recommended Tube Size for Gravity/Pump Feeding (Fr)	10/10	Vitamin D, IU	240
		Vitamin E, IU	8.1
		Vitamin K, mcg	25
		Vitamin C, mg	36
		Folic Acid, mcg	95
		Vit B1 (Thiamin), mg	0.5
		Vit B2 (Riboflavin), mg	0.5
		Vitamin B6, mg	0.5
		Vitamin B12, mcg	0.7
		Niacin, mg NE	3.8
		Choline, mg	131
		Biotin, mcg	85
		Pantothenic Acid, mg	2.4
		Sodium, mg	360
		Sodium, mEq	15.7
		Potassium, mg	480
		Potassium, mEq	12.3
		Chloride, mg	360
		Chloride, mEq	10.2
		Calcium, mg	310
		Calcium, mEq	15.5
		Phosphorus, mg	300

Vital® Peptide 1.5 Cal
Ingredients
Vanilla

Water, Corn Maltodextrin, Whey Protein Hydrolysate, Structured Lipid (Interesterified Canola Oil & Medium Chain Triglycerides), Sugar, Hydrolyzed Sodium Caseinate, Medium Chain Triglycerides, Canola Oil, Short-chain Fructooligosaccharides, Natural & Artificial Flavors, Magnesium Phosphate, DATEM, Calcium Phosphate, Potassium Citrate, Potassium Chloride, Cellulose Gel, Calcium Carbonate, Choline Chloride, Ascorbic Acid, Sodium Phosphate, Sucralose, Carrageenan, Cellulose Gum, Sodium Citrate, Taurine, Ferrus Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, L-Carnitine, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Biotin, Sodium Selenate, Sodium Molybdate, Potassium Iodide, Phylloquinone, Chromium Chloride, Vitamin D3, Vitamin B12

Contains milk ingredients.

HCPCS Code B4161

www.AbbottNutrition.com

151