

# Making the Mars Rover Demo

---

Fabien Chouteau


Embedded Software Engineer at AdaCore

 Mastodon : @DesChips@mamot.fr

 GitHub : Fabien-Chouteau

 Hackaday.io: Fabien.C

# Context



## **Why do we make demos for trade shows?**

---

# Why do we make demos for trade shows?

- Software is not easy to show
- 
-

# Why do we make demos for trade shows?

- Software is not easy to show
- Especially software dev tools
-

## Why do we make demos for trade shows?

- Software is not easy to show
- Especially software dev tools
- We have to quickly grab attention

# Constraints?

- Eye catching
- 
- 
-

# Constraints?

- Eye catching
- Easy to deploy/use
- 
-

# Constraints?

- Eye catching
- Easy to deploy/use
- As much as possible relevant
-

# Constraints?

- Eye catching
- Easy to deploy/use
- As much as possible relevant
- Reliable...

# The Process

---

## Finding the good idea

- First idea, a remote controlled thingy
- 
-


## Finding the good idea

- First idea, a remote controlled thingy
- Looking for robots that would look nice
-

## Finding the good idea

- First idea, a remote controlled thingy
- Looking for robots that would look nice
- Looking for robots that would be relevant

# 4Tronix M.A.R.S Rover



<https://shop.4tronix.co.uk/products/marsrover>

## Investigate feasibility

- How to control?
- 
-

## Investigate feasibility

- How to control? → RPi Pico
- 
-

## Investigate feasibility

- How to control? → RPi Pico
- How to add remote?
-

## Investigate feasibility

- How to control? → RPi Pico
- How to add remote? → Wireless PS2 controller
-



## Investigate feasibility

- How to control? → RPi Pico
- How to add remote? → Wireless PS2 controller
- Autonomous mode?

## Investigate feasibility

- How to control? → RPi Pico
- How to add remote? → Wireless PS2 controller
- Autonomous mode? → Onboard sensor

# Implementation: A Custom PCB




- RPi Pico
- PS2 remote
- Screen and buttons

## Implementation: Software

- Using Alire of course
- rp2040-hal
- New drivers needed (Servos, and PS2 remote)

# Implementation: Autonomous Mode

- Very simple (KISS)
- Never hit a wall
- Never get stuck



# Implementation

---

```
function Cannot_Crash return Boolean is
  (if Rover_HAL.Get_Sonar_Distance < Safety_Distance and then
    Rover_HAL.Get_Turn = Rover_HAL.Straight
  then
    Rover_HAL.Get_Power (Rover_HAL.Left)  <= 0 and then
    Rover_HAL.Get_Power (Rover_HAL.Right) <= 0);
```

```
[...]  
  
    Delay_Milliseconds (30);  
  
    pragma Loop_Invariant (Rover.Cannot_Crash);  
end loop;  
end Run;
```

```
Dist := Sonar_Distance;

if Dist < Rover.Safety_Distance then
    -- Ignore forward commands when close to an obstacle
    Buttons (Up) := False;
end if;
```

[blog.adacore.com/lets-write-a-safety-monitor-for-a-mars-rover](http://blog.adacore.com/lets-write-a-safety-monitor-for-a-mars-rover)

# Deploy



AdaCore


# Add a little flag!



## Other Demos

---

# SPARK Railway




# RISC-V Drawing



# Crazyflie



# Drawing Sudoku



## Misc demos

