3.4	MODIFICATION OF NON-OROGRAPHIC PMP FOR OROGRAPHY			Pagi
	3.4.1 Introduction			
	3.4.2		e River basin above Chattanooga, Tennessee	
	3.4.2	3.4.2.1	Topographic effects	
		3.4.2.1	Derivation of PMP	
		3.4.2.3	Seasonal variation	
		3.4.2.4	Depth-duration relations	
		3.4.2.5	Geographic distribution of PMP	
		3.4.2.6	Time distribution of PMP	
3.5	CAUTIONARY REMARKS ON ESTIMATING PMP IN OROGRAPHIC REGIONS			
3.3	3.5.1 Basic data deficiencies			
	3.5.2	Orographic separation method		
CHAP	TER 4. STA	TISTICAL E	STIMATES	65
4.1	USE OF S	STATISTICAL PROCEDURE		
4.2	DEVELOPMENT OF PROCEDURE			66
	4.2.1			
	4.2.2	Adjustment of $\overline{\chi}_n$ and S_n for maximum observed event		
	4.2.3	Adjustment of \overline{X}_n and $S_n^{"}$ for sample size		
	4.2.4	Adjustment for fixed observational time intervals		
	4.2.5	Area-reduction curves		
	4.2.6	.2.6 Depth–duration relationships		
4.3	APPLICA	TION OF PE	ROCEDURE	70
4.4	GENERA	ALIZED ESTIMATES		
4.5	CAUTIO	NARY REMARKS		
CHAF	TER 5. GEI	NERALIZED	ESTIMATES	75
5.1	INTROD			
	5.1.1 Base maps			
5.2	ESTIMATES FOR NON-OROGRAPHIC REGIONS USING GENERALIZED MAPS			
		5.2.1 Moisture maximization		
	5.2.2		ınsposition	
		5.2.2.1	Storm transposition techniques	
	5.2.3	Data smoothing (envelopment)		
		5.2.3.1 5.2.3.2	Data smoothing (envelopment) for grid point technique Data smoothing (envelopment) for the storm limit	77
			transposition technique	78
		5.2.3.3	Preparation of final map	
	5.2.4	·		
	5.2.5	General remarks		
	5.2.6	Summary of procedural steps8		
	5.2.7	Application of generalized or regionalized non-orographic PMP		
			s to specific basins	81
		5.2.7.1	Temporal distribution	81
		5.2.7.2	Isohyetal patterns	83
		5.2.7.3	Isohyetal orientation	84
		5.2.7.4	Isohyet values	85
		5.2.7.5	Selection of area of PMP storm for drainage	88
		5.2.7.6	Stepwise procedure	88
5.3	ESTIMATES FOR OROGRAPHIC REGIONS			91
	5.3.1 Introduction			
	5.3.2	PMP for drainages up to 259 km² in the Tennessee River basin		
		5.3.2.1	Outstanding rainfalls over the eastern United States	
		5.3.2.2	Local topographic classification	
		5.3.2.3	Broad-scale topographic effects	
		5.3.2.4	PMP depth–duration curves for 2.6 km ²	93