
# National University of Computer & Emerging Sciences, Karachi

# Spring -2023 CL3001-Computer Networks Lab 11

Roll No#20K-0190 Name: Mohamamd Usama

## Question 01:



## Configuration of switches:

Press RETURN to get started!

%LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/3, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/3, changed state to up

```
Press RETURN to get started!
%LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1,
changed state to up
%LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2,
changed state to up
%LINK-5-CHANGED: Interface FastEthernet0/3, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/3,
changed state to up
%LINK-5-CHANGED: Interface GigabitEthernet0/1, changed state to
up
%LINEPROTO-5-UPDOWN: Line protocol on Interface
GigabitEthernet0/1, changed state to up
%SPANTREE-2-RECV PVID ERR: Received 802.1Q BPDU on non trunk
GigabitEthernet0/1 VLAN1.
```

%LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2,
changed state to up
%LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1,
changed state to up
%LINK-5-CHANGED: Interface FastEthernet0/3, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/3,
changed state to up
%LINK-5-CHANGED: Interface GigabitEthernet0/1, changed state to
up
%LINEPROTO-5-UPDOWN: Line protocol on Interface
GigabitEthernet0/1, changed state to up
%SPANTREE-2-RECV\_PVID\_ERR: Received 802.1Q BPDU on non trunk


%SPANTREE-2-RECV\_PVID\_ERR: Received 802.1Q BPDU on non trunk GigabitEthernet0/1 VLAN1.

%SPANTREE-2-BLOCK\_PVID\_LOCAL: Blocking GigabitEthernet0/1 on VLAN0001. Inconsistent port type.

%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/1, changed state to down

%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/1, changed state to up

## Question 02:



## Configuration of switches:

%LINK-5-CHANGED: Interface FastEthernetO/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernetO/1,
changed state to up
%LINK-5-CHANGED: Interface FastEthernetO/2, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernetO/2,
changed state to up
%LINK-5-CHANGED: Interface FastEthernetO/4, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernetO/4,
changed state to up
%LINK-5-CHANGED: Interface FastEthernetO/5, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernetO/5,
changed state to up
%LINK-5-CHANGED: Interface FastEthernetO/3, changed state to up
%LINK-5-CHANGED: Interface FastEthernetO/3, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernetO/3,
changed state to up

Ctrl+F6 to exit CLI focus

Copy

Paste

Cisco Internetwork Operating System Software
IOS (tm) C2950 Software (C2950-I6Q4L2-M), Version 12.1(22)EA4,
RELEASE SOFTWARE(fcl)
Copyright (c) 1986-2005 by cisco Systems, Inc.
Compiled Wed 18-May-05 22:31 by jharirba

Press RETURN to get started!

%LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/3, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/3, changed state to up

%LINK-5-CHANGED: Interface FastEthernet0/4, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/4, changed state to up

#### IOS Command Line Interface

Power supply serial number: DAB0609127D Model revision number: C0 Motherboard revision number: A0 Model number: WS-C2950T-24 System serial number: FHK0610Z0WC Cisco Internetwork Operating System Software IOS (tm) C2950 Software (C2950-I6Q4L2-M), Version 12.1(22)EA4, RELEASE SOFTWARE (fcl) Copyright (c) 1986-2005 by cisco Systems, Inc. Compiled Wed 18-May-05 22:31 by jharirba Press RETURN to get started! %LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up %LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1, changed state to up %LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up %LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2,

Ctrl+F6 to exit CLI focus

changed state to up

Copy

Paste

#### IOS Command Line Interface

Power supply serial number: DAB0609127D Model revision number: C0 Motherboard revision number: A0 Model number: WS-C2950T-24 System serial number: FHK0610Z0WC Cisco Internetwork Operating System Software IOS (tm) C2950 Software (C2950-I6Q4L2-M), Version 12.1(22)EA4, RELEASE SOFTWARE (fcl) Copyright (c) 1986-2005 by cisco Systems, Inc. Compiled Wed 18-May-05 22:31 by jharirba Press RETURN to get started! %LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up %LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1, changed state to up %LINK-5-CHANGED: Interface FastEthernet0/2, changed state to up %LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/2,

Ctrl+F6 to exit CLI focus

changed state to up

Copy

Paste