

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼

Enter the URL for an HTML, CSS, or SVG document

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** A document must not include more than one `autofocus` attribute.

[From line 26, column 7; to line 26, column 177](#)

```
el>      <input id="email" class = "form-control" type="email"
placeholder="Email Address" name="email" value="{{ old('email') }}" required
autofocus aria-describedby="emailHelp">
```

2. **Error** Bad value `{{ url('/login') }}` for attribute `href` on element `a`:

Illegal character in path segment: `{` is not allowed.

[From line 59, column 21; to line 59, column 74](#)

```
<a href="{{ url('/login') }}" onclick="toggleForm();">Log In
```

Document checking completed.

## Source

```
1. <!DOCTYPE html>
2. <html lang="">
3. <head>
4. <title>Test</title>
5. </head>
6. <section class="d-flex justify-content-center">
7.   <div class="container-fluid">
8.     <div class="row">
9.       <div class="col">
10.        <h2>Register</h2>
11.      </div>
12.      <form>
13.        {{ csrf_field() }}
14.        <div class="mb-3">
```

```

15.     <label for="name" class="form-label">Name</label>↵
16.     <input id="name" type="text" class = "form-control" name="name" value="
{{ old('name') }}" required autofocus aria-describedby="name"> ↵
17.     @if ($errors->has('name'))↵
18.         <span class="error">↵
19.             {{ $errors->first('name') }}↵
20.         </span>↵
21.     @endif↵
22. </div>↵
23. ↵
24. <div class="mb-3">↵
25.     <label for="email" class="form-label">Email address</label>↵
26.     <input id="email" class = "form-control" type="email" placeholder="Email
Address" name="email" value="{{ old('email') }}" required autofocus aria-
describedby="emailHelp">↵
27.     @if ($errors->has('email'))↵
28.         <span class="error">↵
29.             {{ $errors->first('email') }}↵
30.         </span>↵
31.     @endif↵
32.     <div id="emailHelp" class="form-text">We'll never share your email with
anyone else.</div>↵
33. </div>↵
34. ↵
35. ↵
36. <div class="mb-3">↵
37.     <label for="password" class="form-label">Password</label>↵
38.     <input id="password" class="form-control" type="password"
placeholder="Password" name="password" required>↵
39.     @if ($errors->has('password'))↵
40.         <span class="error">↵
41.             {{ $errors->first('password') }}↵
42.         </span>↵
43.     @endif↵
44. </div>↵
45. <div class="mb-3">↵
46.     <label for="password-confirm" class="form-label">Confirm
Password</label>↵
47.     <input id="password-confirm" class="form-control" type="password"
placeholder="Password" name="password" required>↵
48.     @if ($errors->has('password'))↵
49.         <span class="error">↵
50.             {{ $errors->first('password') }}↵
51.         </span>↵
52.     @endif↵
53. </div>↵
54.     <button type="submit" class="btn btn-primary">Register</button> ↵
55. </form>↵
56. </div>↵
57. <p class="signup">↵
58.     Already have an account ?↵
59.     <a href="{{ url('/login') }}" onclick="toggleForm();">Log
In.</a>↵
60.     </p>↵
61. </div> ↵
62. </div>↵
63. </section>↵
64. </html>

```

Used the HTML parser.

Total execution time 9 milliseconds.

