Voting for a consensus with veto rights: a state-of-the-art note

Open proposals, full ballots and a blocking quota

Fabrice Borel-Mathurin[1]

[1] *Draft for discussion*

October 22, 2026

Abstract

A group wants to choose one option by consensus. Anyone may propose options, every voter judges all of them, and voters have a right of veto. We review what research says about voting in this setting and derive a procedure that reaches the best compromise without ever getting stuck. The literature on committees, veto players and consensus practice agrees that hard unanimity is rarely optimal: it breeds delay, status-quo bias and holdouts, and in a large assembly it deadlocks almost surely, as we show for spatial preferences. Social choice adds three constraints: no rule escapes manipulation, the majority principle and a minority veto conflict in some profiles, and an open agenda requires a rule that is independent of clones, which Borda's rule, fallback bargaining and the proportional veto core are not. We propose *Condorcet with a blocking quota*: on a single ballot, every voter ranks all options and marks the unacceptable ones; options vetoed by at least a third of the voters are excluded, the least-vetoed are kept if all are, and the Schulze winner among the rest is elected. The procedure always decides in one round, gives the status quo no default advantage, elects an option acceptable to more than two thirds of the voters whenever one exists, respects the majority among such options and ignores clones. In simulations of polarised electorates it halves the share of contested outcomes relative to the Schulze method, at no cost in total welfare. Its price is strategic blocking, which we quantify and which named, reasoned vetoes and a bounded revision round help contain.

Keywords. Voting rules, veto rights, consensus, Condorcet methods, Schulze method, independence of clones, proportional veto, deadlock, compromise.

Contents

1 Introduction **3**

1.1 The question . . . 3

1.2 The answer in brief . . . 3

1.3 What this note adds and how it is organised . . . 4

2 Setting and definitions **4**

2.1 Voters, options and ballots . . . 4

2.2 Majority relations . . . 5

2.3 Properties a procedure should have . . . 5

2.4 Veto structures . . . 5

2.5 Notions of compromise . . . 6

3 What no procedure can achieve **6**
3.1 Manipulation is always possible . . . 6
3.2 Majorities can cycle, but rarely do in structured electorates . . . 7
3.3 Majority and minority veto are incompatible . . . 7
3.4 Stability and deadlock are two faces of the veto . . . 8

4 What research says about veto rights **8**
4.1 Unanimity against majority with a veto . . . 8
4.2 Veto players, agenda power and the status quo . . . 9
4.3 How many rounds? . . . 10
4.4 Compromise rules with vetoes . . . 10
4.5 Consensus in practice . . . 11

5 Aggregating full ballots on an open agenda **12**
5.1 The families of rules . . . 12
5.2 An open agenda calls for independence of clones . . . 12
5.3 Majority efficiency, manipulation and welfare . . . 14

6 The procedure: Condorcet with a blocking quota **14**
6.1 Design principles . . . 14
6.2 The procedure . . . 14
6.3 Properties . . . 15
6.4 Worked examples . . . 16
6.5 Choosing the quota and the details . . . 16
6.6 Safeguards against strategic vetoing . . . 17

7 Simulation evidence **18**
7.1 Design . . . 18
7.2 Results . . . 18
7.3 What the simulation does not show . . . 23

8 Discussion **23**
8.1 How firm are the conclusions? . . . 23
8.2 Limits of this note . . . 24
8.3 Open questions . . . 24
8.4 Putting the procedure to work . . . 24

9 Conclusion **25**

A Proofs **25**

B Algorithms **26**

C The simulation in detail 28

1 Introduction

1.1 The question

A group has to choose one option among several: a site, a design, a budget allocation, a policy. The group wants a *consensus* choice, one that everyone can live with, and it wants a procedure that produces one. This note asks what the research literature says about the optimal way to vote in that situation, and turns the answer into a procedure that can be implemented. We work under three hypotheses, set by the use case:

H1 (open agenda) any voter may propose as many options as they wish;

H2 (full ballots) every voter expresses a view on *all* the options proposed;

H3 (veto rights) voters have a right of veto.

The procedure must meet two requirements:

R1 (best compromise) the option chosen is the best compromise, in a sense to be made precise;

R2 (no deadlock) the community never gets stuck, so the veto must not be too stringent.

The two requirements pull against each other. The traditional consensus rule, unanimity, gives every member a veto: nothing passes to which anyone objects. It protects every minority, which is the spirit of R1, but a single objector can block every change, and in large or divided groups someone always objects (Section 3). The Polish–Lithuanian *liberum veto* is the textbook case of a constitution paralysed by individual vetoes (Roháč, 2008). Majority rule, at the other extreme, always decides (R2) but can impose on a large minority an outcome it finds unacceptable, which is not a compromise. The question is therefore one of design: how much veto power, held by whom, over what, and how to aggregate the rest of the ballot.

1.2 The answer in brief

1. **No rule is optimal in every respect.** Every rule that is not dictatorial can be manipulated (Gibbard, 1973; Satterthwaite, 1975), majorities can cycle (Condorcet, Marquis de, 1785), and the majority principle cannot be reconciled with an effective minority veto: some profiles force a choice between the option a majority prefers and the one a large minority can accept (Proposition 1). A procedure is a choice of trade-off, which should be explicit and tunable.
2. **The literature does not support hard unanimity.** Theory, experiments and institutional studies agree that unanimity raises delay, strengthens the status quo and gives holdouts bargaining power. Veto rights work better when they are separated from the approval of options and limited to blocking outcomes that are unacceptable (Bouton et al., 2018; Miettinen and Vanberg, 2025; Tsebelis, 2002; Dziuda and Loeper, 2016). In a large assembly, unanimity with the status quo as default deadlocks almost surely (Proposition 2; 99.6% of our simulated elections with 101 voters).
3. **An open agenda requires a rule that is independent of clones.** When anyone can add options, a faction can flood the agenda with variants of its favourite. Borda's rule, fallback bargaining and the proportional veto core reward such flooding; the Schulze, Ranked Pairs and Split Cycle methods do not (Tideman, 1987; Schulze, 2011; Holliday and Pacuit, 2023a).

4. **The procedure we recommend, QVC(θ)**, Condorcet with a blocking quota, uses a single ballot on which each voter ranks all the options and marks those they find unacceptable. Options vetoed by at least a share θ of the voters are excluded; if that excludes them all, the least-vetoed are kept; the Schulze winner among the options left is elected. By default $\theta = 1/3$. The procedure always decides in one round, the status quo has no default advantage, the winner is acceptable to more than two thirds of the voters whenever some option is, the option that beats every other acceptable option in pairwise majority wins, and adding variants of an option changes nothing (Section 6).
5. **The price is strategic vetoing.** A blocking minority can block strategically as well as sincerely. In our simulations, the share of elections that a coalition of 10% of the voters can manipulate rises from 5–7% under Schulze to 11–27% under QVC(1/3) in structured electorates (Section 7). Named and reasoned vetoes, a quota no lower than 1/4 and at most one revision round contain this risk (Section 6.6).

1.3 What this note adds and how it is organised

The note starts from a literature review of optimal voting with veto rights produced with the Consensus search engine in October 2026 (summarised in the repository's `literature/` folder). That review covers committee bargaining and the comparison of unanimity with majority-with-veto. We add the social-choice literature on Condorcet methods, clones and proportional veto, the evidence from institutions that already vote this way, formal results on deadlock and on the procedure, and a Monte Carlo study of 21 rules on 2,000 simulated elections per setting. Every number in the note comes from code in the repository (`simulations/python/`), with checks against known results.

Section 2 sets out the model and the definitions. Section 3 states what no procedure can achieve. Section 4 reviews the research on veto rights, Section 5 the rules that aggregate full ballots. Section 6 defines and analyses the procedure, Section 7 compares it with the alternatives by simulation, and Section 8 discusses limits, open questions and implementation. Proofs are in Appendix A, algorithms in Appendix B and the details of the simulation in Appendix C.

2 Setting and definitions

2.1 Voters, options and ballots

A finite set N of n voters chooses one option from a finite set A of m options. The set A is the union of the proposals made by the voters during a nomination period (H1), plus the status quo s, which stands for "keep things as they are" or "no decision" and is treated as an option. Each voter casts one ballot on all the options (H2) with two parts:

- a *ranking*: a weak order $\succsim_i$ on A (ties allowed), whose strict part is $\succ_i$;
- a *veto set* $V_i \subseteq A$ of options the voter finds unacceptable (H3). The veto set is consistent with the ranking: if $x \in V_i$ and $x \succsim_i y$, then $y \in V_i$. A ballot is thus a ranking with an *acceptability line* drawn in it, as in fallback bargaining with impasse (Brams and Kilgour, 2001), in Majority Judgment's "reject" grade (Balinski and Laraki, 2011), or in Debian's ranking of options above or below the default option (Debian Project, 2022).

We write $\mathrm{N}(x, y) = |\{i : x \succ_i y\}|$ for the number of voters who prefer x to y, and $v(x) = |\{i : x \in V_i\}|$ for the number of voters who veto x. A *rule* maps every profile of ballots to one option; rules that return a set of tied options are completed by a tie-breaking rule.

2.2 Majority relations

Definition 1 (Condorcet winner, Smith set)**.** Option x *beats* y if $\mathrm{N}(x, y) > \mathrm{N}(y, x)$. A *Condorcet winner* beats every other option. The *Smith set* is the smallest non-empty set of options each of which beats every option outside it (Smith, 1973; Fishburn, 1977). A rule is *Condorcet-consistent* if it elects the Condorcet winner whenever one exists, and *Smith-consistent* if it always elects an option of the Smith set.

The Condorcet winner is the natural majoritarian notion of a compromise: whatever other option is put against it, a majority prefers it. It need not exist (the Condorcet paradox), and when it exists it need not protect minorities (Section 3).

2.3 Properties a procedure should have

Definition 2 (Clones; Tideman, 1987)**.** A set $C \subseteq A$ with at least two options is a set of *clones* if no voter ranks an option outside C between two options of C or level with one of them, and every voter vetoes either all the options of C or none. A rule is *independent of clones* if, whenever a clone of an option is added or removed, (i) an option outside the clone set wins after the change if and only if it won before, and (ii) a member of the clone set wins after the change if and only if one won before.

Clones are variants of the same proposal: two near-identical sites, a budget and the same budget with one line moved. Under H1 anyone can create them, so independence of clones is what makes a rule robust to flooding the agenda.

Definition 3 (Decisiveness)**.** A procedure is *decisive* if, for every profile, it selects one option after a number of rounds fixed in advance. It gives the status quo *no default advantage* if the status quo is selected only when it would also be selected with its label removed, as an ordinary option.

R2 asks for decisiveness. A procedure that keeps the status quo whenever no proposal clears a hurdle is decisive in a formal sense, but it gets the community stuck whenever the status quo is not what the voters want; this is why we also ask for no default advantage.

2.4 Veto structures

Three ways of granting veto power recur in the literature.

- **Individual veto (unanimity).** Any single voter can exclude any option. With the status quo as default, a proposal passes only if no one objects (Buchanan and Tullock, 1962; Tsebelis, 2002).
- **Blocking quota.** A coalition of at least a share θ of the voters can exclude any option: an option is excluded if $v(x) \geq \theta n$. The qualified majority of the Council of the European Union is of this kind: a blocking minority must represent more than 35% of the population and include at least four members (European Union, 2016).
- **Proportional veto** (Moulin, 1981, 1982). A coalition T of t voters can veto $\lceil mt/n \rceil - 1$ options: "x% of the voters can veto x% of the options".

Definition 4 (Proportional veto core; Moulin, 1981)**.** Option x is *blocked* by a coalition T of t voters if there is a set B of at least $m - \lceil mt/n \rceil + 1$ options such that every member of T strictly prefers every option of B to x. The *proportional veto core* (PVC) is the set of options that no coalition blocks. It is never empty (Moulin, 1981).

The proportional veto core uses no veto marks: veto power is read from the bottom of the rankings. It can be computed in polynomial time by a max-flow test (Ianovski and Kondratev, 2021); our implementation is described in Appendix B.

2.5 Notions of compromise

R1 asks for the "best compromise". The literature offers several precise readings, each the outcome of a rule:

- *majoritarian*: the Condorcet winner, or the option that comes closest to being one (Young, 1988; Schulze, 2011);
- *utilitarian on ranks*: the best average rank (Borda's rule; Young, 1974);
- *egalitarian on ranks*: the best worst rank, reached by fallback bargaining (Brams and Kilgour, 2001); or the earliest rank at which a majority agrees, the majoritarian compromise (Sertel and Yılmaz, 1999);
- *acceptability*: the option the most voters find acceptable (approval voting; Brams and Fishburn, 1978), or the best median grade (Majority Judgment; Balinski and Laraki, 2007);
- *proportional protection*: an option in the proportional veto core.

Section 3 shows these readings cannot all be satisfied at once. Section 6 adopts a lexicographic reading: first acceptability to all but a minority of size θ, then majority.

3 What no procedure can achieve

Four families of results bound what a procedure can do. They explain why the literature offers trade-offs rather than an optimum, and they fix the margins on which the choice of a procedure is made.

3.1 Manipulation is always possible

Arrow's theorem (Arrow, 1951) rules out a rule that aggregates rankings into a ranking while respecting unanimity, independence of irrelevant alternatives and non-dictatorship. Its strategic counterpart is more directly relevant here: with three options or more, every rule that is onto and not dictatorial can be manipulated, in the sense that some voter, in some profile, obtains a better outcome by misreporting (Gibbard, 1973; Satterthwaite, 1975). The question is therefore not *whether* a procedure can be manipulated, but how often, by whom, and at what cost in information and coordination. Computational hardness of manipulation has been proposed as a barrier (Bartholdi et al., 1989b), but it is a worst-case notion that typical profiles do not inherit (Faliszewski and Procaccia, 2010). Comparisons of rules therefore rest on the frequency of manipulable profiles in realistic settings (Green-Armytage et al., 2016), which is how Section 7 proceeds.

The majority principle has a specific cost: every Condorcet-consistent rule violates *participation* when there are four options or more, so that a group of voters can sometimes obtain a better outcome by abstaining (the no-show paradox, Moulin, 1988); the bound is tight at 12 voters (Brandt et al., 2017). Rules that score options independently (plurality, Borda, approval) satisfy participation but are not Condorcet-consistent.

3.2 Majorities can cycle, but rarely do in structured electorates

Between two options, simple majority is the only rule that is anonymous, neutral and positively responsive (May, 1952). With three options or more, majority preferences can be cyclic: A beats B, B beats C and C beats A (Condorcet, Marquis de, 1785). Under the impartial culture, where every voter's ranking is drawn uniformly and independently, a Condorcet winner exists in the limit of a large electorate with probability 91.2% for three options and 74.9% for five (Guilbaud, 1952; Gehrlein and Fishburn, 1976; Gehrlein, 2006), and this probability falls towards zero as options are added. The impartial culture is a worst case: preferences that share a structure produce Condorcet winners far more often. With single-peaked preferences a Condorcet winner always exists, the option preferred by the median voter (Black, 1948); in our two-dimensional spatial electorates it exists in more than 96% of elections, even with twelve options (Table 1). The empirical literature on real ballots reaches the same conclusion: majority cycles are rare in practice (Regenwetter et al., 2006; Tideman, 2006), and spatial models fit observed ballots better than the impartial culture (Tideman and Plassmann, 2012). A procedure must still say what to do in a cycle, but it is the exception it must handle, not the rule.

Table 1. Probability that a Condorcet winner exists

Culture	m = 3	m = 4	m = 5	m = 6	m = 8	m = 12
Spatial (2D)	99.8	99.7	99.4	99.0	98.5	97.4
Polarised (55/45)	99.7	99.5	98.9	98.1	97.6	96.0
Impartial culture	91.2	82.3	75.0	67.5	58.6	45.4
Spatial (1D)	100.0	100.0	100.0	100.0	100.0	100.0
Impartial, $n \to \infty$	91.2	82.5	74.9	68.5		

Notes: 4,000 elections per cell, 101 voters; m options including the status quo. Last row: the limit for an infinite electorate under the impartial culture (Gehrlein and Fishburn, 1976; Gehrlein, 2006). Monte Carlo standard errors at most 0.8 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; last row from the literature; `experiments.py`.

3.3 Majority and minority veto are incompatible

The first conflict between R1 and the majority principle is elementary.

Proposition 1 (Majority versus minority veto)**.** *Let $m \geq 3$ and $0 < \theta < 1/2$. There are profiles in which an option x is the Condorcet winner, x is ranked last and vetoed by more than θn voters, and another option is acceptable to every voter. In such a profile no rule can both elect the Condorcet winner and avoid an option vetoed by at least θn voters when some option is vetoed by fewer. If, moreover, the minority's share exceeds $1/m$, the Condorcet winner is outside the proportional veto core.*

The proof (Appendix A) uses the profile of Example E1 in Section 6.4: 51 voters rank $A \succ B \succ C$, 49 rank $B \succ C \succ A$. A beats every option, but 49% of the voters rank it last, while B is everyone's first or second choice. A procedure must decide which of A, the majority's option, and B, the compromise, is "best"; any procedure that gives a minority of size θ a veto elects B. Kondratev and Nesterov (2020) measure the same trade-off for common rules: the share of voters that guarantees a majority its preferred options (majority power) against the share that lets a minority exclude its least preferred options (veto power). In general, rules with more majority power also have more veto power; proportional veto, Borda's rule and Black's rule are the exceptions that trade majority power for minority protection.

3.4 Stability and deadlock are two faces of the veto

Veto rights make outcomes stable, and that is the problem. In a simple game, the core, the set of options that no winning coalition wants to replace, is non-empty for every profile of preferences if and only if the number of options is smaller than the game's *Nakamura number*, the smallest number of winning coalitions with an empty intersection (Nakamura, 1979). Majority rule has Nakamura number 3 (for $n \neq 4$), hence cycles; a quota rule that requires q of the n votes has Nakamura number $\lceil n/(n-q) \rceil$; a game with a veto player has an infinite Nakamura number, hence a non-empty core for any agenda. In spatial settings the same logic gives the supermajority thresholds that guarantee an undominated option: a share above $d/(d+1)$ in d dimensions for every profile (Greenberg, 1979), and 64% when the density of ideal points is concave (Caplin and Nalebuff, 1988). Below these thresholds, simple majority in two or more dimensions has global cycles, and whoever controls the agenda can lead the vote almost anywhere (McKelvey, 1976; Plott, 1967).

The stable outcome that a veto guarantees is, however, the status quo. With Euclidean preferences the status quo cannot be unanimously improved upon as soon as it lies in the convex hull of the voters' ideal points, and that event becomes certain as the assembly grows.

Proposition 2 (Deadlock under unanimity)**.** *Let each voter i have an ideal point $p_i \in \mathbb{R}^d$ and prefer options closer to it. (i) If the status quo s lies in the convex hull of $p_1, \ldots, p_n$, no option is strictly preferred to s by every voter, so that unanimity with the status quo as default keeps s whatever the proposals. (ii) If the ideal points are drawn independently from a distribution whose support contains a neighbourhood of s, the probability of (i) tends to one as $n \to \infty$.*

Table 11 and Figure 1 quantify the speed: in our two-dimensional electorates with seven proposals, unanimity keeps the status quo in 43% of elections with three voters, 86% with eleven and 99.6% with 101. Buchanan and Tullock (1962) framed the choice of a voting quota as a cost minimisation: the expected cost imposed on a member by decisions they oppose falls as the quota rises towards unanimity, while the cost of reaching a decision rises with it. Proposition 2 says the second cost becomes infinite in a large assembly: under individual veto the decision is never reached. Rae (1969) showed that simple majority is the rule that maximises a voter's expected agreement with outcomes when the voter does not know their future position, the opposite corner of the trade-off.

4 What research says about veto rights

The literature on veto rights is split across three traditions that rarely cite each other: committee and legislative bargaining (economics and political science), the choice of a compromise from a finite set of options (social choice), and the study of consensus in real organisations. We review each, then summarise the evidence in Table 2.

4.1 Unanimity against majority with a veto

The sharpest comparison concerns committees that decide between a reform and the status quo. Bouton et al. (2018) compare unanimity with *majority rule with veto power*, in which members vote by majority but each may also cast a veto that blocks the reform. When members share a common interest but hold private information, the second rule aggregates information better and dominates unanimity in large committees: under unanimity a member who doubts the reform can only block it, whereas majority with veto lets them vote against it without blocking and keeps the veto for the case where they are sure. A laboratory study confirms the ranking




Figure 1. Deadlock under unanimity as the assembly grows

Notes: Share of elections in which: the status quo lies in the convex hull of the voters' ideal points, so that no option can be unanimously preferred to it (Proposition 2); unanimity with the status quo as default keeps it because no proposal is preferred to it by every voter; QVC with a blocking quota of 25% or 33% finds every option vetoed by the quota and falls back on the least-vetoed options, still deciding. Spatial culture, 7 proposals and the status quo, 1,000 elections per point. Values in Table 11.
Source: Monte Carlo simulation, `experiments.py`; `figures.py`.

(Bouton et al., 2017). The lesson the authors draw, and the Consensus review endorses, is to separate the right to *block an unacceptable outcome* from the right to *approve a choice*.

Bargaining models and experiments point the same way. Unanimity can be uniquely inefficient, with costly conflict and delay (Miettinen and Vanberg, 2025; Piazolo and Vanberg, 2025); laboratory committees show delay and a larger share captured by members who hold a veto (Laing and Slotznick, 1991; Kagel et al., 2010; Agranov and Tergiman, 2019). The case for unanimity is conditional: it can improve the honesty of deliberation when members are held responsible for their votes (Breitmoser and Valasek, 2024), and the comparison with majority depends on what proposers know (Glynia et al., 2026).

4.2 Veto players, agenda power and the status quo

In political systems, each additional veto player, and each increase in the distance between their positions, shrinks the set of policies that can replace the status quo; policy stability, or gridlock, follows (Tsebelis, 1995, 2002). The status quo is not a neutral fallback: the worse it is for the others, the more an agenda setter can extract (Romer and Rosenthal, 1978), and whoever proposes holds power that grows with the patience of the others and the voting rule (Baron and Ferejohn, 1989; Harrington, 1990). When today's decision becomes tomorrow's status quo, the dynamics compound: an endogenous status quo produces inertia and inefficiency (Dziuda and Loeper, 2016; Anesi and Seidmann, 2015), and in laboratory committees extra rounds strengthen the vetoer (Nunnari, 2021); on the stability of policies with veto players, see Anesi and Duggan (2017). A veto also discourages experimentation, since a member who may lose from a reform can block the trial that would reveal its value (Anesi and Bowen, 2021). The best use of a veto player is sometimes to delegate the choice to them within an interval fixed in advance (Kartik et al., 2021).

Two implications for our design follow. First, the status quo should not be a privileged default: giving it that role turns every veto into a vote for inertia. Second, the agenda should

not be sequential: in sequential and amendment procedures, the order in which options are put to the vote can be manipulated (McKelvey, 1976; Barberà and Gerber, 2017). Under H2, voters judge all options at once, which removes the agenda setter's power, provided the rule is robust to the composition of the agenda (Section 5).

4.3 How many rounds?

There is no general result that more rounds are better. In proposal models with single-peaked preferences, recent procedures reach the Condorcet winner in one round, where each voter either proposes or votes (Gersbach, 2025), or in two rounds with randomly drawn proposers (Gersbach and Valkanova, 2024); see also Gersbach (2024). When voting is costly, a sequence of rounds with a falling threshold can be optimal (Bognar et al., 2015). In bargaining with vetoes and an endogenous status quo, however, extra rounds tend to create delay and to strengthen vetoers rather than improve decisions (Nunnari, 2021; Dziuda and Loeper, 2016). The Consensus review concludes that one or two rounds suffice in structured settings, and that robustness of fast procedures to hard vetoes is an open question. Our design uses one ballot round, with at most one revision round (Section 6.6).

4.4 Compromise rules with vetoes

Social choice offers several procedures that select a compromise from a finite set of options by vetoing.

- **Voting by veto** (Mueller, 1978): each of n members proposes one option, the status quo is added, and in a random order each member strikes one option; the last one standing wins. The procedure always decides and no member gets their worst outcome, but it is not anonymous and needs exactly one more option than voters.
- **Proportional veto** (Moulin, 1981, 1982, 1983): coalitions veto a share of the options equal to their share of the voters (Definition 4). The core is never empty, and procedures of successive vetoes can implement it in strong equilibrium. The core can be computed, and an option selected from it by an anonymous and neutral rule, in polynomial time (Ianovski and Kondratev, 2021); Kondratev and Ianovski (2024) study which rules that always select from the core are monotonic, satisfy participation or ignore options that everyone ranks last.
- **Fallback bargaining** (Brams and Kilgour, 2001): members descend their rankings in lockstep until an option appears on every list. The outcome is Pareto-optimal and maximises the worst rank, but it may miss the Condorcet winner and even a majority's first choice; with an "impasse" line, below which members refuse to go, it can end in no agreement.
- **Majoritarian compromise** (Sertel and Yılmaz, 1999; Hurwicz and Sertel, 1999): the same descent, stopped at the first depth at which an option appears in the lists of a majority; it is majoritarian-optimal and implementable in subgame-perfect equilibrium.
- **Shortlisting and veto-rank** for two parties: one party shortlists, the other chooses (Barberà and Coelho, 2017, 2022); or parties strike options alternately (Anbarci, 1993), or in proportion to ranks (Laslier et al., 2021). These rules can have several equilibria, some Pareto-inefficient, and Cailloux et al. (2023) argue that several "compromise" rules fail to select an outcome that is a compromise once the result is known.

None of these was designed for an open agenda. Section 5 shows that fallback bargaining, the majoritarian compromise, sequential vetoes and the proportional veto core all reward flooding the agenda with clones.

4.5 Consensus in practice

Organisations that decide "by consensus" rarely give every member a hard veto. The Internet Engineering Task Force works by *rough consensus*: lack of disagreement matters more than agreement, and consensus is reached when all objections have been addressed, though not necessarily accommodated; an objection judged unpersuasive does not block (Resnick, 2014, §§2–3). In bodies that decide by tacit consent, the formal right of every member to object is constrained by social pressure and by the prospect of a fallback majority vote, so that effective veto power is much smaller than the rule suggests (Krick, 2017). Where a hard individual veto has been taken literally, as in the *liberum veto* of the Polish–Lithuanian Sejm, it paralysed decision-making (Roháč, 2008). Formal institutions grant vetoes to coalitions instead: the Council of the European Union's blocking minority needs at least four members (European Union, 2016).

The closest existing procedure to the one we recommend is the Debian constitution (Debian Project, 2022, §A.5). Developers rank all the options of a general resolution, including the default option "None of the above"; options ranked above the default are deemed acceptable. An option is dropped if too few voters rank it above the default (a quorum) or if it fails to beat the default by its required majority (3:1 for constitutional amendments); the winner among the remaining options is chosen by the Schulze method. Debian thus combines open amendments, full ranked ballots, an acceptability line and a clone-independent Condorcet method, but it keeps the default option as a privileged fallback, a choice that suits a project in which "no change" is a safe outcome.

Table 2. What the literature supports

Claim	Evidence	Main sources
Full unanimity is rarely optimal for open choices: it raises delay, status-quo bias and holdout power	Strong	Tsebelis (2002); Dziuda and Loeper (2016); Miettinen and Vanberg (2025); Kagel et al. (2010); Prop. 2
Majority with a separate veto beats unanimity for information aggregation	Strong	Bouton et al. (2018, 2017)
No rule is strategy-proof; the majority principle and minority vetoes conflict	Theorem	Gibbard (1973); Satterthwaite (1975); Prop. 1
Simultaneous voting on all options removes agenda-setter power; clone independence removes the gain from flooding	Strong (theory)	McKelvey (1976); Tideman (1987); Schulze (2011)
Condorcet winners exist in most structured electorates	Strong	Regenwetter et al. (2006); Tideman and Plassmann (2012); Table 1
Fallback, shortlisting and veto-rank rules are useful second-best compromise devices	Moderate	Brams and Kilgour (2001); Barberà and Coelho (2022); Cailloux et al. (2023)
One or two rounds suffice in structured proposal settings	Moderate	Gersbach and Valkanova (2024); Gersbach (2025)
In practice, a formal individual veto is socially constrained	Weak to moderate	Krick (2017); Resnick (2014)

Notes: Evidence: strong, several formal results and experiments or field evidence agree; moderate, formal results under restrictive assumptions; weak, case studies. Adapted and extended from the Consensus review of October 2026 (its Figure 6).
Source: Sections 3–5 of this note.

5 Aggregating full ballots on an open agenda

Under H2 every voter ranks every option, so the procedure needs a rule that aggregates full rankings. This section compares the main families of rules on the properties that matter under H1–H3.

5.1 The families of rules

- **Positional rules** give points by rank: plurality (one point to the first choice), Borda ($m - k$ points to the k-th choice; Young, 1974).
- **Runoff rules**: instant-runoff voting (IRV) eliminates the option with the fewest first choices until one has a majority.
- **Condorcet methods** elect the Condorcet winner when there is one and differ in how they resolve cycles. Copeland counts pairwise wins; Minimax (Simpson–Kramer) minimises the worst pairwise defeat (Simpson, 1969); Kemeny–Young finds the ranking that disagrees least with the voters' pairwise preferences (Kemeny, 1959; Young and Levenglick, 1978); Ranked Pairs locks pairwise majorities from the strongest down, skipping any that would close a cycle (Tideman, 1987); the Schulze method elects the option whose strongest chains of pairwise victories against every other option are at least as strong as the reverse chains (Schulze, 2011); Split Cycle discards the weakest majority in every cycle and elects the options left undefeated (Holliday and Pacuit, 2023a), and Stable Voting refines it to a single winner (Holliday and Pacuit, 2023b).
- **Evaluative rules** ask for grades rather than rankings: approval voting elects the option the most voters find acceptable (Brams and Fishburn, 1978; Laslier and Sanver, 2010); Majority Judgment elects the option with the best median grade (Balinski and Laraki, 2007, 2011); see Felsenthal and Machover (2008) for a critical evaluation.
- **Probabilistic rules**: maximal lotteries choose a lottery over options that no other lottery beats in expected pairwise majority (Fishburn, 1984; Laffond et al., 1993); they are the only rule with a set of strong consistency properties (Brandl et al., 2016), but a group choosing a single option by lot is a hard sell for most organisations.
- **Compromise rules** with vetoes, reviewed in Section 4: fallback bargaining, the majoritarian compromise, voting by veto and the proportional veto core.

Kemeny–Young and Dodgson's rule are NP-hard to compute (Bartholdi et al., 1989a); all the other rules above run in polynomial time, Schulze in $O(m^3)$ after the $O(nm^2)$ count of pairwise preferences. Elkind et al. (2015) show that many of these rules can be read as finding the nearest "consensus" profile (unanimous, or with a Condorcet winner) under some distance between profiles, which makes the choice of a rule a choice of what counts as consensus. Brandt et al. (2016) survey the axiomatic and computational results on all these rules.

Table 3 summarises the properties; Felsenthal (2012) reviews the paradoxes that afflict each rule in more detail. Three properties sort the candidates for our use.

5.2 An open agenda calls for independence of clones

When anyone can propose options, the composition of the agenda becomes a strategy. Adding variants of an option, its clones, affects rules in three ways (Tideman, 1987): under plurality the clones split their supporters' votes and lose (vote splitting); under Borda's rule they push other options down everyone's ranking and gain (teaming); under some other rules they can crowd out third options. A faction can therefore flood the agenda with variants of its favourite, or,

Table 3. Properties of the rules compared

Rule	Condorcet winner	Independent of clones	Monotonic	Polynomial	Uses vetoes	Never stuck
Plurality	×	×	✓	✓	×	✓
IRV	×	✓	×	✓	×	✓
Borda	×	×	✓	✓	×	✓
Copeland	✓	×	✓	✓	×	✓
Minimax	✓	×	✓	✓	×	✓
Kemeny–Young	✓	×	✓	×	×	✓
Ranked Pairs	✓	✓	✓	✓	×	✓
Schulze	✓	✓	✓	✓	×	✓
Split Cycle[a]	✓	✓	✓	✓	×	✓
Approval	×	✓[b]	✓	✓	✓[c]	✓
Majority Judgment	×	✓[b]	✓	✓	✓[c]	✓
Fallback bargaining	×	×	✓	✓	×	✓
with impasse	×	×	✓	✓	✓	×
Majoritarian compromise	×	×	✓	✓	×	✓
Unanimity, status quo default	×	✓	✓	✓	✓	×
Schulze within the PVC	×	×	—	✓	✓[d]	✓
QVC(θ), Section 6	×[e]	✓	✓[f]	✓	✓	✓

Notes: Condorcet winner: elects it whenever it exists. Independent of clones: Definition 2. Monotonic: raising the winner in some rankings never makes it lose. Never stuck: always selects an option in a fixed number of rounds without a privileged default (Definition 3). ×: fails in some profiles; —: not established, to our knowledge. [a]Not resolute: ties are frequent and need a tie-break. [b]When voters grade or approve clones alike. [c]The lowest grade, or non-approval, acts as a veto mark but blocks nothing. [d]PVC: proportional veto core; veto power read from the bottom of the rankings. [e]Elects the Condorcet winner of the admissible options (Proposition 6). [f]For changes in the rankings that leave the veto marks unchanged.
Source: Tideman (1987); Schulze (2011); Holliday and Pacuit (2023a); Brams and Kilgour (2001); Felsenthal (2012); Bartholdi et al. (1989a); Propositions 3 and 4–7; simulations of Table 7.

under plurality, sink an option by proposing its near-copies. Ranked Pairs, the Schulze method and Split Cycle are independent of clones (Tideman, 1987; Zavist and Tideman, 1989; Schulze, 2011; Holliday and Pacuit, 2023a); Copeland, Minimax and Kemeny–Young are not.

Veto-based compromise rules are exposed too, because the number of options enters their definition. In fallback bargaining, clones of the majority's favourite fill the top of the majority's rankings and delay the depth at which the compromise appears on every list. In the proportional veto core, a coalition's veto power is a share of the number of options, so each clone added by the majority costs the minority a veto that it can no longer spend elsewhere.

Proposition 3 (Flooding defeats proportional veto)**.** *Neither the proportional veto core nor fallback bargaining is independent of clones: there are profiles in which adding clones of an option outside the core (respectively, not chosen) brings that option into the core (respectively, gets it chosen).*

Example E2 of Section 6.4 gives such a profile: in Example E1, the 49% minority blocks the majority's favourite A, which is outside the core; once the majority proposes two variants of A, the minority's three vetoes no longer cover them all, A enters the core, and Schulze within the core elects A (Table 4). In our simulations, three clones of a losing option change the winner of the proportional veto core with Schulze in 15% of polarised elections and in 54% under the impartial culture; they change the outcome of fallback bargaining in 25–36% of elections, of the majoritarian compromise in 23–52% and of Borda's rule in 14–24%, but never that of Schulze, Ranked Pairs or Split Cycle (Table 7).

Independence of clones also answers the agenda-setting concern of Section 4. With all options on one ballot, nobody controls the order of votes; with a clone-independent rule, nobody gains by inflating the agenda. H1 and H2 together then neutralise most of the power that proposal

rights confer in sequential procedures (Baron and Ferejohn, 1989; Barberà and Gerber, 2017).

5.3 Majority efficiency, manipulation and welfare

Condorcet methods are the natural candidates when the group wants the majority principle respected whenever it can be. Among them, Ranked Pairs and Schulze are Condorcet- and Smith-consistent, independent of clones, monotonic and computable for any realistic number of options. Schulze is used by many organisations, Debian among them (Debian Project, 2022); Split Cycle adds stronger protections against spoilers and no-show effects at the cost of frequent ties (Holliday and Pacuit, 2023a).

On manipulation, Green-Armytage et al. (2016) compare 54 rules on survey data, spatial models and random cultures: IRV and its Condorcet hybrid (elect the Condorcet winner, else run IRV) are the least manipulable, while most rules have very similar utilitarian efficiency, with plurality, anti-plurality and random dictatorship clearly worse. Adding a Condorcet step to a rule almost never creates new opportunities for manipulation. Plurality is the rule experts like least (Laslier, 2012). Section 7 repeats such a comparison for our setting, with vetoes and an open agenda.

6 The procedure: Condorcet with a blocking quota

6.1 Design principles

Sections 3–5 translate into six principles.

- P1 **One simultaneous ballot on the whole agenda.** Voters judge all options at once (H2): no sequential or amendment agenda, hence no power for whoever orders the votes (Section 4).
- P2 **Ranking and blocking are separate acts.** The ballot has a ranking and an acceptability line; only the line is a veto. This is the separation the literature favours (Bouton et al., 2018).
- P3 **Vetoes are held by coalitions, not individuals.** An option is excluded only if a blocking minority, a share θ of the voters, finds it unacceptable: minority protection without holdouts (Propositions 1 and 2).
- P4 **The status quo is an option like the others.** It can be ranked, vetoed and elected, but it is never the default: vetoes cannot become a vote for inertia.
- P5 **The aggregation is clone-independent.** The open agenda (H1) must not reward flooding (Section 5.2).
- P6 **A decision is guaranteed.** If every option is vetoed by a blocking minority, the least-vetoed options are kept rather than none (R2).

6.2 The procedure

Definition 5 (Admissible options; θ-compromise)**.** Let $0 < \theta \leq 1/2$. The *admissible* options are $A_\theta = \{x \in A : v(x) < \theta n\}$ if this set is not empty, and the least-vetoed options $\arg\min_x v(x)$ otherwise. The *θ-compromise* is the Condorcet winner of A_θ, when it exists.

The definition is lexicographic: first, the outcome must be acceptable to all but a minority smaller than θ, if any option is; second, among such options, the majority decides. It is our reading of R1. When the Condorcet winner of the whole agenda is acceptable to all but such

a minority, it is the θ-compromise; when a blocking minority finds it unacceptable, as in Example E1, the compromise is the best option, in the majority sense, that the minority can live with.

Algorithm 1 QVC(θ): Condorcet with a blocking quota

Require: options A (all proposals and the status quo), ballots $(\succsim_i, V_i)_{i\in N}$, quota $\theta \in (0, 1/2]$, an order of the options drawn at random before the vote (for exact ties)

1: $v(x) \leftarrow |\{i : x \in V_i\}|$ for every $x \in A$ ▷ veto counts
2: $A_\theta \leftarrow \{x : v(x) < \theta n\}$
3: **if** $A_\theta = \emptyset$ **then** $A_\theta \leftarrow \arg\min_x v(x)$ ▷ fallback: never empty
4: **end if**
5: $\mathrm{N}(x, y) \leftarrow |\{i : x \succ_i y\}|$ for $x, y \in A_\theta$ ▷ pairwise counts
6: $W \leftarrow$ Schulze winners of A_θ ▷ Appendix B
7: **if** $|W| > 1$ **then** $W \leftarrow \arg\min_{x\in W} v(x)$, then the Schulze winners of W, then the first in the random order
8: **end if**
9: **return** the option in W; publish v, A_θ and the matrix N

Algorithm 1 computes the θ-compromise when it exists and completes it with the Schulze method otherwise. Ranked Pairs could replace Schulze without changing any of the properties below. The computation takes $O(nm^2 + m^3)$ operations, a fraction of a second for hundreds of options.

6.3 Properties

Proposition 4 (Decisive, with no default advantage)**.** QVC*(θ) selects exactly one option, in one ballot round, for every profile. It treats every option, the status quo included, in the same way, and its outcome does not depend on the order in which the options were proposed (except through the random order that breaks exact ties).*

Proposition 5 (Acceptability guarantee)**.** *If some option is vetoed by fewer than θn voters, so is the winner of* QVC*(θ): more than a share $1-\theta$ of the voters find it acceptable. Otherwise the winner is among the least-vetoed options. Hence the winner is vetoed by at least θn voters only if every option is, and no rule has a lower probability of electing an option vetoed by a blocking minority.*

Proposition 6 (Majority within the admissible options)**.** *The winner of* QVC*(θ) is in the Smith set of A_θ and is not Pareto-dominated. If A_θ has a Condorcet winner, it wins; in particular the Condorcet winner of the whole agenda wins whenever fewer than θn voters veto it.*

Proposition 7 (Independence of clones)**.** QVC*(θ) is independent of clones (Definition 2), up to the random order that breaks exact ties.*

The proofs are in Appendix A; the code checks Propositions 4–7 on random profiles (Appendix C). The guarantees have a price, which is the subject of the last result.

Proposition 8 (Strategic blocking)**.** *Under* QVC*(θ), any coalition of at least θn voters can make any option inadmissible by vetoing it, which defeats that option whenever another option stays admissible. If $\theta \le (m-1)/m$, and in particular for every $\theta \le 1/2$, there are profiles in which, whatever the winner w, at least θn voters prefer some other option to w, and can thus block w by vetoing it although they find it acceptable.*

Proposition 8 is the strategic face of Proposition 1: the power to block an unacceptable option is also the power to block an acceptable one. Greenberg (1979) gives the general threshold: an

option that no coalition of size θn wants to replace exists for every profile only if $\theta > (m-1)/m$, or $\theta > d/(d+1)$ in d dimensions, that is, only if the veto is weaker than majority rule. A sincere veto is cheap to cast and a strategic one is no dearer, so safeguards must come from the procedure around the vote (Section 6.6). The proportional veto core avoids the problem, since it is defined as the set of options no coalition can block given its proportional veto power (Moulin, 1981, 1982), but it fails independence of clones (Proposition 3), which H1 makes essential.

6.4 Worked examples

Table 4 applies nine rules to four small profiles.

Table 4. Winners in the worked examples

Example	Plur.	Borda	Schul.	Fallb.	PVC	Unan.	Q 25%	Q 33%	Q 50%
E1 (compromise)	A	B	A	B	B	B	B	B	A
E2 (flooding)	A	A	A	A	A	B	B	B	A
E3 (cycle)	A	A	A	B	A	C (stuck)	B (fb)	A	A
E4 (status quo)	X	X	X	Y	X	S (stuck)	X	X	X

Notes: E1: 51 voters rank A, B, C and veto C; 49 rank B, C, A and veto A. E2: E1 after the majority proposes two variants of A, ranked just below A by the majority and last by the minority, which vetoes them. E3: 35 voters rank A, B, C; 33 B, C, A; 32 C, A, B; each bloc vetoes its last option. E4: 99 voters rank X, Y, S and veto S; one voter ranks S, Y, X and vetoes X and Y. The status quo is C in E1–E3 and S in E4. Stuck: no proposal passes and the status quo stays; fb: every option is vetoed by the quota and QVC keeps the least-vetoed ones. Fallb.: fallback bargaining; PVC: Schulze within the proportional veto core; Unan.: unanimity with the status quo as default; Q x: QVC with a blocking quota $\theta = x$.
Source: Profiles of Section 6.4; `examples.py`.

- **E1, majority or compromise.** A is the Condorcet winner (51 to 49 against both others) and plurality and Schulze elect it. The 49% minority, however, ranks A last and vetoes it, while B is everyone's first or second choice. Borda's rule, fallback bargaining, the proportional veto core and QVC with $\theta \leq 49\%$ elect B; QVC(1/2) treats a 49% veto as insufficient and elects A. Which answer is right is the choice of θ.
- **E2, flooding.** The majority adds two variants of A. Borda's rule, fallback bargaining and the proportional veto core now elect A (Proposition 3); QVC is unchanged, because each variant inherits the minority's vetoes.
- **E3, a cycle.** A beats B (67–33), B beats C (68–32), C beats A (65–35); Schulze breaks the weakest link and elects A. With $\theta = 1/4$ every option is vetoed by about a third of the voters, so QVC falls back on the least-vetoed option, B; with $\theta = 1/3$, C (35 vetoes) is excluded and A wins. Unanimity keeps the status quo C, since neither proposal is preferred to it by everyone.
- **E4, the status-quo trap.** One voter prefers the status quo to everything and vetoes both proposals. Unanimity keeps the status quo against 99 voters; QVC elects X, since one veto is far below any blocking quota.

6.5 Choosing the quota and the details

The quota. θ sets the size of the smallest minority whose objection counts. The simulations of Section 7 (Figure 2) show three regimes.

- *At 15–20% and below*, in an assembly of a hundred voters where each voter vetoes 35–40% of the options, every option is vetoed by the quota and the fallback decides in most

elections: the procedure elects the least-vetoed option, which is approval voting on acceptability. Each individual veto is then only a negative vote, and the result is easily manipulated.

- *Between 25% and 40%*, the veto excludes the options that a substantial minority rejects and the majority decides among the others; the fallback is rare.
- *From 40% upwards*, the veto almost never binds before majority rule would and QVC is the Schulze method.

We recommend $\theta = 1/3$ as the default: it is the blocking third that corresponds to the two-thirds supermajorities common in statutes, close to the 35% blocking minority of the Council of the European Union and to the 36% implied by the 64% rule of Caplin and Nalebuff (1988). A group that values consensus more than majority can go down to $\theta = 1/4$; going lower brings back the problems of the individual veto. In a small group, the quota is a number of voters, $\lceil \theta n \rceil$: with ten voters and $\theta = 1/3$, four vetoes exclude an option. Below five voters, a quota of two vetoes keeps a single member from blocking alone.

The status quo. By default the status quo is an ordinary option (P4). Where a change is costly or irreversible, the group may wish to protect it, as Debian does: the winner must then beat the status quo by a stated ratio (2:1, say), failing which the status quo stays. This reintroduces inertia on purpose and should be reserved for such decisions.

The ballot. A ranking with ties allowed, plus the acceptability line. With many options, a grade-style form is easier: each option receives one of "excellent", "good", "fair", "poor" or "unacceptable", voters may order options within a grade, and the ranking and the vetoes are read from the form. Options left blank are ranked last and not vetoed. Results should publish the veto counts, the admissible set and the pairwise matrix, so that any member can check the outcome.

6.6 Safeguards against strategic vetoing

Proposition 8 cannot be removed by the counting rule; it can be contained by the procedure around it.

- **Named and reasoned vetoes.** A veto is public and states a reason, as an objection must in the IETF's rough consensus (Resnick, 2014). Responsibility for one's vote changes behaviour in committees (Breitmoser and Valasek, 2024), and social constraints are what keeps formal vetoes in check in consensus bodies (Krick, 2017). A chair or a panel may rule a veto without a reason void.
- **One revision round, only when needed.** If the fallback was used (no option acceptable to more than $1-\theta$ of the voters), the results are published, the nomination opens again for a fixed time for compromise proposals, and a second ballot is held; its result is final. Two rounds at most keep R2 while giving a divided group a chance to find a compromise, in line with the evidence that one or two rounds suffice and more rounds strengthen vetoers (Gersbach and Valkanova, 2024; Nunnari, 2021).
- **Veto budgets across decisions, not within one.** In a body that decides repeatedly, a limited stock of vetoes per member and per period, which can be saved for decisions that matter more, discourages routine blocking (Casella, 2005, on storable votes). A budget within one decision would break independence of clones: each clone added would cost a veto.

- **No lower quota than needed.** The manipulability of the procedure falls quickly as θ rises (Figure 2).

7 Simulation evidence

The propositions say what the procedure guarantees; they do not say how often the guarantees bite, nor what they cost in the typical case. A Monte Carlo study answers both, and compares QVC with twenty other rules on the same elections.

7.1 Design

Each simulated election has 101 voters and 8 options: 7 open proposals and the status quo. The proposals are made by voters drawn at random, near their own position, so that larger blocs propose more and near-duplicates arise as they would under H1. Three electorates ("cultures") are used:

- **spatial**: voters' ideal points spread over a plane, preferences decreasing with distance;
- **polarised**: two blocs of 55% and 45% on either side of the plane, the case in which a compromise matters most;
- **impartial**: random independent rankings, a worst case for majority rule, reported in Appendix C.

Each voter vetoes the options beyond a personal tolerance, fixed before the proposals are known, so that the veto reflects acceptability rather than the composition of the menu; on average a voter vetoes 35–40% of the options. Ballots are sincere, except in the manipulation study. Each rule is scored on:

- *Condorcet efficiency*: how often it elects the Condorcet winner when there is one;
- *utility efficiency*: total utility of the winner, scaled from 0 for the average option to 100 for the best (Merrill, 1984);
- *worst-off efficiency*: the same scale for the voter at the 10th percentile of utility, a measure of how well the least satisfied voters fare;
- *acceptance*: the share of voters who do not veto the winner, and *contested*: how often at least a third of the voters veto the winner;
- *deadlock*: how often the status quo stays because nothing passes.

Details, calibration and the checks of the code are in Appendix C.

7.2 Results

Condorcet methods lead on welfare. In both structured electorates, the Condorcet methods (Copeland, Minimax, Schulze, Ranked Pairs, Split Cycle) reach the highest utility efficiency, 99.5 in the spatial and 97.2–97.4 in the polarised electorate (Tables 5 and 6). Borda's rule and the evaluative rules (approval, Majority Judgment) come next; plurality and instant-runoff trail far behind in the polarised case, where they elect a bloc's favourite (utility efficiency 34 and 70). This confirms, with vetoes and an open agenda, the ranking of Merrill (1984) and Green-Armytage et al. (2016).

Table 5. The rules compared: polarised (55/45)

Rule	Condorcet eff. (%)	Utility eff. (%)	Worst-off eff. (%)	Accepted (%)	Contested (%)	Deadlock (%)	Fallback (%)
Plurality	22.4	34.4	13.3	63.4	62.1	0.0	0.0
IRV	33.1	70.0	33.3	68.5	45.6	0.0	0.0
Borda	71.2	94.5	79.1	75.3	15.2	0.0	0.0
Copeland	100.0	97.2	85.3	76.7	9.8	0.0	0.0
Minimax	100.0	97.4	85.2	76.6	10.1	0.0	0.0
Schulze	100.0	97.4	85.2	76.6	10.1	0.0	0.0
Ranked Pairs	100.0	97.4	85.1	76.6	10.2	0.0	0.0
Split Cycle	100.0	97.4	85.2	76.6	10.1	0.0	0.0
Approval	72.2	95.5	95.0	78.2	5.9	0.0	0.0
Majority Judgment	55.3	88.5	60.1	73.1	23.9	0.0	0.0
Fallback	53.7	87.7	79.9	74.7	18.6	0.0	0.0
Fallback (impasse)	15.7	3.0	27.2	60.5	58.1	100.0	0.0
Majoritarian compromise	62.2	89.1	69.0	74.1	20.8	0.0	0.0
Sequential veto	38.7	74.1	64.4	71.6	30.7	0.0	0.0
Unanimity	16.2	8.5	30.7	61.4	57.4	97.9	0.0
PVC + Schulze	90.8	96.2	86.7	76.6	10.2	0.0	0.0
QVC, any veto (1/n)	72.2	95.5	95.0	78.2	5.9	0.0	100.0
QVC, 10%	72.4	95.6	95.0	78.2	5.9	0.0	98.6
QVC, 25%	83.2	96.8	92.8	77.8	5.9	0.0	26.9
QVC, 33%	94.3	97.7	88.4	77.1	5.9	0.0	5.9
QVC, 50%	99.9	97.4	85.1	76.6	10.1	0.0	0.0

Notes: 2,000 elections, 101 voters, 8 options of which one is the status quo. Condorcet efficiency: share of the elections with a Condorcet winner (here 97.7%) in which the rule elects it. Utility efficiency: total utility of the winner, 0 for the average option and 100 for the best (Merrill, 1984). Worst-off efficiency: the same for the utility of the voter at the 10th percentile. Accepted: average share of the voters who do not veto the winner. Contested: share of the elections whose winner is vetoed by at least a third of the voters. Deadlock: the status quo stays because no proposal passes. Fallback: QVC excluded every option and kept the least vetoed. QVC, x: Condorcet with a blocking quota $\theta = x$ (Section 6). Monte Carlo standard errors are at most 1.1 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

Hard vetoes deadlock. Unanimity with the status quo as default keeps it in 98–99% of elections, and fallback bargaining with impasse never reaches an agreement: with 101 voters, no proposal is acceptable to everyone. Their outcome is then the status quo, whose utility efficiency is close to that of a random option. This is Proposition 2 in numbers.

The veto quota buys protection for the worst-off. In the polarised electorate, the Schulze winner is vetoed by at least a third of the voters in 10.1% of elections. QVC(1/3) halves that, to 5.9%, the minimum any rule can reach (Proposition 5): in those 5.9% of elections every option is vetoed by a third. It raises worst-off efficiency from 85.2 to 88.4, and it does so with no loss of total utility (97.7 against 97.4): the compromise it picks is better for the minority bloc and about as good on average. The cost is in Condorcet efficiency, 94.3%: in 5.7% of the elections that have a Condorcet winner, the majority's preferred option is set aside because a blocking third rejects it. With $\theta = 1/4$ the trade goes further (worst-off efficiency 92.8, Condorcet efficiency 83.2), towards the "least-vetoed" outcome of approval voting. In the spatial electorate, where most options are broadly acceptable, QVC(1/3) and Schulze agree in 99.5% of cases with a Condorcet winner. The proportional veto core with Schulze moves in the same direction as QVC but less (worst-off efficiency 86.7, contested 10.2%).

Table 6. The rules compared: spatial (2D)

Rule	Condorcet eff. (%)	Utility eff. (%)	Worst-off eff. (%)	Accepted (%)	Contested (%)	Deadlock (%)	Fallback (%)
Plurality	41.5	73.1	67.0	76.7	11.7	0.0	0.0
IRV	64.9	92.0	86.3	80.0	1.9	0.0	0.0
Borda	86.3	98.6	93.8	81.1	1.3	0.0	0.0
Copeland	100.0	99.5	94.9	81.3	1.1	0.0	0.0
Minimax	100.0	99.5	95.0	81.3	1.1	0.0	0.0
Schulze	100.0	99.5	95.0	81.3	1.1	0.0	0.0
Ranked Pairs	100.0	99.5	94.9	81.2	1.1	0.0	0.0
Split Cycle	100.0	99.5	95.0	81.3	1.1	0.0	0.0
Approval	78.2	97.6	94.8	81.8	0.9	0.0	0.0
Majority Judgment	77.7	97.6	91.6	80.8	1.1	0.0	0.0
Fallback	61.2	90.4	86.5	79.7	4.2	0.0	0.0
Fallback (impasse)	12.1	-2.0	-0.6	61.8	50.8	100.0	0.0
Majoritarian compromise	76.6	97.1	92.0	80.8	1.6	0.0	0.0
Sequential veto	45.2	81.8	76.9	78.0	8.4	0.0	0.0
Unanimity	12.1	-0.9	0.3	62.1	50.6	99.4	0.0
PVC + Schulze	99.5	99.5	94.8	81.3	1.1	0.0	0.0
QVC, any veto (1/n)	78.2	97.6	94.8	81.8	0.9	0.0	100.0
QVC, 10%	78.3	97.6	94.8	81.8	0.9	0.0	96.9
QVC, 25%	96.1	99.2	94.9	81.4	0.9	0.0	9.2
QVC, 33%	99.5	99.5	94.9	81.3	0.9	0.0	0.9
QVC, 50%	100.0	99.5	95.0	81.3	1.1	0.0	0.0

Notes: 2,000 elections, 101 voters, 8 options of which one is the status quo. Condorcet efficiency: share of the elections with a Condorcet winner (here 98.6%) in which the rule elects it. Utility efficiency: total utility of the winner, 0 for the average option and 100 for the best (Merrill, 1984). Worst-off efficiency: the same for the utility of the voter at the 10th percentile. Accepted: average share of the voters who do not veto the winner. Contested: share of the elections whose winner is vetoed by at least a third of the voters. Deadlock: the status quo stays because no proposal passes. Fallback: QVC excluded every option and kept the least vetoed. QVC, x: Condorcet with a blocking quota $\theta = x$ (Section 6). Monte Carlo standard errors are at most 1.1 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

Only clone-independent rules resist flooding. Adding three clones of a losing option never changes the outcome of Schulze, Ranked Pairs, Split Cycle or QVC (Table 7). It changes

that of Borda's rule in 14–24% of elections (teaming), of fallback bargaining in 25–36%, of the majoritarian compromise in 23–52%, of sequential vetoes in 68–82%, and of the proportional veto core in up to 54%. Cloning the winner defeats it under plurality in 94–100% of elections (vote splitting).

Table 7. Share of outcomes changed by three clones

Rule	Spatial: loser (%)	Spatial: winner (%)	Polarised: loser (%)	Polarised: winner (%)	Impartial: loser (%)	Impartial: winner (%)
Plurality	0.0	97.6	0.0	93.7	0.0	100.0
IRV	0.3	0.2	0.2	0.3	1.2	1.9
Borda	14.1	1.2	24.3	3.1	21.4	1.4
Copeland	0.2	0.3	0.5	0.3	7.7	3.0
Minimax	0.0	1.2	0.0	1.9	0.0	2.0
Schulze	0.0	0.0	0.0	0.0	0.0	0.0
Ranked Pairs	0.0	0.0	0.0	0.0	0.0	0.0
Split Cycle	0.0	0.0	0.0	0.0	0.0	0.0
Approval	0.0	0.0	0.0	0.0	0.0	0.2
Majority Judgment	0.0	0.0	0.0	0.0	0.0	0.0
Fallback	30.7	0.0	36.4	0.0	24.6	0.0
Fallback (impasse)	0.0	0.0	0.0	0.0	0.0	0.0
Majoritarian compromise	23.1	12.8	34.1	28.2	51.9	14.9
Sequential veto	67.8	0.0	68.7	0.0	81.9	0.0
Unanimity	0.0	0.0	0.0	0.0	0.0	0.0
PVC + Schulze	1.2	0.0	15.1	0.1	53.9	4.5
QVC, any veto (1/n)	0.0	0.0	0.0	0.0	0.0	0.0
QVC, 10%	0.0	0.0	0.0	0.0	0.0	0.0
QVC, 25%	0.0	0.0	0.0	0.0	0.0	0.0
QVC, 33%	0.0	0.0	0.0	0.0	0.0	0.0
QVC, 50%	0.0	0.0	0.0	0.0	0.0	0.0

Notes: 1,000 elections per culture, 101 voters, 8 options. Loser: three clones of a losing option, drawn at random, are added (teaming, or flooding the agenda); winner: three clones of the winner are added (vote splitting). A clone is a variant that every voter ranks next to the original, and grades and vetoes as the original (Tideman, 1987). The outcome is unchanged if the winner is the same or a clone of it. Monte Carlo standard errors at most 1.6 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

Vetoes are a strategic instrument. Table 8 reports how often a coalition of voters who prefer some option y to the winner can elect y with simple joint strategies: ranking y first and the winner last, and vetoing the winner or every option but y. With full coalitions, most decisive rules are manipulable in a majority of elections, as the Gibbard–Satterthwaite theorem leads one to expect (instant-runoff is the least exposed, as in Green-Armytage et al., 2016); QVC with $\theta < 1/2$ in nearly all, because the voters who prefer y to the winner usually number more than θn and can veto the winner (Proposition 8). The more realistic case is a small coalition, at most 10% of the voters. Schulze, Ranked Pairs, Split Cycle and Minimax are then manipulable in only 4–7% of structured elections (Copeland in 20–31%), against 37–45% for instant-runoff and 69–85% for approval voting and Majority Judgment. QVC(1/3) stands between, at 11% in the spatial and 27% in the polarised electorate; QVC(1/4) at 52–57%. Under the impartial culture all rules are highly manipulable. Unanimity is almost never manipulable, for the wrong reason: it rarely decides anything.

The trade-off in the quota. Figure 2 traces the measures as θ varies. Condorcet efficiency rises and worst-off efficiency falls with θ; the fallback, frequent below 20%, all but disappears above 30%; small-coalition manipulability falls steeply between 20% and 40%. At $\theta = 1/3$ the fallback is rare (1% of spatial and 6% of polarised elections), Condorcet efficiency is at least

Table 8. Share of elections a coalition can manipulate

Rule	Spatial: all (%)	Spatial: 10% (%)	Polarised: all (%)	Polarised: 10% (%)	Impartial: all (%)	Impartial: 10% (%)
Plurality	94.2	53.8	98.6	45.0	100.0	98.0
IRV	47.8	36.6	76.2	44.6	53.4	51.6
Borda	97.8	79.0	96.8	81.6	100.0	95.2
Copeland	96.2	19.8	96.8	31.2	100.0	88.4
Minimax	63.2	4.8	53.8	7.0	100.0	70.8
Schulze	63.2	4.8	53.8	6.8	100.0	71.2
Ranked Pairs	71.6	4.4	69.8	6.2	100.0	64.8
Split Cycle	73.0	5.0	72.2	7.2	100.0	72.2
Approval	99.6	84.6	100.0	68.8	100.0	90.6
Majority Judgment	98.8	79.0	99.4	79.8	100.0	86.6
Fallback	83.6	97.4	86.2	98.8	100.0	90.6
Fallback (impasse)	5.8	0.0	15.8	0.0	0.0	0.0
Majoritarian compromise	77.2	33.0	81.2	39.4	100.0	81.6
Sequential veto	76.8	76.8	63.2	63.2	69.2	69.2
Unanimity	0.0	0.0	0.8	0.8	0.0	0.0
PVC + Schulze	98.4	5.8	87.6	7.0	100.0	95.4
QVC, any veto (1/n)	99.6	84.6	100.0	68.8	100.0	90.6
QVC, 10%	99.6	84.6	100.0	68.8	100.0	90.6
QVC, 25%	99.6	51.8	100.0	56.8	100.0	90.6
QVC, 33%	99.4	11.0	100.0	26.6	100.0	81.8
QVC, 50%	72.2	4.8	83.6	7.0	100.0	71.2

Notes: 500 elections per culture, 101 voters, 8 options. An election counts as manipulable if, for some option y, voters who prefer y to the winner can elect y by one of three joint strategies: rank y first and the winner last, vetoing the winner; the same, vetoing every option but y; or rank the winner last and veto it. All: every voter who prefers y to the winner joins; 10%: at most 10 of them. Other strategies may succeed where these fail: the shares are lower bounds. Monte Carlo standard errors at most 2.2 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

94% and most of the gain in worst-off efficiency is kept; a quarter buys more protection at the price of a fallback in a quarter of polarised elections and two to four times the small-coalition manipulability.




Figure 2. QVC: what the blocking quota buys and costs

Notes: Each line is a measure of the winner of QVC(θ) as the blocking quota θ varies, from a single veto ($1/n$, plotted at 1%) to half of the voters. Condorcet efficiency, worst-off efficiency and fallback as in Table 5; manipulable (10%): share of elections a coalition of at most 10% of the voters can manipulate (Table 8). 1,000 elections per culture (300 for manipulability), 101 voters, 8 options. The vertical line marks the recommended quota, $\theta = 1/3$. Values in Table 10.
Source: Monte Carlo simulation, `experiments.py`; `figures.py`.

7.3 What the simulation does not show

The cultures are stylised: two dimensions, Euclidean preferences, a fixed tolerance for vetoes, and a proposal process with no deliberation. The manipulation study gives full information to the coalition and only counts three strategies, so it bounds manipulability from below; it does not model the safeguards of Section 6.6, which act on the willingness to veto strategically rather than on the counting rule. Ballots from real assemblies, for instance from the PrefLib library (Mattei and Walsh, 2013), would test the conclusions on observed preferences; Debian's published ballots would be a natural start.

8 Discussion

8.1 How firm are the conclusions?

Three conclusions rest on theorems and are not in doubt: no procedure is immune to manipulation; the majority principle and a minority veto conflict in some profiles; and individual vetoes with the status quo as default deadlock a large assembly. Two rest on a broad and consistent literature: Condorcet methods achieve the best welfare among common rules when preferences have structure, and an open agenda calls for independence of clones. The recommendation of a blocking quota of one third is a judgement on a trade-off, supported by simulations on stylised electorates; the shape of the trade-off is robust across our cultures, the precise numbers are not.

8.2 Limits of this note

The note considers a single decision. Repeated decisions raise questions it does not treat: today's outcome becomes tomorrow's status quo (Dziuda and Loeper, 2016), vetoes can be traded or saved (Casella, 2005), and reputations form. It takes preferences and proposals as given, whereas deliberation changes both, and the IETF's practice suggests that much of the value of a consensus process lies in how objections are discussed rather than counted (Resnick, 2014). All voters have equal weight; weighted assemblies (shareholders, federations) would need weighted counts and a weighted quota, which the procedure accommodates but we have not analysed. Finally, the literature search behind the Consensus review, and our own additions, focus on economics, political science and computational social choice; work in management science on group decision support, and in law on supermajority requirements, is not covered.

8.3 Open questions

- **A clone-proof proportional veto?** The proportional veto core protects minorities in a way that no coalition can undo, but fails independence of clones; the blocking quota is clone-proof but open to strategic blocking (Propositions 3 and 8). Whether some rule combines independence of clones, veto power proportional to size and a non-empty core, or whether the three are incompatible, is open as far as we know.
- **Fast procedures with hard vetoes.** One- and two-round proposal procedures reach the Condorcet winner quickly under single-peaked preferences (Gersbach, 2025; Gersbach and Valkanova, 2024); their behaviour with binding vetoes and several dimensions is unknown (a gap also noted by the Consensus review).
- **Strategic comparison of compromise rules.** Fallback bargaining, shortlisting, veto-rank and proportional veto have been analysed under different assumptions; a common framework with strategic voters and many parties is missing (Barberà and Coelho, 2022; Cailloux et al., 2023).
- **Behaviour.** Do named and reasoned vetoes reduce strategic blocking in practice? The evidence on responsibility in committees (Breitmoser and Valasek, 2024) and on tacit consent (Krick, 2017) suggests so; a laboratory test of QVC with and without such safeguards would settle it.
- **Real ballots.** The conclusions should be checked on observed ranked ballots with acceptability lines, of which Debian's general resolutions are a public source (Debian Project, 2022; Mattei and Walsh, 2013).

8.4 Putting the procedure to work

For an organisation that wants to adopt it, the procedure fits on one page.

1. **Fix the parameters in advance**: the blocking quota (one third by default; as a number of voters, $\lceil n/3 \rceil$), whether the status quo is protected (by default not), the length of the nomination period, and the rule for the optional revision round.
2. **Nomination**: anyone may propose any number of options; the status quo, or "none of the above", is on the ballot. Identical proposals may be merged, but variants need not be.
3. **Ballot**: rank or grade every option, ties allowed, and mark the unacceptable ones; a veto is named and gives a reason.
4. **Count** with Algorithm 1; publish the veto counts, the admissible options, the pairwise matrix and the winner. The count can be checked by any member with the reference code

(`simulations/python/voting.py`).

5. **Revision round**, only if every option was vetoed by the quota: reopen nominations briefly, vote again, and accept the second result as final.

9 Conclusion

The research consensus on veto rights is negative about unanimity and positive about vetoes that are separate from approval and limited to blocking what is unacceptable. Social choice adds that no procedure escapes manipulation, that the majority principle and a minority veto must be traded against each other, and that an open agenda requires independence of clones. These findings point to one design: a single ballot on which every voter ranks every option and marks the unacceptable ones; the exclusion of the options rejected by a blocking minority; a guaranteed decision when every option is rejected; and the Schulze winner among the options left. With a blocking third, this procedure, QVC(1/3), never deadlocks, elects an option acceptable to more than two thirds of the voters whenever there is one, respects the majority among such options, ignores flooding, and in a polarised electorate halves the share of contested outcomes compared with the Schulze method, at no cost in total welfare. Its weakness is the weakness of any veto: a blocking minority can use its power strategically. That risk is contained by procedure, with named and reasoned vetoes, a quota no lower than a quarter and at most one revision round, and it is the price of the protection the veto gives.

A Proofs

Proposition 1. Take n large enough that some integer k satisfies $\theta n < k < n/2$, and options $x, y, z_1, \ldots, z_{m-2}$. Let $n-k$ voters rank $x \succ y \succ z_1 \succ \ldots \succ z_{m-2}$ and veto nothing, and k voters rank $y \succ z_1 \succ \ldots \succ z_{m-2} \succ x$ and veto x only. Since $n - k > n/2$, x beats every other option: it is the Condorcet winner. It is vetoed by $k > \theta n$ voters, while y is vetoed by none. A rule that elects the Condorcet winner elects here an option vetoed by at least θn voters although y is vetoed by fewer, which proves the first claim. For the second, the coalition T of the k minority voters unanimously prefers the $m-1$ other options to x; it blocks x if $m-1 \geq m - \lceil mk/n \rceil + 1$, that is, if $\lceil mk/n \rceil \geq 2$, which holds when $k/n > 1/m$. □

Proposition 2. (i) Suppose an option $y \neq s$ is strictly preferred to s by every voter: $\|y-p_i\| < \|s-p_i\|$ for all i. Expanding the squares, this is $(y-s)\cdot p_i > (\|y\|^2 - \|s\|^2)/2$ for all i: every ideal point lies in the open half-space $H = \{z : (y-s)\cdot z > (\|y\|^2 - \|s\|^2)/2\}$. H is convex, so it contains the convex hull of the ideal points. But $s \notin H$, since $(y-s)\cdot s - (\|y\|^2 - \|s\|^2)/2 = -\|y-s\|^2/2 < 0$. Hence s is not in the convex hull, a contradiction. Under unanimity with the status quo as default, a proposal passes only if every voter prefers it to s, so none passes.

(ii) Let U be an open ball around s contained in the support. Choose a simplex $\Delta \subset U$ with vertices $a_0, \ldots, a_d$ that contains s in its interior, and $\varepsilon > 0$ small enough that every simplex with one vertex in each ball $B(a_j, \varepsilon)$ still contains s (the barycentric coordinates of s depend continuously on the vertices). Each ball $B(a_j, \varepsilon)$ lies in the support and has probability $q_j > 0$. If every ball contains at least one ideal point, s is in their convex hull. The probability that some ball is empty is at most $\sum_j (1-q_j)^n$, which tends to zero. □

Proposition 3. In Example E1 ($n = 100$, $m = 3$), the 49 minority voters prefer B and C to A; since $2 \geq 3 - \lceil 3 \cdot 49/100 \rceil + 1 = 2$, they block A, which is outside the core. In Example E2 ($m = 5$), they still prefer only B and C to A, and $2 < 5 - \lceil 5 \cdot 49/100 \rceil + 1 = 3$: they no longer

block A. No other coalition does either, since a coalition that contains a majority voter has no option that all its members prefer to A, and a smaller coalition of minority voters has less veto power. So A enters the core, and as the Condorcet winner it is elected by Schulze within the core, while B was elected before (Table 4). For fallback bargaining, in E1 the majority's top two $\{A, B\}$ and the minority's $\{B, C\}$ meet at B at depth 2. In E2 the majority's top two are $\{A, A_2\}$ and nothing is common at depth 2; at depth 3 the majority's $\{A, A_2, A_3\}$ and the minority's $\{B, C, A\}$ meet at A, which wins. □

Proposition 4. The admissible set is never empty: either some option is vetoed by fewer than θn voters, or the fallback keeps the least-vetoed options. The Schulze method always has at least one winner on a non-empty set (Schulze, 2011), and the tie-break ends with a strict order, so exactly one option is selected. All steps use only the ballots, and treat every option, the status quo included, alike; the order of proposal enters nowhere. □

Proposition 5. If some option has $v(x) < \theta n$, the admissible set is $\{x : v(x) < \theta n\}$ and the winner belongs to it. Otherwise the winner belongs to $\arg\min v$. In both cases the winner is vetoed by at least θn voters only if every option is, which no rule can avoid. □

Proposition 6. The Schulze method is Smith-consistent, hence Condorcet-consistent (Schulze, 2011); applied to the profile restricted to A_θ, its winners lie in the Smith set of A_θ, and the tie-break selects among them. If the Condorcet winner c of A has $v(c) < \theta n$, then A_θ is the set of options vetoed by fewer than θn voters, $c \in A_\theta$, and c beats every option of A_θ, so it wins. For Pareto, let y dominate x: every voter weakly prefers y to x, some strictly. By consistency of the veto sets, any voter who vetoes y also vetoes x, so $v(y) \le v(x)$ and $y \in A_\theta$ whenever $x \in A_\theta$, in both branches of the definition. Within A_θ, y beats x, and the Schulze method never elects a Pareto-dominated option (Schulze, 2011). □

Proposition 7. Let x' be a clone of x. By Definition 2, $v(x') = v(x)$ and the veto counts of the other options are unchanged. In the first branch, $x' \in A_\theta$ if and only if $x \in A_\theta$, and the other options keep their status; in the fallback branch, the minimum veto count is unchanged and $x' \in \arg\min v$ if and only if x is. So the admissible set either gains x' (if it contains x) or is unchanged, and $\{x, x'\}$ is a clone set in the profile restricted to it. The Schulze method is independent of clones (Schulze, 2011); the first tie-break (fewest vetoes) gives clones equal counts, and the second applies Schulze again. The winner is therefore unchanged up to the clone set, except when the final random order separates exactly tied options. □

Proposition 8. A coalition C with $|C| \ge \theta n$ that vetoes x raises $v(x)$ to at least θn, so that $x \notin A_\theta$ unless no option is vetoed by fewer than θn voters. For the second claim, let n be a multiple of m and split the voters into m equal blocs; bloc j ranks the options in the cyclic order $o_j \succ o_{j+1} \succ \ldots \succ o_{j-1}$ (indices modulo m) and vetoes nothing, so every option is admissible. Whatever the winner $w = o_k$, every bloc except bloc k prefers o_{k-1} to w: a coalition of $(m-1)n/m \ge \theta n$ voters prefers another option and can make w inadmissible by vetoing it, while the other options stay admissible. □

B Algorithms

The reference implementation is `simulations/python/voting.py`; its `-check` option tests each algorithm below against a brute-force or textbook result (Appendix C).

Pairwise counts. $\mathrm{N}(x,y) = |\{i : x \succ_i y\}|$ for all pairs, in $O(nm^2)$ operations. Ties in a ballot count for neither option.

Schulze method (Schulze, 2011). On a set S of options, the link from x to y has strength $d(x,y) = \mathrm{N}(x,y)$ if $\mathrm{N}(x,y) > \mathrm{N}(y,x)$ and 0 otherwise (winning votes). The strength $p(x,y)$ of the strongest path from x to y is the largest, over paths $x = c_0, c_1, \ldots, c_k = y$ in S, of the weakest link $\min_j d(c_{j-1}, c_j)$. It is computed by the Floyd–Warshall recursion for widest paths:

$$p(x,y) \leftarrow \max(p(x,y),\ \min(p(x,z), p(z,y))) \quad \text{for } z \in S, \text{ then all } x, y,$$

starting from $p = d$, in $O(|S|^3)$ operations. The winners are the options x with $p(x,y) \geq p(y,x)$ for every $y \in S$; there is always at least one.

Split Cycle (Holliday and Pacuit, 2023a). With margins $M(x,y) = \mathrm{N}(x,y) - \mathrm{N}(y,x)$, let $q(y,x)$ be the strength of the strongest path from y to x through positive margins, computed as above. Option x defeats y if $M(x,y) > 0$ and $M(x,y) > q(y,x)$: the majority of x over y is not the weakest link of a cycle. The winners are the undefeated options.

Ranked Pairs (Tideman, 1987). Sort the pairwise majorities by decreasing strength and lock each one in turn unless it would close a cycle with those already locked; the winner is the option with no locked defeat.

QVC(θ). Algorithm 1: veto counts in $O(nm)$, the admissible set in $O(m)$, the Schulze winners of the admissible set in $O(nm^2 + m^3)$.

Proportional veto core. Testing every coalition is exponential in n. A max-flow test is polynomial; Ianovski and Kondratev (2021) give a polynomial algorithm, and the test below is the one we implement.

Lemma 9. *For option x and voter i, let $W_i(x)$ be the set of options that i ranks at or below x (x included). Then x is in the proportional veto core if and only if, for every coalition T, $|\bigcup_{i\in T} W_i(x)| \geq m|T|/n$. Equivalently, in the network with a source, one node per voter and per option, and a sink, with arcs source $\to i$ of capacity m, $i \to y$ of unbounded capacity for $y \in W_i(x)$, and $y \to$ sink of capacity n, the maximum flow equals mn.*

Proof. Coalition T of t voters blocks x if at least $m - \lceil mt/n \rceil + 1$ options are preferred to x by all its members. The options preferred to x by every member of T are the complement of $\bigcup_{i\in T} W_i(x)$, so T blocks x if and only if $m - |\bigcup_T W_i(x)| \geq m - \lceil mt/n \rceil + 1$, that is $|\bigcup_T W_i(x)| < \lceil mt/n \rceil$, which for an integer left-hand side is $|\bigcup_T W_i(x)| < mt/n$. For the flow, a cut that keeps the voters of T on the source side must also keep $\bigcup_T W_i(x)$ there (the arcs from voters are unbounded); its capacity is $m(n-t) + n\,|\bigcup_T W_i(x)|$. The minimum cut, hence the maximum flow, equals mn if and only if $n\,|\bigcup_T W_i(x)| \geq mt$ for every T. □

The test takes one max-flow computation per option, on a network of $n + m + 2$ nodes. Our check compares it with the definition, by enumeration of all coalitions, on random profiles with up to seven voters and six options, with and without ties.

Tie-breaking. Every rule in the simulations returns a set of tied winners, broken by fewest vetoes, then the Schulze winners among the tied options, then the lowest index (the order of options is random). Both criteria are independent of clones, so the tie-break does not undo that property where a rule has it.

C The simulation in detail

Elections. Each election has $n = 101$ voters (odd, to limit pairwise ties) and $m = 8$ options. Seven are open proposals: each is made by a voter drawn at random and placed at that voter's ideal point plus a Gaussian perturbation of standard deviation 0.25 per coordinate; the eighth, the status quo, is drawn from $\mathcal{N}(0, I_2)$ independently of the voters. Utilities are minus the Euclidean distance between a voter's ideal point and an option.

- *Spatial*: ideal points drawn from $\mathcal{N}(0, I_2)$.
- *Polarised*: each voter belongs to one of two blocs with probabilities 0.55 and 0.45, centred at $(-1.2, 0)$ and $(1.2, 0)$, with ideal points drawn around the bloc centre with standard deviation 0.6 per coordinate.
- *Impartial*: utilities drawn independently and uniformly on $[0, 1]$; no spatial structure.
- *Spatial (1D)*, for Table 1 and the checks: as spatial, on a line.

The exact draws are in `cultures.py`.

Vetoes and grades. Voter i vetoes the options beyond a personal tolerance: distance above $\rho_i \sim U(1.5, 2.5)$ in the spatial cultures ($U(0.75, 1.25)$ on the line), utility below $\tau_i \sim U(0.2, 0.5)$ in the impartial culture. Voters veto 38% of the options on average in the spatial culture, 40% in the polarised and 35% in the impartial culture. The tolerance does not depend on the menu, so a voter never vetoes an option ranked above one they accept, and clones inherit the vetoes of the original. Majority Judgment uses grades 0–5: 0 (reject) for a vetoed option; acceptable options are graded 1–5 by their utility relative to the voter's tolerance.

Measures. For a winner w and a score S over options, efficiency is $(S(w)-\bar{S})/(\max_x S(x)-\bar{S})$, with $\bar{S}$ the mean over options (Merrill, 1984); S is the sum of utilities (utility efficiency) or the 10th percentile of utilities across voters (worst-off efficiency). Condorcet efficiency is computed on the elections that have a Condorcet winner. Monte Carlo standard errors of a share p estimated on R elections are $\sqrt{p(1-p)/R}$: at most 1.1 points for the 2,000 elections of the performance tables, 1.6 points for 1,000 elections, 2.2 points for 500.

Manipulation. For a winner w and each other option y, the coalition is the set of voters who strictly prefer y to w, or the first 10 of them (10% of the voters; voters are exchangeable, so the first in index order are a random subset). The coalition tries three joint ballots: (1) y ranked first and acceptable, w ranked last and vetoed, other rankings and vetoes sincere; (2) as (1), with every option but y vetoed; (3) w ranked last and vetoed, the rest sincere. The election is manipulable if one of them elects y. Other strategies may succeed where these fail, so the shares are lower bounds, as in Green-Armytage et al. (2016).

Clones. Three clones of an option are added: each voter ranks them next to the original, in a random order among themselves, and grades and vetoes them as the original. A clone of the original winner counts as the original.

Reproducibility and checks. Every election is drawn from its own seed, so results do not depend on the number of processes; `experiments.py` writes all tables in a few minutes on four cores. Three scripts check the code:

- `voting.py -check`: the max-flow test of the proportional veto core against its definition; Condorcet consistency, Smith consistency and Pareto optimality of Schulze, Split Cycle

and Ranked Pairs; the Schulze path strengths against an enumeration of paths; textbook examples; and Propositions 4–7 on random profiles;

- `experiments.py -check`: the probability of a Condorcet winner under the impartial culture with 1,001 voters against the limits for three to five options; the median-voter result in one dimension (Black, 1948); Proposition 2(i); and the consistency of the measures;
- `examples.py -check`: the winners stated in Section 6.4.

Table 9. The rules compared: impartial culture

Rule	Condorcet eff. (%)	Utility eff. (%)	Worst-off eff. (%)	Accepted (%)	Contested (%)	Deadlock (%)	Fallback (%)
Plurality	48.0	58.8	17.9	67.6	42.0	0.0	0.0
IRV	85.0	75.4	32.6	69.0	29.8	0.0	0.0
Borda	84.5	92.7	49.8	70.2	18.4	0.0	0.0
Copeland	100.0	88.1	46.6	70.2	17.4	0.0	0.0
Minimax	100.0	87.2	44.7	70.0	19.5	0.0	0.0
Schulze	100.0	87.3	44.4	70.0	19.3	0.0	0.0
Ranked Pairs	100.0	84.8	43.4	69.7	22.8	0.0	0.0
Split Cycle	100.0	87.3	44.9	70.1	17.9	0.0	0.0
Approval	59.7	80.3	49.1	71.6	3.6	0.0	0.0
Majority Judgment	61.9	85.5	34.5	69.9	18.9	0.0	0.0
Fallback	59.7	80.3	49.1	71.6	3.6	0.0	0.0
Fallback (impasse)	12.8	0.7	-2.6	65.1	65.0	100.0	0.0
Majoritarian compromise	67.2	80.7	38.1	70.0	19.2	0.0	0.0
Sequential veto	18.5	16.4	9.6	66.0	56.3	0.0	0.0
Unanimity	12.8	0.7	-2.6	65.1	65.0	100.0	0.0
PVC + Schulze	84.6	80.2	52.7	69.8	22.7	0.0	0.0
QVC, any veto (1/n)	59.7	80.3	49.1	71.6	3.6	0.0	100.0
QVC, 10%	59.7	80.3	49.1	71.6	3.6	0.0	100.0
QVC, 25%	60.1	80.3	48.9	71.6	3.6	0.0	85.4
QVC, 33%	86.0	84.5	44.6	70.7	3.6	0.0	3.6
QVC, 50%	100.0	87.3	44.4	70.0	19.3	0.0	0.0

Notes: 2,000 elections, 101 voters, 8 options of which one is the status quo. Condorcet efficiency: share of the elections with a Condorcet winner (here 58.0%) in which the rule elects it. Utility efficiency: total utility of the winner, 0 for the average option and 100 for the best (Merrill, 1984). Worst-off efficiency: the same for the utility of the voter at the 10th percentile. Accepted: average share of the voters who do not veto the winner. Contested: share of the elections whose winner is vetoed by at least a third of the voters. Deadlock: the status quo stays because no proposal passes. Fallback: QVC excluded every option and kept the least vetoed. QVC, x: Condorcet with a blocking quota $\theta = x$ (Section 6). Monte Carlo standard errors are at most 1.1 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

References

Marina Agranov and Chloe Tergiman. Communication in bargaining games with unanimity. *Experimental Economics*, 22(2):350–368, 2019. doi: 10.1007/s10683-018-9571-6.

Nejat Anbarci. Noncooperative foundations of the area monotonic solution. *Quarterly Journal of Economics*, 108(1):245–258, 1993. doi: 10.2307/2118502.

Vincent Anesi and T. Renee Bowen. Policy experimentation in committees: A case against veto rights under redistributive constraints. *American Economic Journal: Microeconomics*, 13(3): 124–162, 2021. doi: 10.1257/mic.20190023.

Vincent Anesi and John Duggan. Dynamic bargaining and stability with veto players. *Games and Economic Behavior*, 103:30–40, 2017. doi: 10.1016/j.geb.2016.04.010.

Table 10. QVC: the blocking quota

Quota	Condorcet eff. (%)	Utility eff. (%)	Worst-off eff. (%)	Accepted (%)	Contested (%)	Fallback (%)	Manip. all (%)	Manip. 10% (%)
Spatial, 1/n (any veto)	77.8	97.5	94.5	82.1	0.8	100.0	99.0	87.3
Spatial, 5%	77.8	97.5	94.5	82.1	0.8	100.0	99.0	87.3
Spatial, 10%	77.9	97.5	94.5	82.1	0.8	95.1	99.0	87.3
Spatial, 15%	80.1	97.7	94.4	82.1	0.8	66.5	99.0	87.0
Spatial, 20%	88.5	98.5	94.3	81.9	0.8	27.6	99.0	79.0
Spatial, 25%	96.1	99.3	94.7	81.6	0.8	7.8	99.0	48.7
Spatial, 30%	99.2	99.5	94.6	81.5	0.8	2.3	99.0	20.3
Spatial, 33%	99.5	99.6	94.8	81.5	0.8	0.8	99.0	12.3
Spatial, 40%	100.0	99.5	94.6	81.5	1.1	0.2	96.3	6.7
Spatial, 50%	100.0	99.5	94.6	81.5	1.1	0.0	71.7	5.7
Spatial, none (Schulze)	100.0	99.5	94.6	81.5	1.1	0.0	61.3	5.7
Polarised, 1/n (any veto)	71.5	94.8	95.2	78.5	5.9	100.0	99.7	66.7
Polarised, 5%	71.5	94.8	95.2	78.5	5.9	100.0	99.7	66.7
Polarised, 10%	71.5	94.8	95.2	78.5	5.9	98.5	99.7	66.7
Polarised, 15%	72.2	94.9	95.2	78.5	5.9	83.0	99.7	66.7
Polarised, 20%	75.7	95.4	94.5	78.4	5.9	51.6	99.7	65.0
Polarised, 25%	84.1	96.5	92.1	78.0	5.9	25.3	99.7	54.7
Polarised, 30%	91.6	97.0	89.6	77.5	5.9	10.8	99.7	37.0
Polarised, 33%	94.9	97.4	88.8	77.3	5.9	5.9	99.7	29.0
Polarised, 40%	99.0	97.3	86.8	77.0	9.0	0.7	99.0	15.7
Polarised, 50%	100.0	97.2	86.4	77.0	9.0	0.0	82.0	10.7
Polarised, none (Schulze)	100.0	97.2	86.4	77.0	9.0	0.0	52.0	9.3

Notes: 1,000 elections per culture (300 for manipulability), 101 voters, 8 options. Quota: the share θ of the voters whose vetoes exclude an option; 1/n, a single veto; none, no veto (the Schulze rule). Measures as in Table 6; Manip.: manipulable by all the voters who prefer another option, or by at most 10% of the voters, as in Table 8.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

Table 11. Deadlock under unanimity as the assembly grows

Voters	Status quo Pareto-optimal (%)	Unanimity: deadlock (%)	QVC 1/n: fallback (%)	QVC 25%: fallback (%)	QVC 33%: fallback (%)
3	7.4	43.3	29.0	29.0	29.0
5	26.7	67.4	51.7	14.5	14.5
11	50.5	85.8	81.2	24.2	7.7
21	70.1	94.6	97.4	15.5	6.4
51	85.7	98.4	99.9	12.8	2.5
101	92.8	99.6	100.0	8.9	0.8
201	95.3	100.0	100.0	7.1	0.4

Notes: 1,000 elections per row, spatial culture (2D), 8 options including the status quo. Status quo Pareto-optimal: the status quo lies in the convex hull of the voters' ideal points, so that no option whatsoever is preferred to it by every voter (Proposition 2). Unanimity: no proposal is preferred to the status quo by every voter, which stays. QVC: share of the elections in which every option is vetoed by the quota and the least-vetoed options are kept; QVC still decides. Monte Carlo standard errors at most 1.6 points.
Source: Monte Carlo simulation, cultures of `cultures.py`, rules of `voting.py`; `experiments.py`.

Vincent Anesi and Daniel J. Seidmann. Bargaining in standing committees with an endogenous default. *Review of Economic Studies*, 82(3):825–867, 2015. doi: 10.1093/restud/rdv009.

Kenneth J. Arrow. *Social Choice and Individual Values*. Number 12 in Cowles Commission Monograph. John Wiley & Sons, New York, 1951.

Michel Balinski and Rida Laraki. A theory of measuring, electing, and ranking. *Proceedings of the National Academy of Sciences*, 104(21):8720–8725, 2007. doi: 10.1073/pnas.0702634104.

Michel Balinski and Rida Laraki. *Majority Judgment: Measuring, Ranking, and Electing*. MIT Press, Cambridge, MA, 2011. ISBN 978-0-262-01513-4. doi: 10.7551/mitpress/9780262015134.001.0001.

Salvador Barberà and Danilo Coelho. Balancing the power to appoint officers. *Games and Economic Behavior*, 101:189–203, 2017. doi: 10.1016/j.geb.2015.10.005.

Salvador Barberà and Danilo Coelho. Compromising on compromise rules. *RAND Journal of Economics*, 53(1):95–112, 2022. doi: 10.1111/1756-2171.12401.

Salvador Barberà and Anke Gerber. Sequential voting and agenda manipulation. *Theoretical Economics*, 12(1):211–247, 2017. doi: 10.3982/TE2118.

David P. Baron and John A. Ferejohn. Bargaining in legislatures. *American Political Science Review*, 83(4):1181–1206, 1989. doi: 10.2307/1961664.

John J. Bartholdi, III, Craig A. Tovey, and Michael A. Trick. Voting schemes for which it can be difficult to tell who won the election. *Social Choice and Welfare*, 6(2):157–165, 1989a. doi: 10.1007/BF00303169.

John J. Bartholdi, III, Craig A. Tovey, and Michael A. Trick. The computational difficulty of manipulating an election. *Social Choice and Welfare*, 6(3):227–241, 1989b. doi: 10.1007/BF00295861.

Duncan Black. On the rationale of group decision-making. *Journal of Political Economy*, 56(1):23–34, 1948. doi: 10.1086/256633.

Katalin Bognar, Tilman Börgers, and Moritz Meyer-ter Vehn. An optimal voting procedure when voting is costly. *Journal of Economic Theory*, 159(Part B):1056–1073, 2015. doi: 10.1016/j.jet.2014.11.008.

Laurent Bouton, Aniol Llorente-Saguer, and Frédéric Malherbe. Unanimous rules in the laboratory. *Games and Economic Behavior*, 102:179–198, 2017. doi: 10.1016/j.geb.2016.12.001.

Laurent Bouton, Aniol Llorente-Saguer, and Frédéric Malherbe. Get rid of unanimity rule: The superiority of majority rules with veto power. *Journal of Political Economy*, 126(1):107–149, 2018. doi: 10.1086/695477.

Steven J. Brams and Peter C. Fishburn. Approval voting. *American Political Science Review*, 72(3):831–847, 1978. doi: 10.2307/1955105.

Steven J. Brams and D. Marc Kilgour. Fallback bargaining. *Group Decision and Negotiation*, 10(4):287–316, 2001. doi: 10.1023/A:1011252808608.

Florian Brandl, Felix Brandt, and Hans Georg Seedig. Consistent probabilistic social choice. *Econometrica*, 84(5):1839–1880, 2016. doi: 10.3982/ECTA13337.

Felix Brandt, Vincent Conitzer, Ulle Endriss, Jérôme Lang, and Ariel D. Procaccia, editors. *Handbook of Computational Social Choice*. Cambridge University Press, Cambridge, 2016. doi: 10.1017/CBO9781107446984.

Felix Brandt, Christian Geist, and Dominik Peters. Optimal bounds for the no-show paradox via SAT solving. *Mathematical Social Sciences*, 90:18–27, 2017. doi: 10.1016/j.mathsocsci.2016.09.003.

Yves Breitmoser and Justin Valasek. Strategic communication in committees with expressive payoffs. *RAND Journal of Economics*, 55(1):33–54, 2024. doi: 10.1111/1756-2171.12457.

James M. Buchanan and Gordon Tullock. *The Calculus of Consent: Logical Foundations of Constitutional Democracy*. University of Michigan Press, Ann Arbor, 1962.

Olivier Cailloux, Beatrice Napolitano, and M. Remzi Sanver. Compromising as an equal loss principle. *Review of Economic Design*, 27(3):547–560, 2023. doi: 10.1007/s10058-022-00302-w.

Andrew Caplin and Barry Nalebuff. On 64%-majority rule. *Econometrica*, 56(4):787–814, 1988. doi: 10.2307/1912699.

Alessandra Casella. Storable votes. *Games and Economic Behavior*, 51(2):391–419, 2005. doi: 10.1016/j.geb.2004.09.009.

Condorcet, Marquis de. *Essai sur l'application de l'analyse à la probabilité des décisions rendues à la pluralité des voix*. Imprimerie Royale, Paris, 1785.

Debian Project. Constitution for the Debian project (v1.9). Version 1.9, ratified 26 March 2022, Appendix A: Standard Resolution Procedure, 2022. URL https://www.debian.org/devel/constitution. Accessed October 2026.

Wioletta Dziuda and Antoine Loeper. Dynamic collective choice with endogenous status quo. *Journal of Political Economy*, 124(4):1148–1186, 2016. doi: 10.1086/686747.

Edith Elkind, Piotr Faliszewski, and Arkadii Slinko. Distance rationalization of voting rules. *Social Choice and Welfare*, 45(2):345–377, 2015. doi: 10.1007/s00355-015-0892-5.

European Union. Consolidated version of the Treaty on European Union, Article 16. Official Journal of the European Union, C 202, 7.6.2016, p. 24, 2016. URL http://data.europa.eu/eli/treaty/teu_2016/oj.

Piotr Faliszewski and Ariel D. Procaccia. AI's war on manipulation: Are we winning? *AI Magazine*, 31(4):53–64, 2010. doi: 10.1609/aimag.v31i4.2314.

Dan S. Felsenthal. Review of paradoxes afflicting procedures for electing a single candidate. In Dan S. Felsenthal and Moshé Machover, editors, *Electoral Systems: Paradoxes, Assumptions, and Procedures*, Studies in Choice and Welfare, pages 19–91. Springer, Berlin, Heidelberg, 2012. doi: 10.1007/978-3-642-20441-8_3.

Dan S. Felsenthal and Moshé Machover. The majority judgement voting procedure: A critical evaluation. *Homo Oeconomicus*, 25(3/4):319–334, 2008.

Peter C. Fishburn. Condorcet social choice functions. *SIAM Journal on Applied Mathematics*, 33(3):469–489, 1977. doi: 10.1137/0133030.

Peter C. Fishburn. Probabilistic social choice based on simple voting comparisons. *Review of Economic Studies*, 51(4):683–692, 1984. doi: 10.2307/2297786.

William V. Gehrlein. *Condorcet's Paradox*, volume 40 of *Theory and Decision Library C*. Springer, Berlin, Heidelberg, 2006. doi: 10.1007/3-540-33799-7.

William V. Gehrlein and Peter C. Fishburn. The probability of the paradox of voting: A computable solution. *Journal of Economic Theory*, 13(1):14–25, 1976. doi: 10.1016/0022-0531(76)90063-6.

Hans Gersbach. Forms of new democracy. *Social Choice and Welfare*, 62(4):799–837, 2024. doi: 10.1007/s00355-023-01505-y.

Hans Gersbach. Propose or vote: A canonical democratic procedure, 2025. URL https://arxiv.org/abs/2506.05998. arXiv:2506.05998; also CEPR Discussion Paper DP21026.

Hans Gersbach and Kremena Valkanova. Voting with random proposers: Two rounds may suffice, 2024. URL https://arxiv.org/abs/2410.20476. arXiv:2410.20476.

Allan Gibbard. Manipulation of voting schemes: A general result. *Econometrica*, 41(4):587–601, 1973. doi: 10.2307/1914083.

Nektaria Glynia, Marcel Thum, and Dimitrios Xefteris. Unanimity versus majority: Proposing under incomplete information. *Public Choice*, 208(3–4):691–719, 2026. doi: 10.1007/s11127-026-01383-9.

James Green-Armytage, T. Nicolaus Tideman, and Rafael Cosman. Statistical evaluation of voting rules. *Social Choice and Welfare*, 46(1):183–212, 2016. doi: 10.1007/s00355-015-0909-0.

Joseph Greenberg. Consistent majority rules over compact sets of alternatives. *Econometrica*, 47(3):627–636, 1979. doi: 10.2307/1910410.

Georges-Théodule Guilbaud. Les théories de l'intérêt général et le problème logique de l'agrégation. *Économie appliquée*, 5(4):501–584, 1952. doi: 10.3406/ecoap.1952.3831.

Joseph E. Harrington, Jr. The power of the proposal maker in a model of endogenous agenda formation. *Public Choice*, 64(1):1–20, 1990. doi: 10.1007/BF00125914.

Wesley H. Holliday and Eric Pacuit. Split cycle: A new Condorcet-consistent voting method independent of clones and immune to spoilers. *Public Choice*, 197(1–2):1–62, 2023a. doi: 10.1007/s11127-023-01042-3.

Wesley H. Holliday and Eric Pacuit. Stable voting. *Constitutional Political Economy*, 34(3): 421–433, 2023b. doi: 10.1007/s10602-022-09383-9.

Leonid Hurwicz and Murat R. Sertel. Designing mechanisms, in particular for electoral systems: The majoritarian compromise. In Murat R. Sertel, editor, *Contemporary Economic Issues, Volume 4: Economic Behaviour and Design*, International Economic Association Series, chapter 4, pages 69–88. Palgrave Macmillan, London, 1999. doi: 10.1007/978-1-349-14540-9_4.

Egor Ianovski and Aleksei Y. Kondratev. Computing the proportional veto core. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 35, pages 5489–5496. AAAI Press, 2021. doi: 10.1609/aaai.v35i6.16691. Extended version: arXiv:2003.09153.

John H. Kagel, Hankyoung Sung, and Eyal Winter. Veto power in committees: An experimental study. *Experimental Economics*, 13(2):167–188, 2010. doi: 10.1007/s10683-010-9234-8.

Navin Kartik, Andreas Kleiner, and Richard Van Weelden. Delegation in veto bargaining. *American Economic Review*, 111(12):4046–4087, 2021. doi: 10.1257/aer.20201817.

John G. Kemeny. Mathematics without numbers. *Daedalus*, 88(4):577–591, 1959. URL https://www.jstor.org/stable/20026529.

Aleksei Y. Kondratev and Egor Ianovski. Veto core consistent preference aggregation. In *Proceedings of the 23rd International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2024)*, pages 1020–1028, Auckland, New Zealand, 2024. International Foundation for Autonomous Agents and Multiagent Systems (IFAAMAS). doi: 10.65109/hmhq1427. URL https://www.ifaamas.org/Proceedings/aamas2024/pdfs/p1020.pdf.

Aleksei Y. Kondratev and Alexander S. Nesterov. Measuring majority power and veto power of voting rules. *Public Choice*, 183(1–2):187–210, 2020. doi: 10.1007/s11127-019-00697-1. Preprint arXiv:1811.06739.

Eva Krick. The myth of effective veto power under the rule of consensus: Dynamics and democratic legitimacy of collective decision-making by "tacit consent". *Négociations*, (1): 109–128, 2017. doi: 10.3917/neg.027.0109.

Gilbert Laffond, Jean-François Laslier, and Michel Le Breton. The bipartisan set of a tournament game. *Games and Economic Behavior*, 5(1):182–201, 1993. doi: 10.1006/game.1993.1010.

James D. Laing and Benjamin Slotznick. When anyone can veto: A laboratory study of committees governed by unanimous rule. *Behavioral Science*, 36(3):179–195, 1991. doi: 10.1002/bs.3830360303.

Jean-François Laslier. And the loser is... plurality voting. In Dan S. Felsenthal and Moshé Machover, editors, *Electoral Systems: Paradoxes, Assumptions, and Procedures*, Studies in Choice and Welfare, pages 327–351. Springer, Berlin, Heidelberg, 2012. doi: 10.1007/978-3-642-20441-8_13.

Jean-François Laslier and M. Remzi Sanver, editors. *Handbook on Approval Voting*. Studies in Choice and Welfare. Springer, Berlin, Heidelberg, 2010. doi: 10.1007/978-3-642-02839-7.

Jean-François Laslier, Matías Núñez, and M. Remzi Sanver. A solution to the two-person implementation problem. *Journal of Economic Theory*, 194:105261, 2021. doi: 10.1016/j.jet.2021.105261.

Nicholas Mattei and Toby Walsh. PrefLib: A library for preferences. In Patrice Perny, Marc Pirlot, and Alexis Tsoukiàs, editors, *Algorithmic Decision Theory (ADT 2013)*, volume 8176 of *Lecture Notes in Computer Science (LNAI)*, pages 259–270, Berlin, Heidelberg, 2013. Springer. doi: 10.1007/978-3-642-41575-3_20.

Kenneth O. May. A set of independent necessary and sufficient conditions for simple majority decision. *Econometrica*, 20(4):680–684, 1952. doi: 10.2307/1907651.

Richard D. McKelvey. Intransitivities in multidimensional voting models and some implications for agenda control. *Journal of Economic Theory*, 12(3):472–482, 1976. doi: 10.1016/0022-0531(76)90040-5.

Samuel Merrill, III. A comparison of efficiency of multicandidate electoral systems. *American Journal of Political Science*, 28(1):23–48, 1984. doi: 10.2307/2110786.

Topi Miettinen and Christoph Vanberg. Commitment and conflict in unanimity bargaining. *American Economic Journal: Microeconomics*, 17(1):206–237, 2025. doi: 10.1257/mic.20230208.

Hervé Moulin. The proportional veto principle. *Review of Economic Studies*, 48(3):407–416, 1981. doi: 10.2307/2297154.

Hervé Moulin. Voting with proportional veto power. *Econometrica*, 50(1):145–162, 1982. doi: 10.2307/1912535.

Hervé Moulin. *The Strategy of Social Choice*, volume 18 of *Advanced Textbooks in Economics*. North-Holland, Amsterdam, 1983. ISBN 0-444-86371-0.

Hervé Moulin. Condorcet's principle implies the no show paradox. *Journal of Economic Theory*, 45(1):53–64, 1988. doi: 10.1016/0022-0531(88)90253-0.

Dennis C. Mueller. Voting by veto. *Journal of Public Economics*, 10(1):57–75, 1978. doi: 10.1016/0047-2727(78)90005-1.

Kenjiro Nakamura. The vetoers in a simple game with ordinal preferences. *International Journal of Game Theory*, 8(1):55–61, 1979. doi: 10.1007/BF01763051.

Salvatore Nunnari. Dynamic legislative bargaining with veto power: Theory and experiments. *Games and Economic Behavior*, 126:186–230, 2021. doi: 10.1016/j.geb.2020.11.006.

David Piazolo and Christoph Vanberg. Legislative bargaining with private information: A comparison of majority and unanimity rule. *Games and Economic Behavior*, 153:499–522, 2025. doi: 10.1016/j.geb.2025.07.010.

Charles R. Plott. A notion of equilibrium and its possibility under majority rule. *American Economic Review*, 57(4):787–806, 1967. URL https://www.jstor.org/stable/1815369.

Douglas W. Rae. Decision-rules and individual values in constitutional choice. *American Political Science Review*, 63(1):40–56, 1969. doi: 10.2307/1954283.

Michel Regenwetter, Bernard Grofman, A. A. J. Marley, and Ilia Tsetlin. *Behavioral Social Choice: Probabilistic Models, Statistical Inference, and Applications*. Cambridge University Press, Cambridge, 2006. ISBN 978-0-521-82968-7.

Pete Resnick. On consensus and humming in the IETF. Request for Comments (RFC) 7282, Informational, Internet Engineering Task Force, June 2014. URL https://www.rfc-editor.org/rfc/rfc7282.

Dalibor Roháč. The unanimity rule and religious fractionalisation in the Polish-Lithuanian republic. *Constitutional Political Economy*, 19(2):111–128, 2008. doi: 10.1007/s10602-008-9037-5.

Thomas Romer and Howard Rosenthal. Political resource allocation, controlled agendas, and the status quo. *Public Choice*, 33(4):27–43, 1978. doi: 10.1007/BF03187594.

Mark Allen Satterthwaite. Strategy-proofness and Arrow's conditions: Existence and correspondence theorems for voting procedures and social welfare functions. *Journal of Economic Theory*, 10(2):187–217, 1975. doi: 10.1016/0022-0531(75)90050-2.

Markus Schulze. A new monotonic, clone-independent, reversal symmetric, and Condorcet-consistent single-winner election method. *Social Choice and Welfare*, 36(2):267–303, 2011. doi: 10.1007/s00355-010-0475-4.

Murat R. Sertel and Bilge Yılmaz. The majoritarian compromise is majoritarian-optimal and subgame-perfect implementable. *Social Choice and Welfare*, 16(4):615–627, 1999. doi: 10.1007/s003550050164.

Paul B. Simpson. On defining areas of voter choice: Professor Tullock on stable voting. *Quarterly Journal of Economics*, 83(3):478–490, 1969. doi: 10.2307/1880533.

John H. Smith. Aggregation of preferences with variable electorate. *Econometrica*, 41(6):1027–1041, 1973. doi: 10.2307/1914033.

Nicolaus Tideman. *Collective Decisions and Voting: The Potential for Public Choice*. Ashgate, Aldershot, 2006. ISBN 978-0-7546-4717-1.

T. Nicolaus Tideman. Independence of clones as a criterion for voting rules. *Social Choice and Welfare*, 4(3):185–206, 1987. doi: 10.1007/BF00433944.

T. Nicolaus Tideman and Florenz Plassmann. Modeling the outcomes of vote-casting in actual elections. In Dan S. Felsenthal and Moshé Machover, editors, *Electoral Systems: Paradoxes, Assumptions, and Procedures*, Studies in Choice and Welfare, pages 217–251. Springer, Berlin, Heidelberg, 2012. doi: 10.1007/978-3-642-20441-8_9.

George Tsebelis. Decision making in political systems: Veto players in presidentialism, parliamentarism, multicameralism and multipartyism. *British Journal of Political Science*, 25(3): 289–325, 1995. doi: 10.1017/S0007123400007225.

George Tsebelis. *Veto Players: How Political Institutions Work*. Princeton University Press and Russell Sage Foundation, Princeton, NJ and New York, 2002. ISBN 0-691-09989-8. doi: 10.1515/9781400831456.

H. Peyton Young. An axiomatization of Borda's rule. *Journal of Economic Theory*, 9(1):43–52, 1974. doi: 10.1016/0022-0531(74)90073-8.

H. Peyton Young. Condorcet's theory of voting. *American Political Science Review*, 82(4): 1231–1244, 1988. doi: 10.2307/1961757.

H. Peyton Young and Arthur Levenglick. A consistent extension of Condorcet's election principle. *SIAM Journal on Applied Mathematics*, 35(2):285–300, 1978. doi: 10.1137/0135023.

T. M. Zavist and T. Nicolaus Tideman. Complete independence of clones in the ranked pairs rule. *Social Choice and Welfare*, 6(2):167–173, 1989. doi: 10.1007/BF00303170.