

Newman Report

Collection

FakeRESTApi.Web V1

Time

Fri Oct 24 2025 12:14:37 GMT+0100 (Horário de Verão da Europa Ocidental)

Exported with

Newman v6.2.1

	Total	Failed
Iterations	1	0
Requests	30	30
Prerequisite Scripts	0	0
Test Scripts	30	6
Assertions	88	84

Total run duration

499ms

Total data received

0B (approx)

Average response time

0ms

Total Failures

120

Requests

Activities

All	
Method	GET
URL	http://{{baseurl}}/api/v1/Activities/ (http://{{baseurl}}/api/v1/Activities/)
Error	There was an error sending this request
Error code	ENOTFOUND
Mean time per request	0ms
Mean size per request	0B

Total passed tests 0
Total failed tests 4

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Validar o retorno de um array de objetos	0	1
	Validação do Contrato	0	1
	Captura de ID	0	1

ID

Method GET
URL http://{{baseurl}}/api/v1/Activities/%7B%7BactiviesId%7D%7D
(http://{{baseurl}}/api/v1/Activities/%7B%7BactiviesId%7D%7D)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 3

Status code

Tests

Name	Pass count	Fail count
Status code is 200	0	1
Validar o retorno de um objetos	0	1
Validação do Contrato	0	1

Criar atividade

Method POST
URL http://{{baseurl}}/api/v1/Activities/ (http://{{baseurl}}/api/v1/Activities/)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 4

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Validar o retorno de um objetos	0	1
	Validação do Contrato	0	1
	Validar o id da criação da atividade	0	1

Atualizar atividade

Method

PUT

URL

http://{{baseurl}}/api/v1/Activities/%7B%7BactivitiesId%7D%7D
(http://{{baseurl}}/api/v1/Activities/%7B%7BactivitiesId%7D%7D)

Error

There was an error sending this request

Error code

ENOTFOUND

Mean time per request

0ms

Mean size per request

0B

Total passed tests

0

Total failed tests

4

Status code

Tests

Name	Pass count	Fail count
Status code is 200	0	1
Validar o retorno de um objetos	0	1
Validação do Contrato	0	1
Validar a alteração do parâmetro completed	0	1

Delete atividade

Method

DELETE

URL

http://{{baseurl}}/api/v1/Activities/%7B%7BactivitiesId%7D%7D
(http://{{baseurl}}/api/v1/Activities/%7B%7BactivitiesId%7D%7D)

Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	1		
Status code			
Tests	Name	Pass count	Fail count
	Status code is 200	0	1

Authors / Cenarios_Positivos

All			
Method	GET		
URL	http://{{baseurl}}/api/v1/Authors (http://{{baseurl}}/api/v1/Authors)		
Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	5		
Status code			

Tests

Name	Pass count	Fail count
Status code is 200	0	1
Retorno é um Array?	0	1
Tempo de resposta é menor que 200	0	1
Validação do Schema(Contratro) com Ajv	0	1
Captura de ID em uma variavel global	0	1

Criar autor

Method POST
URL http://{{baseurl}}/api/v1/Authors (http://{{baseurl}}/api/v1/Authors)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 4

Status code

Tests	Name	Pass count	Fail count
	Status code is 200 ou 201	0	1
	Retorno é um object?	0	1
	Tempo de resposta menor que 800ms	0	1

Name	Pass count	Fail count
Validação do Schema(Contrato) com Ajv	0	1

by book autor

Method GET
URL http://{{baseurl}}/api/v1/Authors/authors/books/%7B%7BidBook%7D%7D
(http://{{baseurl}}/api/v1/Authors/authors/books/%7B%7BidBook%7D%7D)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 4

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Retorno é um Array?	0	1
	Tempo de resposta é menor que 200	0	1
	Validação do Schema do idBook	0	1

by ID			
Method	GET		
URL	http://{{baseurl}}/api/v1/Authors/authors/books/ (http://{{baseurl}}/api/v1/Authors/authors/books/)		
Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	4		
Status code			
Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Retorno é um Array?	0	1
	Tempo de resposta é menor que 200	0	1
	Validação do Schema do by ID	0	1

Atualizar autor			
Method	PUT		
URL	http://{{baseurl}}/api/v1/Authors/ (http://{{baseurl}}/api/v1/Authors/)		
Error	There was an error sending this request		

Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	5		
Status code			
Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Retorno é um object?	0	1
	Tempo de resposta é menor que 800ms	0	1
	Validação do Schema atualização do autor	0	1
	Validar a alteração do parâmetro firstName e lastName	0	1

Excluir autor			
Method	DELETE		
URL	http://{{baseurl}}/api/v1/Authors/ (http://{{baseurl}}/api/v1/Authors/)		
Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	1		

Status code

Tests

Name	Pass count	Fail count
Status code is 200	0	1

Authors / Cenarios_Negativos

Author inexistente

Method GET
URL http://{{baseurl}}/api/v1/Authors/999999 (http://{{baseurl}}/api/v1/Authors/999999)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 1
Total failed tests 1

Status code

Tests

Name	Pass count	Fail count
Deve retornar erro 404 (autor não encontrado)	0	1
Mensagem deve indicar que o autor não foi encontrado (se existir)	1	0

Sem firstName

Method POST
URL http://{{baseurl}}/api/v1/Authors (http://{{baseurl}}/api/v1/Authors)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 2

Status code

Tests	Name	Pass count	Fail count
	Deve retornar erro 400 - campo obrigatório ausente	0	1
	Mensagem de erro deve informar o campo ausente (se existir)	0	1

Com ID duplicado

Method POST
URL http://{{baseurl}}/api/v1/Authors (http://{{baseurl}}/api/v1/Authors)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms

Mean size per request	0B									
Total passed tests	0									
Total failed tests	2									
Status code										
Tests	<table><tr><th>Name</th><th>Pass count</th><th>Fail count</th></tr><tr><td>Deve retornar erro 400 (ID duplicado) ou 200 (API fake)</td><td>0</td><td>1</td></tr><tr><td>Mensagem de erro deve indicar conflito de ID</td><td>0</td><td>1</td></tr></table>	Name	Pass count	Fail count	Deve retornar erro 400 (ID duplicado) ou 200 (API fake)	0	1	Mensagem de erro deve indicar conflito de ID	0	1
Name	Pass count	Fail count								
Deve retornar erro 400 (ID duplicado) ou 200 (API fake)	0	1								
Mensagem de erro deve indicar conflito de ID	0	1								

Com ID duplicado Copy

Method	PUT											
URL	http://{{baseurl}}/api/v1/Authors/999999 (http://{{baseurl}}/api/v1/Authors/999999)											
Error	There was an error sending this request											
Error code	ENOTFOUND											
Mean time per request	0ms											
Mean size per request	0B											
Total passed tests	0											
Total failed tests	2											
Status code												
Tests	<table><tr><th>Name</th><th>Pass count</th><th>Fail count</th></tr><tr><td>Deve retornar erro 404 (autor inexistente) ou 200 (API fake)</td><td>0</td><td>1</td></tr><tr><td>Mensagem de erro deve indicar conflito de ID</td><td>0</td><td>1</td></tr></table>	Name	Pass count	Fail count	Deve retornar erro 404 (autor inexistente) ou 200 (API fake)	0	1	Mensagem de erro deve indicar conflito de ID	0	1		
Name	Pass count	Fail count										
Deve retornar erro 404 (autor inexistente) ou 200 (API fake)	0	1										
Mensagem de erro deve indicar conflito de ID	0	1										

Author inexistente			
Method	DELETE		
URL	http://{{baseurl}}/api/v1/Authors/999999 (http://{{baseurl}}/api/v1/Authors/999999)		
Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	1		
Total failed tests	1		
Status code			
Tests	Name	Pass count	Fail count
	Deve retornar erro 404 (autor não encontrado para exclusão ou 200 (API Fake)	0	1
	Mensagem deve indicar que o autor não foi encontrado (se existir)	1	0

Books

All books			
Method	GET		
URL	http://{{baseurl}}/api/v1/Books (http://{{baseurl}}/api/v1/Books)		

Error

Error code

There was an error sending this request

ENOTFOUND

Mean time per request

0ms

Mean size per request

0B

Total passed tests

0

Total failed tests

3

Status code

Tests

Name	Pass count	Fail count
Status code is 200	0	1
O retorno é um array	0	1
Validação do contrato - Schema	0	1

Criação books

Method

POST

URL

http://{{baseurl}}/api/v1/Books (http://{{baseurl}}/api/v1/Books)

Error

Error code

There was an error sending this request

ENOTFOUND

Mean time per request

0ms

Mean size per request

0B

Total passed tests

0

Total failed tests

3

Status code

Tests

Name	Pass count	Fail count
Status code is 200 ou 201	0	1
O retorno é um Object?	0	1
validação do contrato - schema	0	1

ID books

Method GET
URL http://{{baseurl}}/api/v1/Books/%7B%7BidBook%7D%7D
(http://{{baseurl}}/api/v1/Books/%7B%7BidBook%7D%7D)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 3

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Resposta é um object?	0	1
	Validação do Schema	0	1

Atualizar books

Method PUT
URL http://{{baseurl}}/api/v1/Books/%7B%7BidBook%7D%7D
(http://{{baseurl}}/api/v1/Books/%7B%7BidBook%7D%7D)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 3

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	O retorno é um Object?	0	1
	Validar se o ID retornado é o mesmo enviado	0	1

Excluir books

Method DELETE
URL http://{{baseurl}}/api/v1/Books/%7B%7BidBook%7D%7D
(http://{{baseurl}}/api/v1/Books/%7B%7BidBook%7D%7D)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 1

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1

CoverPhotos

All coverPhotos

Method GET
URL http://{baseurl}/api/v1/CoverPhotos (http://{baseurl}/api/v1/CoverPhotos)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 3

Status code

Tests

Name	Pass count	Fail count
Status code is 200	0	1
Retorno é um Array	0	1
Validação do Schema	0	1

Criação CoverPhoto

Method	POST														
URL	http://{{baseurl}}/api/v1/CoverPhotos (http://{{baseurl}}/api/v1/CoverPhotos)														
Error	There was an error sending this request														
Error code	ENOTFOUND														
Mean time per request	0ms														
Mean size per request	0B														
Total passed tests	0														
Total failed tests	3														
Status code															
Tests	<table><tr><th>Name</th><th>Pass count</th><th>Fail count</th></tr><tr><td>Status code is 200 ou 201</td><td>0</td><td>1</td></tr><tr><td>Retorno é um Object</td><td>0</td><td>1</td></tr><tr><td>Validação do Schema</td><td>0</td><td>1</td></tr></table>	Name	Pass count	Fail count	Status code is 200 ou 201	0	1	Retorno é um Object	0	1	Validação do Schema	0	1		
Name	Pass count	Fail count													
Status code is 200 ou 201	0	1													
Retorno é um Object	0	1													
Validação do Schema	0	1													

Atualização CoverPhoto			
Method	PUT		
URL	http://{{baseurl}}/api/v1/CoverPhotos/ (http://{{baseurl}}/api/v1/CoverPhotos/)		
Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	3		
Status code			
Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Retorno é um Object	0	1
	Validação do Schema	0	1

Buscar CoverPhoto por ID do Livro			
Method	GET		
URL	http://{{baseurl}}/api/v1/CoverPhotos/books/covers/%7B%7BidBook%7D%7D (http://{{baseurl}}/api/v1/CoverPhotos/books/covers/%7B%7BidBook%7D%7D)		
Error	There was an error sending this request		
Error code	ENOTFOUND		

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 4

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Retorno é um Array	0	1
	Validação do Schema	0	1
	Validar se o ID do livro é o mesmo solicitado	0	1

Excluir CoverPhoto

Method DELETE
URL http://{{baseurl}}/api/v1/CoverPhotos/ (http://{{baseurl}}/api/v1/CoverPhotos/)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 1
Total failed tests 1

Status code

Tests			
	Name	Pass count	Fail count
	Status code é 200 ou 204	0	1
Validação de exclusão bem-sucedida (se aplicável)			10

Users

All Users

Method	GET		
URL	http://{{baseurl}}/api/v1/Users (http://{{baseurl}}/api/v1/Users)		
Error	There was an error sending this request		
Error code	ENOTFOUND		
Mean time per request	0ms		
Mean size per request	0B		
Total passed tests	0		
Total failed tests	3		
Status code			
Tests	Name	Pass count	Fail count
	Status code é 200	0	1
	Retorno é um array	0	1
	Validação do Schema	0	1

Criação Users

Method POST
URL http://{{baseurl}}/api/v1/Users (http://{{baseurl}}/api/v1/Users)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms
Mean size per request 0B

Total passed tests 0
Total failed tests 3

Status code

Tests	Name	Pass count	Fail count
	Status code is 200 ou 201	0	1
	Retorno é um Object	0	1
	Validação do Schema	0	1

Criação Users Copy

Method PUT
URL http://{{baseurl}}/api/v1/Users/ (http://{{baseurl}}/api/v1/Users/)

Error There was an error sending this request
Error code ENOTFOUND

Mean time per request 0ms

Mean size per request 0B

Total passed tests 0

Total failed tests 3

Status code

Tests	Name	Pass count	Fail count
	Status code is 200	0	1
	Retorno é um Object	0	1
	Validação do Schema	0	1

Excluir Users

Method DELETE

URL http://{baseurl}/api/v1/Users/ (http://{baseurl}/api/v1/Users/)

Error There was an error sending this request

Error code ENOTFOUND

Mean time per request 0ms

Mean size per request 0B

Total passed tests 1

Total failed tests 1

Status code

Tests	Name	Pass count	Fail count
	Status code é 200 ou 204	0	1

Name	Pass count	Fail count
Validação de exclusão bem-sucedida (se aplicável)	1	0

Failures

Error: getaddrinfo ENOTFOUND {{baseurl}}		
Location	request	
Request	All	

AssertionError: Status code is 200		
Description	expected PostmanResponse{ ...(5) } to have property 'code'	
Location	assertion:0 in test-script	
Request	All	

JSONError: Validar o retorno de um array de objetos		
Description	"undefined" is not valid JSON	
Location	assertion:1 in test-script	
Request	All	

JSONError: Validação do Contrato		
----------------------------------	--	--

Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	All

JSONError: Captura de ID

Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	All

Error: getaddrinfo ENOTFOUND {{baseurl}}

Location	request
Request	ID

AssertionError: Status code is 200

Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	ID

JSONError: Validar o retorno de um objetos

Description	"undefined" is not valid JSON
-------------	-------------------------------

Location	assertion:1 in test-script
Request	ID

JSONError: Validação do Contrato	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	ID

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Criar atividade

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Criar atividade

JSONError: Validar o retorno de um objetos	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Criar atividade

JSONError: Validação do Contrato	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Criar atividade

JSONError: Validar o id da criação da atividade	
Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	Criar atividade

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Atualizar atividade

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Atualizar atividade

JSONError: Validar o retorno de um objetos	

Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Atualizar atividade

JSONError: Validação do Contrato	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Atualizar atividade

JSONError: Validar a alteração do parâmetro completed	
Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	Atualizar atividade

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Delete atividade

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'

Location	assertion:0 in test-script
Request	Delete atividade

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	All

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	All

JSONError: Retorno é um Array?	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	All

AssertionError: Tempo de resposta é menor que 200	
Description	expected undefined to be a number or a date
Location	assertion:2 in test-script
Request	All

JSONError: Validação do Schema(Contratro) com Ajv	
Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	All

JSONError: Captura de ID em uma variavel global	
Description	"undefined" is not valid JSON
Location	assertion:4 in test-script
Request	All

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Criar autor

AssertionError: Status code is 200 ou 201	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Criar autor

JSONError: Retorno é um object?	

Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Criar autor

AssertionError: Tempo de resposta menor que 800ms

Description	expected undefined to be a number or a date
Location	assertion:2 in test-script
Request	Criar autor

JSONError: Validação do Schema(Contrato) com Ajv

Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	Criar autor

JSONError: "undefined" is not valid JSON

Location	test-script
Request	Criar autor

Error: getaddrinfo ENOTFOUND {{baseurl}}

Location	request
----------	---------

Requestby book autor	
AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	by book autor
JSONError: Retorno é um Array?	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	by book autor
AssertionError: Tempo de resposta é menor que 200	
Description	expected undefined to be a number or a date
Location	assertion:2 in test-script
Request	by book autor
JSONError: Validação do Schema do idBook	
Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	by book autor

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	by ID

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	by ID

JSONError: Retorno é um Array?	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	by ID

AssertionError: Tempo de resposta é menor que 200	
Description	expected undefined to be a number or a date
Location	assertion:2 in test-script
Request	by ID

JSONError: Validação do Schema do by ID	

Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	by ID

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Atualizar autor

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Atualizar autor

JSONError: Retorno é um object?	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Atualizar autor

AssertionError: Tempo de resposta é menor que 800ms	
Description	expected undefined to be a number or a date

Location	assertion:2 in test-script
Request	Atualizar autor

JSONError: Validação do Schema atualização do autor	
Description	"undefined" is not valid JSON
Location	assertion:3 in test-script
Request	Atualizar autor

JSONError: Validar a alteração do parâmetro firstName e lastName	
Description	"undefined" is not valid JSON
Location	assertion:4 in test-script
Request	Atualizar autor

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Excluir autor

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Excluir autor

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Author inexistente

AssertionError: Deve retornar erro 404 (autor não encontrado)	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Author inexistente

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Sem firstName

AssertionError: Deve retornar erro 400 - campo obrigatório ausente	
Description	expected false to be true
Location	assertion:0 in test-script
Request	Sem firstName

JSONError: Mensagem de erro deve informar o campo ausente (se existir)	

Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Sem firstName

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Com ID duplicado

AssertionError: Deve retornar erro 400 (ID duplicado) ou 200 (API fake)	
Description	expected false to be true
Location	assertion:0 in test-script
Request	Com ID duplicado

JSONError: Mensagem de erro deve indicar conflito de ID	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Com ID duplicado

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request

RequestCom ID duplicado Copy	
AssertionError: Deve retornar erro 404 (autor inexistente) ou 200 (API fake)	
Description	expected false to be true
Location	assertion:0 in test-script
Request	Com ID duplicado Copy
JSONError: Mensagem de erro deve indicar conflito de ID	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Com ID duplicado Copy
Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Author inexistente
AssertionError: Deve retornar erro 404 (autor não encontrado para exclusão ou 200 (API Fake)	
Description	expected false to be true
Location	assertion:0 in test-script
Request	Author inexistente

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	All books

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	All books

JSONError: O retorno é um array	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	All books

JSONError: Validação do contrato - Schema	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	All books

Error: getaddrinfo ENOTFOUND {{baseurl}}	

Location	request
Request	Criação books

AssertionError: Status code is 200 ou 201

Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Criação books

JSONError: O retorno é um Object?

Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Criação books

JSONError: validação do contrato - schema

Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Criação books

JSONError: "undefined" is not valid JSON

Location	test-script
----------	-------------

Request		Criação books	
Error: getaddrinfo ENOTFOUND {{baseurl}}			
Location		request	
Request		ID books	
AssertionError: Status code is 200			
Description		expected PostmanResponse{ ...(5) } to have property 'code'	
Location		assertion:0 in test-script	
Request		ID books	
JSONError: Resposta é um object?			
Description		"undefined" is not valid JSON	
Location		assertion:1 in test-script	
Request		ID books	
JSONError: Validação do Schema			
Description		"undefined" is not valid JSON	
Location		assertion:2 in test-script	
Request		ID books	

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Atualizar books

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Atualizar books

JSONError: O retorno é um Object?	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Atualizar books

JSONError: Validar se o ID retornado é o mesmo enviado	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Atualizar books

Error: getaddrinfo ENOTFOUND {{baseurl}}	

Location	request
Request	Excluir books

AssertionError: Status code is 200

Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Excluir books

Error: getaddrinfo ENOTFOUND {{baseurl}}

Location	request
Request	All coverPhotos

AssertionError: Status code is 200

Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	All coverPhotos

JSONError: Retorno é um Array

Description	"undefined" is not valid JSON
Location	assertion:1 in test-script

Request	All coverPhotos
JSONError: Validação do Schema	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	All coverPhotos
Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Criação CoverPhoto
AssertionError: Status code is 200 ou 201	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Criação CoverPhoto
JSONError: Retorno é um Object	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Criação CoverPhoto

JSONError: Validação do Schema	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Criação CoverPhoto

JSONError: "undefined" is not valid JSON	
Location	test-script
Request	Criação CoverPhoto

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Atualização CoverPhoto

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Atualização CoverPhoto

JSONError: Retorno é um Object	

Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Atualização CoverPhoto

JSONError: Validação do Schema	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Atualização CoverPhoto

JSONError: "undefined" is not valid JSON	
Location	test-script
Request	Atualização CoverPhoto

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Buscar CoverPhoto por ID do Livro

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script

Request		Buscar CoverPhoto por ID do Livro	
JSONError: Retorno é um Array			
Description		"undefined" is not valid JSON	
Location		assertion:1 in test-script	
Request		Buscar CoverPhoto por ID do Livro	
JSONError: Validação do Schema			
Description		"undefined" is not valid JSON	
Location		assertion:2 in test-script	
Request		Buscar CoverPhoto por ID do Livro	
JSONError: Validar se o ID do livro é o mesmo solicitado			
Description		"undefined" is not valid JSON	
Location		assertion:3 in test-script	
Request		Buscar CoverPhoto por ID do Livro	
Error: getaddrinfo ENOTFOUND {{baseurl}}			
Location		request	
Request		Excluir CoverPhoto	

AssertionError: Status code é 200 ou 204	
Description	expected undefined to be one of [200, 204]
Location	assertion:0 in test-script
Request	Excluir CoverPhoto

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	All Users

AssertionError: Status code é 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	All Users

JSONError: Retorno é um array	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	All Users

JSONError: Validação do Schema	

Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	All Users

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Criação Users

AssertionError: Status code is 200 ou 201	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Criação Users

JSONError: Retorno é um Object	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Criação Users

JSONError: Validação do Schema	
Description	"undefined" is not valid JSON

Location	assertion:2 in test-script
Request	Criação Users

JSONError: "undefined" is not valid JSON	
Location	test-script
Request	Criação Users

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Criação Users Copy

AssertionError: Status code is 200	
Description	expected PostmanResponse{ ...(5) } to have property 'code'
Location	assertion:0 in test-script
Request	Criação Users Copy

JSONError: Retorno é um Object	
Description	"undefined" is not valid JSON
Location	assertion:1 in test-script
Request	Criação Users Copy

JSONError: Validação do Schema	
Description	"undefined" is not valid JSON
Location	assertion:2 in test-script
Request	Criação Users Copy

JSONError: "undefined" is not valid JSON	
Location	test-script
Request	Criação Users Copy

Error: getaddrinfo ENOTFOUND {{baseurl}}	
Location	request
Request	Excluir Users

AssertionError: Status code é 200 ou 204	
Description	expected undefined to be one of [200, 204]
Location	assertion:0 in test-script
Request	Excluir Users