



METODOLOGÍA DE SISTEMAS 2

PROF. VERÓN FACUNDO

TP01 – INTRODUCCIÓN A GIT Y REPOSITORIOS

ALUMNO
DUARTE FABRICIO

2.2



Enlace a repositorio:

<https://github.com/FabricioNicolasDuarte/MS2>





TP01 – Introducción a Git y repositorios

Actividad práctica – Git Flow Integrado

Ejercicio 1 – Configuración inicial

1. Instalar y configurar Git:

```
git config --global user.name "Nombre Apellido"  
git config --global user.email "tuemail@example.com"
```

2. Crear un repositorio local.
3. Crear repositorio remoto en GitHub o GitLab.
4. Conectar remoto:

```
git remote add origin <url-repo>
```

5. Subir rama `main`:

```
git push -u origin main
```



Ejercicio 2 – Implementar Git Flow

1. Crear rama `develop` a partir de `main` y subirla:

```
git checkout -b develop
git push -u origin develop
```

2. Crear rama de `feature`:

```
git checkout -b feature/nueva-funcionalidad develop
```

3. Hacer cambios, `commit` siguiendo el estándar:

```
git commit -m "feat(ui): agregar botón de registro"
```

4. Subir la rama:

```
git push -u origin feature/nueva-funcionalidad
```

5. Crear Pull Request (GitHub) o Merge Request (GitLab) para unir `feature/nueva-funcionalidad` a `develop`.

- Agregar revisor.
- Vincular a un issue (ej: `Closes #1`).

Ejercicio 3 – Simular un flujo de release

1. Desde `develop`, crear rama `release/1.0.0`.
2. Realizar ajustes menores (documentación, correcciones).
3. Hacer merge de `release/1.0.0` a `main` y etiquetar:


```
git tag v1.0.0  
git push origin v1.0.0
```

4. Hacer merge de `release/1.0.0` también a `develop`.

Ejercicio 4 – Manejo de conflictos

1. Crear un conflicto modificando la misma línea en dos ramas distintas.
2. Intentar merge y resolver manualmente.
3. Confirmar que el repositorio queda sin conflictos.

- Gráfico complementario para tener en cuenta a la hora de crear el proyecto en Github:





DESARROLLO



EJERCICIO 1:

```
C:\WINDOWS\system32\cmd. X + v
Microsoft Windows [Versión 10.0.26100.4946]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\fabri>git config --global user.name "FabricioNicolasDuarte"

C:\Users\fabri>git config --global user.email "fabricioduarteoficial@gmail.com"

C:\Users\fabri>cd C:\Users\fabri\OneDrive\Desktop

C:\Users\fabri\OneDrive\Desktop>mkdir MS2

C:\Users\fabri\OneDrive\Desktop>cd MS2

C:\Users\fabri\OneDrive\Desktop\MS2>git init
Initialized empty Git repository in C:/Users/fabri/OneDrive/Desktop/MS2/.git/

C:\Users\fabri\OneDrive\Desktop\MS2>echo # Proyecto MS2 > README.md

C:\Users\fabri\OneDrive\Desktop\MS2>git add .

C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "feat: commit de inicio"
[main (root-commit) df24849] feat: commit de inicio
1 file changed, 1 insertion(+)
create mode 100644 README.md

C:\Users\fabri\OneDrive\Desktop\MS2>git remote add origin https://github.com/FabricioNicolasDuarte/MS2.git


C:\Users\fabri\OneDrive\Desktop\MS2>git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 248 bytes | 248.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

EJERCICIO 2:

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b develop
Switched to a new branch 'develop'

C:\Users\fabri\OneDrive\Desktop\MS2>git push -u origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/FabricioNicolasDuarte/MS2/pull/new/develop
remote:
To https://github.com/FabricioNicolasDuarte/MS2.git
 * [new branch]      develop -> develop
branch 'develop' set up to track 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b feature-login  
Switched to a new branch 'feature-login'
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>|
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push -u origin develop  
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
remote:  
remote: Create a pull request for 'develop' on GitHub by visiting:  
remote:   https://github.com/FabricioNicolasDuarte/MS2/pull/new/develop  
remote:  
To https://github.com/FabricioNicolasDuarte/MS2.git  
* [new branch]      develop -> develop  
branch 'develop' set up to track 'origin/develop'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b feature-login  
Switched to a new branch 'feature-login'
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "feat(login): crear estructura inicial para la pagina de login"  
[feature-login c2691a1] feat(login): crear estructura inicial para la pagina de login  
1 file changed, 79 insertions(+)  
create mode 100644 login.html
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git push -u origin feature-login
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.45 KiB | 1.45 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-login' on GitHub by visiting:
remote:   https://github.com/FabricioNicolasDuarte/MS2/pull/new/feature-login
remote:
To https://github.com/FabricioNicolasDuarte/MS2.git
 * [new branch]      feature-login -> feature-login
branch 'feature-login' set up to track 'origin/feature-login'.

C:\Users\fabri\OneDrive\Desktop\MS2>
```

 **MS2** Public

  Watch 0  Fork 0  Star 0

 feature-login had recent pushes 1 minute ago [Compare & pull request](#)

 feature-login  3 Branches  0 Tags  Add file  Code

This branch is 1 commit ahead of [main](#)  Contribute

 **FabricioNicolasDuarte** feat(login): crear estructura inicial para la pagina de login c2691a1 · 5 minutes ago 2 Commits

 README.md feat: commit de inicio 36 minutes ago

 login.html feat(login): crear estructura inicial para la pagina de login 5 minutes ago

 **README**

Proyecto MS2

About
Prueba para primer trabajo práctico de MS2, UTN FRRE.
 Readme
 Activity
 0 stars
 0 watching
 0 forks

Releases
No releases published
[Create a new release](#)

Packages
No packages published
[Publish your first package](#)

 © 2025 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Docs](#) [Contact](#) [Manage cookies](#) [Do not share my personal information](#)

 **MS2** Public

  Watch 0

 feature-login had recent pushes 1 minute ago [Compare & pull request](#)



feat(login): crear estructura inicial para la pagina de login #1

Open FabricioNicolasD... wants to merge 1 commit into `develop` from `feature-login`

Conversation 0 Commits 1 Checks 0 Files changed 1 +79 -0

FabricioNicolasDuarte commented now Owner

Creación del archivo inicial login.html para la nueva funcionalidad...

`feat(login): crear estructura inicial para la pagina de login` `c2691a1`

No conflicts with base branch
Merging can be performed automatically.

Merge pull request You can also merge this with the command line. [View command line instructions](#).

Add a comment

Write Preview H B I

Add your comment here...

☐ Markdown is supported ☐ Paste, drop, or click to add files

Close pull request Comment

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

ProTip! Add comments to specific lines under [Files changed](#).

Reviewers
No reviews
Still in progress? [Convert to draft](#)

Assignees
No one—assign yourself

Labels
None yet

Projects
None yet

Milestone
No milestone

Development
Successfully merging this pull request may close these issues.
None yet

Notifications [Customize](#)
Unsubscribe
You're receiving notifications because you authored the thread.

1 participant

Commit message

Merge pull request #1 from FabricioNicolasDuarte/feature-login

Extended description

feat(login): crear estructura inicial para la pagina de login

This commit will be authored by 153401293+FabricioNicolasDuarte@users.noreply.github.com.

Confirm merge Cancel

feat(login): crear estructura inicial para la pagina de login #1

Merged FabricioNicolasD... merged 1 commit into `develop` from `feature-login` now

Conversation 0 Commits 1 Checks 0 Files changed 1



FabricioNicolasDuarte commented 2 minutes ago

Owner ...

Creación del archivo inicial login.html para la nueva funcionalidad...



feat(login): crear estructura inicial para la pagina de login

c2691a1

FabricioNicolasDuarte merged commit 62cd1e2 into `develop` now

Revert



Pull request successfully merged and closed

You're all set — the `feature-login` branch can be safely deleted.

Delete branch



FabricioNicolasDuarte deleted the `feature-login` branch now

Restore branch

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git pull origin develop
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 957 bytes | 73.00 KiB/s, done.
From https://github.com/FabricioNicolasDuarte/MS2
 * branch                develop      -> FETCH_HEAD
   df24849..62cd1e2  develop      -> origin/develop
Updating df24849..62cd1e2
Fast-forward
 login.html | 79 ++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
 1 file changed, 79 insertions(+)
 create mode 100644 login.html
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b release/1.0.0
Switched to a new branch 'release/1.0.0'
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "docs: preparar documentación para v1.0.0"
[release/1.0.0 0ca778a] docs: preparar documentación para v1.0.0
1 file changed, 1 insertion(+)
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git merge release/1.0.0
Updating df24849..0ca778a
Fast-forward
 README.md | 1 +
 login.html | 79 +++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
 2 files changed, 80 insertions(+)
 create mode 100644 login.html
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git tag v1.0.0
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 375 bytes | 375.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
 df24849..0ca778a main -> main
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin v1.0.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
 * [new tag]          v1.0.0 -> v1.0.0
```




EJERCICIO 3:

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>git merge release/1.0.0
Updating 62cd1e2..0ca778a
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)

C:\Users\fabri\OneDrive\Desktop\MS2>git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
 62cd1e2..0ca778a  develop -> develop
```

EJERCICIO4:

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Already on 'develop'
Your branch is up to date with 'origin/develop'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b feature/titulo-A
Switched to a new branch 'feature/titulo-A'
```

① README.md ●

```
C: > Users > fabri > OneDrive > Desktop > MS2 > ① README.md
1  # Proyecto MS2
2  Versión 1.0.0 - Lista para el lanzamiento.
```

No definition found

① README.md X

```
C: > Users > fabri > OneDrive > Desktop > MS2 > ① README.md > # Título del Proyecto - Versión A
1  # Título del Proyecto - Versión A
2  Versión 1.0.0 - Lista para el lanzamiento.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "feat: cambia el título a versión A"
[feature/titulo-A 9275df8] feat: cambia el título a versión A
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b feature/titulo-B
Switched to a new branch 'feature/titulo-B'

C:\Users\fabri\OneDrive\Desktop\MS2>|
```

❌ README.md ✕

```
C: > Users > fabri > OneDrive > Desktop > MS2 > ❌ README.md > [ms] # Proyecto MS2
1 # Proyecto MS2
2 Versión 1.0.0 - Lista para el lanzamiento. |
```

❌ README.md ✕

```
C: > Users > fabri > OneDrive > Desktop > MS2 > ❌ README.md > [ms] # Título del Proyecto - Versión B
1 # Título del Proyecto - Versión B
2 Versión 1.0.0 - Lista para el lanzamiento.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .

C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "feat: cambia el título a versión B"
[feature/titulo-B f6415e4] feat: cambia el título a versión B
1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\fabri\OneDrive\Desktop\MS2>|
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>git merge feature/titulo-A
Updating 0ca778a..9275df8
Fast-forward
 README.md | 2 + -
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git merge feature/titulo-B
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
① README.md X
C: > Users > fabri > OneDrive > Desktop > MS2 > ① README.md > # Título del Proyecto - Versión B
Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
1 <<<<<< HEAD (Current Change)
2 # Título del Proyecto - Versión A
3 =====
4 # Título del Proyecto - Versión B
5 >>>>>> feature/titulo-B (Incoming Change)
6 Versión 1.0.0 - Lista para el lanzamiento.
```

```
① README.md X
C: > Users > fabri > OneDrive > Desktop > MS2 > ① README.md > # Título del Proyecto - Versión final
1
2 # Título del Proyecto - Versión final
3
4 Versión 1.0.0 - Lista para el lanzamiento.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add README.md
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit  
hint: Waiting for your editor to close the file...
```

① README.md

◆ COMMIT_EDITMSG ✕

```
C: > Users > fabri > OneDrive > Desktop > MS2 > .git > ◆ COMMIT_EDITMSG
```

```
1 Merge branch 'feature/titulo-B' into develop
2
3 # Conflicts:
4 #   README.md
5 #
6 # It looks like you may be committing a merge.
7 # If this is not correct, please run
8 #   git update-ref -d MERGE_HEAD
9 # and try again.
10
11
12 # Please enter the commit message for your changes. Lines starting
13 # with '#' will be ignored, and an empty message aborts the commit.
14 #
15 # On branch develop
16 # Your branch is ahead of 'origin/develop' by 1 commit.
17 #   (use "git push" to publish your local commits)
18 #
19 # All conflicts fixed but you are still merging.
20 #
21 # Changes to be committed:
22 #   modified:   README.md
23 #
24
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit  
[develop 56b7202] Merge branch 'feature/titulo-B' into develop
```




```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin develop
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 6 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (9/9), 1015 bytes | 507.00 KiB/s, done.
Total 9 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/FabricioNicolasDuarte/MS2.git
   0ca778a..56b7202  develop -> develop
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Already on 'develop'
Your branch is up to date with 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b bugfix-auth
Switched to a new branch 'bugfix-auth'

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C > Users > fabri > OneDrive > Desktop > MS2 > <> login.html > <> html > <> head
1  <!-- Voy a agregar este comentario simulando una corrección
2  o modificacion en el presente código,
3  a los fines de simular el arreglo y posteriormete subir
4  los cambios e integrarlo a la rama develop -->
5
6  <!DOCTYPE html>
7  <html lang="es">
8  <head>
9      <meta charset="UTF-8">
10     <meta name="viewport" content="width=device-width, initial-scale=1.0">
11     <title>Presentación - Metodología de Sistemas 2</title>
12
13
14     <script src="https://cdn.tailwindcss.com"></script>
15
16
17     <link rel="preconnect" href="https://fonts.googleapis.com">
18     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
19     <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;700&display=swap" rel="stylesheet">
20
21     <style>
22         body {
23             font-family: 'Inter', sans-serif;
24         }
25     </style>
26 </head>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .

C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "fix(auth): corregir fallo en la autenticacion"
[bugfix-auth c486ca4] fix(auth): corregir fallo en la autenticacion
1 file changed, 6 insertions(+), 1 deletion(-)

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>git merge bugfix-auth
Updating 56b7202..c486ca4
Fast-forward
 login.html | 7 ++++++
1 file changed, 6 insertions(+), 1 deletion(-)

C:\Users\fabri\OneDrive\Desktop\MS2>git push origin develop
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 501 bytes | 501.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/FabricioNicolasDuarte/MS2.git
 56b7202..c486ca4 develop -> develop

C:\Users\fabri\OneDrive\Desktop\MS2>
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.

C:\Users\fabri\OneDrive\Desktop\MS2>git merge bugfix-auth
Updating 56b7202..c486ca4
Fast-forward
 login.html | 7 ++++++
 1 file changed, 6 insertions(+), 1 deletion(-)

C:\Users\fabri\OneDrive\Desktop\MS2>git push origin develop
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 501 bytes | 501.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/FabricioNicolasDuarte/MS2.git
 56b7202..c486ca4  develop -> develop

C:\Users\fabri\OneDrive\Desktop\MS2>
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

C:\Users\fabri\OneDrive\Desktop\MS2>git pull origin main
From https://github.com/FabricioNicolasDuarte/MS2
 * branch          main          -> FETCH_HEAD
Already up to date.

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b hotfix/error-critico
Switched to a new branch 'hotfix/error-critico'

C:\Users\fabri\OneDrive\Desktop\MS2>
```

<> login.html ⓘ README.md ✕

C: > Users > fabri > OneDrive > Desktop > MS2 > ⓘ README.md > abc # Proyecto MS2

```
1  # Proyecto MS2
2  Versión 1.0.0 - Lista para el lanzamiento.
```

<> login.html ⓘ README.md ✕

C: > Users > fabri > OneDrive > Desktop > MS2 > ⓘ README.md > abc # Proyecto MS2

```
1  # Proyecto MS2
2  Versión 1.0.1 - Arreglo Crítico.
```




```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "fix(critical): arreglar error urgente en produccion"
[hotfix/error-critico 96ba27e] fix(critical): arreglar error urgente en produccion
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git merge hotfix/error-critico
Updating 0ca778a..96ba27e
Fast-forward
 README.md | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git tag v1.0.1
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 371 bytes | 371.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
0ca778a..96ba27e  main -> main
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin v1.0.1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
 * [new tag]          v1.0.1 -> v1.0.1
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```




```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin develop
Everything up-to-date

C:\Users\fabri\OneDrive\Desktop\MS2>git add README.md

C:\Users\fabri\OneDrive\Desktop\MS2>git commit
[develop b262c5a] Merge branch 'hotfix/error-critico' into develop

C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push origin develop
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 399 bytes | 399.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/FabricioNicolasDuarte/MS2.git
   c486ca4..b262c5a  develop -> develop

C:\Users\fabri\OneDrive\Desktop\MS2>
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Already on 'develop'
Your branch is up to date with 'origin/develop'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b feature-navbar
Switched to a new branch 'feature-navbar'
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "feat(ui): crear componente de navbar"
[feature-navbar 2ac2180] feat(ui): crear componente de navbar
1 file changed, 69 insertions(+)
create mode 100644 navbar.html
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```



Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff](#).

base: develop ← compare: feature-navbar



Add a title

feat(ui): crear componente de navbar

Add a description

Write

Preview

H B I

Add your description here...

Markdown is supported

Paste, drop, or click to add files

Create pull request

Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

feat(ui): crear componente de navbar #2

Merged FabricioNicolasD... merged 1 commit into develop from feature-navbar now

Conversation 0 Commits 1 Checks 0 Files changed 1



FabricioNicolasDuarte commented now

Owner ...

No description provided.



feat(ui): crear componente de navbar

2ac2180

FabricioNicolasDuarte merged commit ba3cc8e into develop now

Revert



Pull request successfully merged and closed

You're all set — the `feature-navbar` branch can be safely deleted.

Delete branch



Add a comment

Write

Preview

H B I

Add your comment here...

Markdown is supported

Paste, drop, or click to add files

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git checkout -b feature-register
Switched to a new branch 'feature-register'
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```

OneDrive > Fabricio - Personal > Escritorio > MS2 >

Nombre	Estado	Fecha de modificación	Tipo	Tamaño
.git	✓	18/8/2025 02:12	Carpeta de archivos	
login.html	✓	18/8/2025 01:33	Chrome HTML Do...	4 KB
README.md	✓	18/8/2025 01:40	Archivo de origen ...	1 KB
register.html	✓	18/8/2025 02:14	Chrome HTML Do...	4 KB

```
1 <!DOCTYPE html>
2 <html lang="es">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1">
6 <title>Registro de Usuario</title>
7
8 <script src="https://cdn.tailwindcss.com"></script>
9
10
11 <link rel="preconnect" href="https://fonts.googleapis.com">
12 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
13 <link href="https://fonts.googleapis.com/css2?family=Inter:wght@400;500;700&display=block" rel="stylesheet">
14
15 <style>
16
17
18 body {
19   font-family: Inter, sans-serif;
20 }
21 </style>
22
23 <body class="bg-gradient-to-br from-gray-900 to-gray-800 text-white min-h-screen flex flex-col justify-center items-center p-4">
24
25
26 <div class="w-full max-w-md bg-gray-900/50 backdrop-blur-sm p-8 rounded-2xl shadow-2xl border border-gray-700">
27   <h2 class="text-3xl font-bold text-center text-gray-100 mb-4">Crear una Cuenta</h2>
28   <form>
29
30     <div class="mb-4">
31       <label for="username" class="block text-gray-400 text-sm font-bold mb-2">Nombre de Usuario</label>
32       <input type="text" id="username" name="username" placeholder="Escribe un nombre de usuario" class="w-full px-3 py-2 text-gray-200 bg-gray-800 border border-gray-700 rounded-lg focus:outline-none focus:ring-2 focus:ring-cyan-500 transition duration-300">
33     </div>
34
35     <div class="mb-4">
36       <label for="email" class="block text-gray-400 text-sm font-bold mb-2">Correo Electrónico</label>
37       <input type="email" id="email" name="email" placeholder="Escribe un correo electrónico" class="w-full px-3 py-2 text-gray-200 bg-gray-800 border border-gray-700 rounded-lg focus:outline-none focus:ring-2 focus:ring-cyan-500 transition duration-300">
38     </div>
39
40     <div class="mb-4">
41       <label for="password" class="block text-gray-400 text-sm font-bold mb-2">Contraseña</label>
42       <input type="password" id="password" name="password" placeholder="Escribe una contraseña" class="w-full px-3 py-2 text-gray-200 bg-gray-800 border border-gray-700 rounded-lg focus:outline-none focus:ring-2 focus:ring-cyan-500 transition duration-300">
43     </div>
44
45     <div class="mb-4">
46       <label for="confirm-password" class="block text-gray-400 text-sm font-bold mb-2">Confirmar Contraseña</label>
47       <input type="password" id="confirm-password" name="confirm-password" placeholder="Escribe la contraseña nuevamente" class="w-full px-3 py-2 text-gray-200 bg-gray-800 border border-gray-700 rounded-lg focus:outline-none focus:ring-2 focus:ring-cyan-500 transition duration-300">
48     </div>
49
50     <button type="submit" class="w-full bg-cyan-500 hover:bg-cyan-600 text-white font-bold py-2 px-4 rounded-lg transition duration-300 ease-in-out transform hover:scale-105">
51       Registrar
52     </button>
53
54     <p class="text-center text-gray-400 text-sm mt-4">
55       ¿Ya tienes una cuenta?
56       <a href="#" class="font-medium text-cyan-400 hover:text-cyan-300">Inicia sesión</a>
57     </p>
58   </form>
59 </div>
60
61 </body>
62 </html>
```



```
C:\Users\fabri\OneDrive\Desktop\MS2>git add .
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git commit -m "feat(register): crear formulario de registro"
[feature-register 20311ce] feat(register): crear formulario de registro
1 file changed, 69 insertions(+)
create mode 100644 register.html
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>git push -u origin feature-register
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.33 KiB | 1.33 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-register' on GitHub by visiting:
remote:      https://github.com/FabricioNicolasDuarte/MS2/pull/new/feature-register
remote:
To https://github.com/FabricioNicolasDuarte/MS2.git
 * [new branch]      feature-register -> feature-register
branch 'feature-register' set up to track 'origin/feature-register'.
```

```
C:\Users\fabri\OneDrive\Desktop\MS2>
```

feat(register): crear formulario de registro #3

Merged FabricioNicolasD... merged 1 commit into `develop` from `feature-register` now

Conversation 0 Commits 1 Checks 0 Files changed 1



FabricioNicolasDuarte commented now

Owner ...

No description provided.



feat(register): crear formulario de registro

20311ce



FabricioNicolasDuarte merged commit `ef74c11` into `develop` now

Revert



Pull request successfully merged and closed

You're all set — the `feature-register` branch can be safely deleted.

Delete branch



Add a comment

Write

Preview

H B I

Add your comment here...

Markdown is supported

Paste, drop, or click to add files

Comment

Branches New branch

Overview Yours Active Stale All

Q Search branches...

Default

Branch	Updated	Check status	Behind Ahead	Pull request
main	51 minutes ago		Default	...

Your branches

Branch	Updated	Check status	Behind Ahead	Pull request
develop	4 minutes ago		0 9	...
feature-register	6 minutes ago		0 6	#3 ...
feature-navbar	23 minutes ago		0 6	#2 ...

Active branches

Branch	Updated	Check status	Behind Ahead	Pull request
develop	4 minutes ago		0 9	...
feature-register	6 minutes ago		0 6	#3 ...
feature-navbar	23 minutes ago		0 6	#2 ...

RESUMEN:

Si ingresamos a la página de GitHub, veremos las siguientes ramas:

main: Esta es la que no se toca, la que tiene el código que funciona y está en producción.

develop: Acá es donde vamos subiendo todo lo nuevo que terminamos. Es nuestra rama principal de laburo.

feature-register y feature-navbar: Estas dos son las funcionalidades que estamos desarrollando. Como tienen un Pull Request abierto, significa que están listas para que alguien las revise y las meta en develop.

¿Y las Otras Ramas? ¿dónde está feature-login? ¿O la release que hice?

Estas ramas no están porque ya cumplieron su ciclo, y eso es una buena señal de que estamos manteniendo todo ordenado.

feature-login: Esta rama ya la terminamos, la fusionamos a develop y luego, la borré para no dejar basura.

release/1.0.0: Lo mismo que la anterior. Se usó para preparar el lanzamiento, se mezcló con main y develop, y después se eliminó. Son ramas temporales, de usar y eliminar.

bugfix-auth y hotfix/error-critico: A estas las corregí y fusioné directamente en mi computadora. Como eran arreglos rápidos, no hizo falta subirlas a GitHub para hacer un Pull Request, por eso no aparecen en la lista.

feature/titulo-A y feature/titulo-B: Estas las creé en la compu, para practicar cómo resolver un conflicto. Nunca las subí porque su único propósito era para ese ejercicio.

Pero todo el registro de la simulación de cada cosa, están registradas en las capturas de pantalla anteriores.