

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://fabricoholic.github.io/LaChouetteAgence/page2.html>

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

address

https://fabricoholic.github.io/LaChouetteAgence/page2.html

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Error

Bad value

Default

for attribute

lang

on element

html

: The language subtag

default

is not a valid IANA language part of a language tag.

From line 1, column 16; to line 2, column 21

type html>

<html lang="Default">

<head
2.

Error

Attribute

success-msg

not allowed on element

form

at this point.

From line 83, column 5; to line 83, column 170

m-6">

<form id="form\_1" novalidate success-msg="Your message has been sent." fail-msg="Sorry it seems that our mail server is

not responding, Sorry for the inconvenience!">

Attributes for element [form](#):

Global attributes

accept-charset

— Character encodings to use for

form submission

action

— URL to use for

form submission

autocomplete

— Default setting for autofill feature for controls in the form

enctype

— Entry list encoding type to use for

form submission

method

— Variant to use for

form submission

name

— Name of form to use in the

document.forms API

novalidate

— Bypass form control validation for

form submission

target

— Browsing context for

form submission

rel

3.

Error

Attribute

fail-msg

not allowed on element

form

at this point.

From line 83, column 5; to line 83, column 170

m-6">

<form id="form\_1" novalidate success-msg="Your message has been sent." fail-msg="Sorry it seems that our mail server is

not responding, Sorry for the inconvenience!">

Attributes for element [form](#):

Global attributes

accept-charset

— Character encodings to use for

form submission

action

— URL to use for

form submission

autocomplete

— Default setting for autofill feature for controls in the form

enctype

— Entry list encoding type to use for

form submission

method

— Variant to use for

form submission

name

— Name of form to use in the

document.forms API

novalidate

— Bypass form control validation for

form submission

target

— Browsing context for

form submission

rel

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.  
Total execution time 121 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 20.5.21