
Cucumber PDF Report



Feature			Scenario				Step		
Name	Duration	T	P	F	S	<i>T</i>	P	F	S
Checkout Feature	36.825 s	2	0	2	0	16	5	2	9

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checkout Feature	User adds product to the cart
2		Successful checkout process


TAG	Scenario			Feature				
Name	<i>T</i>	P	F	S	T	P	F	S
@Checkout	2	0	2	0	1	0	1	0
@AddProducts	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Checkout Feature	2	0	2	0	36.825 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checkout Feature	User adds product to the cart	6	5	1	0	16.524 s
2		Successful checkout process	10	0	1	9	20.236 s

DETAILED SECTION -- 7 --

Checkout Feature

FAILED	DURATION - 36.825 s	Scenarios		Steps	
		Total - 2		Total - 16	
/ 12:35:32.908 AM //	12:36:09.733 AM /	Pass - 0	2	Pass - 5	16
		Fail - 2		Fail - 2	10
		Skip - 0		Skip - 9	


User adds product to the cart



#	Step / Hook Details	Status	Duration
1	Given User is in the login page	PASSED	1.619 s
2	When User tries to login with "faby@gmail.com" and "FUB123"	PASSED	0.384 s
3	Then User verifies successful login message	PASSED	0.115 s
4	Given User is logged	PASSED	0.215 s
5	When User searches and selects a product "Apple Juice"	PASSED	0.350 s
6	Then The cart displays the item added "Apple Juice"	FAILED	10.022 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //mat-cell[contains(text(),'Apple Juice')] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge. EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52579}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7, userDataDir: C:\Users\fabiola.urquidi\Ap}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52579/devtoo, se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 30fffc4e84af635d26914e575bfd0db2 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at com.store.factory.CheckoutPage.isProductInCart(CheckoutPage.java:73)		
	at com.store.stepDefinitions.CheckoutSteps.the_cart_displays_the_item_added(CheckoutSteps.java:23)		
	at ?.The cart displays the item added "Apple Juice"(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-		
	JuiceShop/src/test/resources/features/checkout.feature:15)		
	* Not displayable characters are replaced by '?'.		

Successful checkout process



#	Step / Hook Details	Status	Duration
1	Given User is in the login page	FAILED	20.213 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By. cssSelector: button[aria-label='Close Welcome Banner']' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:34) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.store.factory.HomePage.goToHomePage(HomePage.java:39) at com.store.stepDefinitions.LoginSteps.user_is_in_the_login_page(LoginSteps.java:18) at ?.User is in the login page(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/ resources/features/checkout.feature:5) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[aria-label='Close Welcome Banner']"} (Session info: MicrosoftEdge=131.0.2903.112) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org. openqa.selenium.edge.EdgeDriver Command: [30fffc4e84af635d26914e575bfd0db2, findelement {value=button[aria-label='Close Welcome Banner'], using=css selector}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52579}, msedge: {msedgedriverVersion: 131.0.2903.112} (16ab910a6e7, userDataDir: C:\Users\fabiola.urquidi\Ap}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: wsi/localhost:52579/devtoo, se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:exten		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	$at\ or g. open qa. selenium. remote. Element Location \$Element Finder \$2. find Element (Element Location. java: 165)$		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	$at\ or g. open qa. selenium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 68)$		
	$at\ or g. open qa. selenium. support. page factory. internal. Locating Element Handler. invoke (Locating Element Handler. java: 38)$		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.store.factory.HomePage.goToHomePage(HomePage.java:39)		
	at com.store.stepDefinitions.LoginSteps.user_is_in_the_login_page(LoginSteps.java:18)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		

#	Step / Hook Details	Status	Duration
	$at\ io. cucumber. testng. TestNGCucumberRunner. lambda\$runScenario\$1 (TestNGCucumberRunner. java: 135)$		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Test Case \$5 (Cucumber Execution Context. java: 136)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. testng. Abstract TestNGC ucumber Tests. run Scenario (Abstract TestNGC ucumber Tests. java: 35)$		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
2	When User tries to login with "faby@gmail.com" and "FUB123"	SKIPPED	0.001 s
3	Then User verifies successful login message	SKIPPED	0.001 s
4	Given User has added products to the cart	SKIPPED	0.002 s
5	And User has entered their address information	SKIPPED	0.000 s
6	And User has selected the delivery speed	SKIPPED	0.000 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
7	And User has entered their card information	SKIPPED	0.000 s
8	And User confirms the purchase	SKIPPED	0.001 s
9	When User places order and pay	SKIPPED	0.000 s
10	And The order confirmation is displayed	SKIPPED	0.000 s