# Cucumber PDF Report

| Start : Dec 23, 2:03:37.336 AM | End : Dec 23, 2:04:17.349 AM | Duration : 40.013 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 4<br>FAILED - 2<br>SKIPPED - 10 |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *Checkout Feature* | *40.013 s* | *2* | *0* | *2* | *0* | *16* | *4* | *2* | *10* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Checkout Feature* | *User adds product to the cart* |
| 2 | | *Successful checkout process* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Checkout | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @AddProducts | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @CheckoutComplete | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Checkout Feature | 2 | 0 | 2 | 0 | 40.013 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Checkout Feature | User adds product to the cart | 6 | 0 | 1 | 5 | 8.092 s |
| 2 | | Successful checkout process | 10 | 4 | 1 | 5 | 31.827 s |

# Checkout Feature

| FAILED | DURATION - 40.013 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 2 | | Total - 16 | |
| / 2:03:37.336 AM // 2:04:17.349 AM / | | Pass - 0 | 2 | Pass - 4 | 16 |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 10 | |

## User adds product to the cart

| FAILED | DURATION - 8.092 s | | Steps | |
|---|---|---|---|---|
| / 2:03:37.345 AM // 2:03:45.437 AM / | | | Total - 6 | |
| | | | Pass - 0 | 6 |
| Checkout Feature | | | Fail - 1 | |
| | | | Skip - 5 | |
| @Checkout @AddProducts | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is in the login page | FAILED | 2.883 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-ffo-c124="" mat-button="" fxhide.lt-md="" fxshow="" aria-label="Show/hide account menu" id="navbarAccount" class="mat-focus-indicator mat-menu-trigger buttons mat-button mat-button-base" style="vertical-align: middle; height: 48px;" aria-haspopup="menu">...</button> is not clickable at point (1385, 32). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-dark-backdrop cdk-overlay-backdrop-showing"></div> (Session info: MicrosoftEdge=131.0.2903.112) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [dabd3b3ef3ffc406547ea4e9790157f7, clickElement {id=f.7CBB08D83398D4A292BC87601DD6F815.d.79389F2D06DADBABB7DD68FCDF334769.e.6}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62007}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\fabiola.urquidi\Ap...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62007/devtoo..., se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (dabd3b3ef3ffc406547ea4e9790157f7)] -> id: navbarAccount] Session ID: dabd3b3ef3ffc406547ea4e9790157f7<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:569)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)<br>at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)<br>at com.store.factory.BasePage.click(BasePage.java:58)<br>at com.store.factory.HomePage.goToLoginPageViaAccount(HomePage.java:85)<br>at com.store.stepDefinitions.LoginSteps.user_is_in_the_login_page(LoginSteps.java:18)<br>at ?.User is in the login page(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/resources/features/checkout.feature:5)<br>* Not displayable characters are replaced by '?'. | | |
| 2 | When User tries to login with "faby@gmail.com" and "FUB123" | SKIPPED | 0.001 s |
| 3 | Then User verifies successful login message | SKIPPED | 0.001 s |
| 4 | Given User is logged | SKIPPED | 0.001 s |
| 5 | When User searches and selects a product "Apple Juice" | SKIPPED | 0.000 s |
| 6 | Then The cart displays the item added "Apple Juice" | SKIPPED | 0.001 s |

### Successful checkout process

| FAILED | DURATION - 31.827 s |
|---|---|
| / 2:03:45.522 AM // 2:04:17.349 AM / | |
| Checkout Feature | |
| @Checkout @CheckoutComplete | |



Steps
Total - 10
Pass - 4
Fail - 1
Skip - 5

10

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is in the login page | PASSED | 10.532 s |
| 2 | When User tries to login with "faby@gmail.com" and "FUB123" | PASSED | 0.883 s |
| 3 | Then User verifies successful login message | PASSED | 0.271 s |
| 4 | Given User has added products to the cart | PASSED | 10.051 s |
| 5 | And User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", "<state>" | FAILED | 10.058 s |

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#checkoutButton"}   (Session info: MicrosoftEdge=131.0.2903.112) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium. edge.EdgeDriver Command: [dabd3b3ef3ffc406547ea4e9790157f7, findElement {using=id, value=checkoutButton}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62007}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\fabiola. urquidi\Ap...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62007/devtoo..., se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dabd3b3ef3ffc406547ea4e9790157f7
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy29.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br>at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)<br>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br>at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)<br>at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)<br>at com.store.factory.CheckoutPage.checkoutClick(CheckoutPage.java:153)<br>at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:161)<br>at com.store.stepDefinitions.CheckoutSteps.user_has_entered_their_address_information(CheckoutSteps.java:40)<br>at ?.User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", "&lt;state&gt;"(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/resources/features/checkout.feature:25)<br>* Not displayable characters are replaced by '?'. | | |
| 6 | And User has selected the delivery speed | SKIPPED | 0.001 s |
| 7 | And User has entered their card information | SKIPPED | 0.000 s |
| 8 | And User confirms the purchase | SKIPPED | 0.000 s |
| 9 | When User places order and pay | SKIPPED | 0.001 s |
| 10 | And The order confirmation is displayed | SKIPPED | 0.001 s |