

Cucumber PDF Report

Dec 23, 2024, 1:15:06 AM

Start : Dec 23, 1:14:34.673 AM

End : Dec 23, 1:15:04.921 AM

Duration : 30.248 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0


PASSED - 6
FAILED - 1
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Checkout Feature</u>	30.248 s	2	1	1	0	16	6	1	9

#	Feature Name	Scenario Name
1	<u>Checkout Feature</u>	<u>Successful checkout process</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Checkout	2	1	1	0	1	0	1	0
@AddProducts	1	1	0	0	1	0	1	0
@CheckoutComplete	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Checkout Feature</u>	2	1	1	0	30.248 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checkout Feature</u>	<u>User adds product to the cart</u>	6	6	0	0	9.908 s
2		<u>Successful checkout process</u>	10	0	1	9	20.189 s

Checkout Feature



FAILED	DURATION - 30.248 s	Scenarios		Steps	
/ 1:14:34.673 AM // 1:15:04.921 AM /		Total - 2		Total - 16	
		Pass - 1		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

User adds product to the cart

<div><div>PASSED</div><div>DURATION - 9.908 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 1:14:34.680 AM // 1:14:44.588 AM /				
Checkout Feature				
@Checkout @AddProducts				

#	Step / Hook Details	Status	Duration
1	Given User is in the login page	PASSED	2.910 s
2	When User tries to login with "faby@gmail.com" and "FUB123"	PASSED	0.625 s
3	Then User verifies successful login message	PASSED	0.212 s
4	Given User is logged	PASSED	0.579 s
5	When User searches and selects a product "Apple Juice"	PASSED	0.373 s
6	Then The cart displays the item added "Apple Juice"	PASSED	0.269 s

Successful checkout process

<div>FAILED</div> <div>DURATION - 20.189 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
/ 1:14:44.732 AM // 1:15:04.921 AM /				
Checkout Feature				
@Checkout @CheckoutComplete				

#	Step / Hook Details	Status	Duration
1	<p>Given User is in the login page</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.cssSelector: button[aria-label='Close Welcome Banner']' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.store.factory.HomePage.goToHomePage(HomePage.java:39) at com.store.stepDefinitions.LoginSteps.user_is_in_the_login_page(LoginSteps.java:18) at ?.User is in the login page(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/resources/features/checkout.feature:5)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[aria-label='Close Welcome Banner']"} (Session info: MicrosoftEdge=131.0.2903.112) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [da164412b82c2737229a45630195bdb6, findElement {value=button[aria-label='Close Welcome Banner'], using=css selector}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:56904}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\fabiola.urquidi\AppData\Local\Microsoft\EdgeDevToolsClient\131.0.2903.112\msedge\16ab910a6e7..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56904/devtools, se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da164412b82c2737229a45630195bdb6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	20.156 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at com.store.factory.HomePage.goToHomePage(HomePage.java:39) at com.store.stepDefinitions.LoginSteps.user_is_in_the_login_page(LoginSteps.java:18) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
2	When User tries to login with "faby@gmail.com" and "FUB123"	SKIPPED	0.000 s
3	Then User verifies successful login message	SKIPPED	0.001 s
4	Given User has added products to the cart	SKIPPED	0.001 s
5	And User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", "<state>"	SKIPPED	0.001 s
6	And User has selected the delivery speed	SKIPPED	0.001 s
7	And User has entered their card information	SKIPPED	0.001 s
8	And User confirms the purchase	SKIPPED	0.000 s
9	When User places order and pay	SKIPPED	0.001 s
10	And The order confirmation is displayed	SKIPPED	0.000 s