

Cucumber PDF Report

Dec 23, 2024, 2:02:00 AM

Start : Dec 23, 2:01:18.820 AM

End : Dec 23, 2:01:58.736 AM

Duration : 39.916 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 4
FAILED - 2
SKIPPED - 10




| Feature | | Scenario | | | | Step | | | |
|-------------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Checkout Feature</u> | 39.916 s | 2 | 0 | 2 | 0 | 16 | 4 | 2 | 10 |

| # | Feature Name | Scenario Name |
|---|-------------------------|--------------------------------------|
| 1 | <u>Checkout Feature</u> | <u>User adds product to the cart</u> |
| 2 | | <u>Successful checkout process</u> |

| TAG | Scenario | | | | Feature | | | |
|-------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @Checkout | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @AddProducts | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @CheckoutComplete | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|-------------------------|---|---|---|---|----------|
| 1 | <u>Checkout Feature</u> | 2 | 0 | 2 | 0 | 39.916 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------|-------------------------------|----|---|---|---|----------|
| 1 | Checkout Feature | User adds product to the cart | 6 | 0 | 1 | 5 | 8.030 s |
| 2 | | Successful checkout process | 10 | 4 | 1 | 5 | 31.813 s |

Checkout Feature

| | | | | | |
|--------------------------------------|---------------------|-----------|---|------------|---|
| FAILED | DURATION - 39.916 s | Scenarios |  | Steps |  |
| / 2:01:18.820 AM // 2:01:58.736 AM / | | Total - 2 | 2 | Total - 16 | 16 |
| | | Pass - 0 | | Pass - 4 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 10 | |



User adds product to the cart

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 8.030 s</div> | |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 2:01:18.833 AM // 2:01:26.863 AM / | | | | |
| Checkout Feature | | | | |
| @Checkout @AddProducts | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| 1 | <p>Given User is in the login page</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-eix-c124="" mat-button="" fxhide.lt-md="" fxshow="" aria-label="Show/hide account menu" id="navbarAccount" class="mat-focus-indicator mat-menu-trigger buttons mat-button mat-button-base" style="vertical-align: middle; height: 48px;" aria-haspopup="menu">...</button> is not clickable at point (1385, 32). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-dark-backdrop cdk-overlay-backdrop-showing"></div> (Session info: MicrosoftEdge=131.0.2903.112) Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [43dc5d3f842b8734b073d2a7e1d2ed84, clickElement {id=f.DD7964744B17E59D5B871ADB39257EF9.d.EE70C2443EEFC5D8096024DC9FF7B5B9.e.6}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61752}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\fabiola.urquidi\AppData\Local\Microsoft\Edge\Chromium\DevTools\131.0.2903.112\msedge\16ab910a6e7..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61752/devtools, se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: MicrosoftEdge on windows (43dc5d3f842b8734b073d2a7e1d2ed84)] -> id: navbarAccount] Session ID: 43dc5d3f842b8734b073d2a7e1d2ed84</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> | FAILED | 2.848 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:569) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at com.store.factory.BasePage.click(BasePage.java:58) at com.store.factory.HomePage.goToLoginPageViaAccount(HomePage.java:85) at com.store.stepDefinitions.LoginSteps.user_is_in_the_login_page(LoginSteps.java:18) at ?.User is in the login page(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/resources/features/checkout.feature:5) * Not displayable characters are replaced by '?'. | | |
| 2 | When User tries to login with "faby@gmail.com" and "FUB123" | SKIPPED | 0.001 s |
| 3 | Then User verifies successful login message | SKIPPED | 0.001 s |
| 4 | Given User is logged | SKIPPED | 0.001 s |
| 5 | When User searches and selects a product "Apple Juice" | SKIPPED | 0.001 s |
| 6 | Then The cart displays the item added "Apple Juice" | SKIPPED | 0.001 s |

Successful checkout process

| | | | |
|---|--|---|---|
| FAILED DURATION - 31.813 s / 2:01:26.923 AM // 2:01:58.736 AM / Checkout Feature @Checkout @CheckoutComplete |  | Steps Total - 10 Pass - 4 Fail - 1 Skip - 5 |  |
|---|--|---|---|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is in the login page | PASSED | 10.533 s |
| 2 | When User tries to login with "faby@gmail.com" and "FUB123" | PASSED | 0.889 s |
| 3 | Then User verifies successful login message | PASSED | 0.264 s |
| 4 | Given User has added products to the cart | PASSED | 10.069 s |
| 5 | And User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", "<state>" | FAILED | 10.034 s |
| | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#checkoutButton"} (Session info: MicrosoftEdge=131.0.2903.112) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.27.0', revision: 'd6e718d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [43dc5d3f842b8734b073d2a7e1d2ed84, findElement {value=checkoutButton, using=id}] Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61752}, msedge: {msedgedriverVersion: 131.0.2903.112 (16ab910a6e7..., userDataDir: C:\Users\fabiola.urquidilAp...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61752/devtoo..., se:cdpVersion: 131.0.2903.112, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 43dc5d3f842b8734b073d2a7e1d2ed84</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at com.store.factory.CheckoutPage.checkoutClick(CheckoutPage.java:153) at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:161) at com.store.stepDefinitions.CheckoutSteps.user_has_entered_their_address_information(CheckoutSteps.java:40) at ?.User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", "<state>(file:///C:/Users/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/resources/features/checkout.feature:25) * Not displayable characters are replaced by '?'. | | |
| 6 | And User has selected the delivery speed | SKIPPED | 0.001 s |
| 7 | And User has entered their card information | SKIPPED | 0.000 s |
| 8 | And User confirms the purchase | SKIPPED | 0.000 s |
| 9 | When User places order and pay | SKIPPED | 0.001 s |
| 10 | And The order confirmation is displayed | SKIPPED | 0.001 s |