
Cucumber PDF Report




| Feature | | | Scei | nario | | Step | | | |
|------------------|----------|----------|------|-------|---|----------|----|---|---|
| Name | Duration | <i>T</i> | P | F | S | <i>T</i> | P | F | S |
| Checkout Feature | 51.898 s | 2 | 1 | 1 | 0 | 16 | 10 | 1 | 5 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|------------------|-----------------------------|
| 1 | Checkout Feature | Successful checkout process |

| TAG | Scenario | | | | Feature | | | |
|-------------------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Checkout | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AddProducts | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @CheckoutComplete | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |


FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|------------------|---|---|---|---|----------|
| 1 | Checkout Feature | 2 | 1 | 1 | 0 | 51.898 s |

SCENARIOS SUMMARY

-- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------|-------------------------------|----|---|---|---|----------|
| 1 | Checkout Feature | User adds product to the cart | 6 | 6 | 0 | 0 | 10.412 s |
| 2 | | Successful checkout process | 10 | 4 | 1 | 5 | 41.402 s |

DETAILED SECTION -- 7 --

Checkout Feature


| 1.898 s | Scenarios | | Steps | |
|---------|-----------|-----------------------------|-----------------------------|---|
| | Total - 2 | | Total - 16 | |
| | Pass - 1 | 2 | Pass - 10 | 16 |
| | Fail - 1 | | Fail - 1 | |
| | Skip - 0 | | Skip - 5 | |
| 1 | 1.898 s | Total - 2 Pass - 1 Fail - 1 | Total - 2 Pass - 1 Fail - 1 | Total - 2 Pass - 1 Fail - 1 Pass - 10 Fail - 1 |

User adds product to the cart



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is in the login page | PASSED | 2.905 s |
| 2 | When User tries to login with "faby@gmail.com" and "FUB123" | PASSED | 0.622 s |
| 3 | Then User verifies successful login message | PASSED | 0.218 s |
| 4 | Given User is logged | PASSED | 0.558 s |
| 5 | When User searches and selects a product "Apple Juice" | PASSED | 0.412 s |
| 6 | Then The cart displays the item added "Apple Juice" | PASSED | 0.524 s |

Successful checkout process



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is in the login page | PASSED | 10.447 s |
| 2 | When User tries to login with "faby@gmail.com" and "FUB123" | PASSED | 0.550 s |
| 3 | Then User verifies successful login message | PASSED | 0.190 s |
| 4 | Given User has added products to the cart | PASSED | 10.019 s |
| 5 | And User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", " <state>"</state> | FAILED | 20.162 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //mat-label[text()='Country']/ancestor::div[contains(@class,'mat-form-field-infix')]//input' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.store.factory.BasePage.waitElement(BasePage.java:40) at com.store.factory.BasePage.waitElement(BasePage.java:47) at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:159) at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:159) at com.store.factory.CheckoutPage.selenium.gater.phase.entered_their_address_information(CheckoutSteps.java:42) at ?.User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", " <state>"(file:///C/U sers/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShop/src/test/resources/features/checkout.feature:25) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: \(\text{"method":"xpath", "selector":"//mat-label[text()='Country']/ancestor::div(contains(@class,'mat-form-field-infix')]//input") \(\text{Session info: MicrosoftEdge=131.0.2903.112} \) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mos-uch-element-exception Build info: version: '4.27.0', revision: 'd6e18d134' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [0ddb9e6e055a4925483c26c84ef5aebd, findElement \(\text{value=//mat-label[text()='Country']/ancestor::div(contains(@class,'mat-form-field-infix')]//input, using=xpath]} Capabilities (acceptInsecureCerts: talse, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedom:accounts: true, ms:edgeOptions: (deb</state> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect. Delegating Constructor Accessor Impl.new Instance (Delegating Constructor Accessor Impl.java: 45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) | | |
| | at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) | | |
| | $at\ or g. open qa. selen ium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 68)$ | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) | | |
| | at com.store.factory.BasePage.waitElement(BasePage.java:40) | | |
| | at com.store.factory.BasePage.writeText(BasePage.java:67) | | |
| | at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:159) | | |
| | at com.store.stepDefinitions.CheckoutSteps.user_has_entered_their_address_information(CheckoutSteps.java:42) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:569) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:53) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:135) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:569) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) | | |
| | at org.testing.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) | | |
| | at org.testng.internal.invokers.Methodramer.ium/sequence(Methodramer.java.03) at org.testng.internal.invokers.Testlnvoker\$MethodlnvocationAgent.invoke(Testlnvoker.java:992) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:739) | | |
| | at org.testng.TestRunner.run(TestRunner.java:614) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:312) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1112) | | |
| | at org.testng.TestNG.run(TestNG.java:1079) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 6 | And User has selected the delivery speed | SKIPPED | 0.001 s |
| 7 | And User has entered their card information | SKIPPED | 0.000 s |
| 8 | And User confirms the purchase | SKIPPED | 0.000 s |
| 9 | When User places order and pay | SKIPPED | 0.000 s |
| 10 | And The order confirmation is displayed | SKIPPED | 0.001 s |
| | | - | - |