
Dec 23, 2024, 2:17:58 AM

Cucumber PDF Report




Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	<i>T</i>	P	F	S
Checkout Feature	51.548 s	2	1	1	0	16	10	1	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Checkout Feature	Successful checkout process


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Checkout	2	1	1	0	1	0	1	0
@AddProducts	1	1	0	0	1	0	1	0
@CheckoutComplete	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Checkout Feature	2	1	1	0	51.548 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checkout Feature	User adds product to the cart	6	6	0	0	10.101 s
2		Successful checkout process	10	4	1	5	41.364 s

DETAILED SECTION -- 7 --

Checkout Feature


Scenarios		Steps	
Total - 2		Total - 16	
Pass - 1	2	Pass - 10	16
Fail - 1		Fail - 1	
Skip - 0		Skip - 5	
	Total - 2 Pass - 1 Fail - 1	Total - 2 Pass - 1 Fail - 1	Total - 2 Pass - 1 Fail - 1 Total - 16 Pass - 10 Fail - 1

User adds product to the cart



#	Step / Hook Details	Status	Duration
1	Given User is in the login page	PASSED	2.743 s
2	When User tries to login with "faby@gmail.com" and "FUB123"	PASSED	0.645 s
3	Then User verifies successful login message	PASSED	0.215 s
4	Given User is logged	PASSED	0.522 s
5	When User searches and selects a product "Apple Juice"	PASSED	0.368 s
6	Then The cart displays the item added "Apple Juice"	PASSED	0.473 s

Successful checkout process



#	Step / Hook Details	Status	Duration
1	Given User is in the login page	PASSED	10.415 s
2	When User tries to login with "faby@gmail.com" and "FUB123"	PASSED	0.545 s
3	Then User verifies successful login message	PASSED	0.177 s
1	Given User has added products to the cart	PASSED	10.050 s
5	And User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", " <state>"</state>	FAILED	20.148 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //mat-label[text()='Country']/ancestor::div[contains(@class,'mat-form-field-infix')]//input' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.store.factory.BasePage.waitElement(BasePage.java:40) at com.store.factory.BasePage.waitElement(BasePage.java:40) at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:159) at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:159) at com.store.stepDefinitions.CheckoutSteps.user_has_entered_their_address_information(CheckoutSteps.java:41) at ?.User has entered their address information "Bolivia", "Adela", "64987542", "0000", "Circunvalacion", "Cochabamba", " <state>"(file:///C:/U sers/fabiola.urquidi/Documents/FABY/AUTOMATION/CUCUMBER/Proyecto-JuiceShoy/src/test/resources/features/checkout.feature:25) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpatth", "selector":"//mat-label[text()='Country']/ancestor::div[contains(@class,'mat-form-field-infix')]//input") (Session info: MicrosoftEdge=131.0.2903.112) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.27.0', revision: 'd6718d134' System info: os.name: Windows 10; os.arch: 'amd64', os.version: '10.0', java.version: '17.0.13' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2c4785d2f0bdb51d4512911208a01acd, findElement (value=//mat-label[text()='Country']/ancestor::div[contains(@class,'mat-form-field-infix')]//input, using=xpath]} Capabilities (acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 131.0.2903.112, fedcm:accounts: true, ms:edgeOptions: (debuggerAddress: localhost:62859)</state>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect. Delegating Constructor Accessor Impl.new Instance (Delegating Constructor Accessor Impl.java: 45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	$at\ or g. open qa. selenium. remote. service. Driver Command Executor. invoke Execute (Driver Command Executor. java: 216)$		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	$at\ or g. open qa. selen ium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 68)$		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.store.factory.BasePage.waitElement(BasePage.java:40)		
	at com.store.factory.BasePage.writeText(BasePage.java:67)		
	at com.store.factory.CheckoutPage.addNewAddress(CheckoutPage.java:159)		
	at com.store.stepDefinitions.CheckoutSteps.user_has_entered_their_address_information(CheckoutSteps.java:41)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	$at\ io. cucumber. testng. TestNGC ucumberRunner. lambda \$runScenario\$1 (TestNGC ucumberRunner. java: 135)$		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda\$run Test Case\$5 (Cucumber Execution Context. java: 136)$		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:132)		
	$at\ io. cucumber. testng. Abstract TestNGC ucumber Tests. run Scenario (Abstract TestNGC ucumber Tests. java: 35)$		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
6	And User has selected the delivery speed	SKIPPED	0.001 s
7	And User has entered their card information	SKIPPED	0.000 s
8	And User confirms the purchase	SKIPPED	0.001 s
9	When User places order and pay	SKIPPED	0.001 s
10	And The order confirmation is displayed	SKIPPED	0.001 s